

T-33-01

SEMELAB

Type No.	Reliability Option	Polarity	Package	V _{CEO}	I _c cont	h _{FE} @	V _{CE} /I _C	f _T	P _D
TIP31A		NPN	TO220	60	3	10min	4/3	3M	30
TIP31B		NPN	TO220	80	3	10min	4/3	3M	30
TIP31C		NPN	TO220	100	3	10min	4/3	3M	30
TIP32		PNP	TO220	40	3	10min	4/3	3M	30
TIP32A		PNP	TO220	60	3	10min	4/3	3M	30
TIP32B		PNP	TO220	80	3	10min	4/3	3M	30
TIP32C		PNP	TO220	100	3	10min	4/3	3M	30
TIP33		NPN	SOT93	40	10	20min	4/3	3M	80
TIP33A		NPN	SOT93	60	10	20min	4/3	3M	80
TIP33B		NPN	SOT93	80	10	20min	4/3	3M	80
TIP33C		NPN	SOT93	100	10	20min	4/3	3M	80
TIP34		PNP	SOT93	40	10	20min	4/3	3M	80
TIP34A		PNP	SOT93	60	10	20min	4/3	3M	80
TIP34B		PNP	SOT93	80	10	20min	4/3	3M	80
TIP34C		PNP	SOT93	100	10	20min	4/3	3M	80
TIP35		NPN	SOT93	40	25	10min	4/15	3M	125
TIP35A		NPN	SOT93	60	25	10min	4/15	3M	125
TIP35B		NPN	SOT93	80	25	10min	4/15	3M	125
TIP35C		NPN	SOT93	100	25	10min	4/15	3M	125
TIP36		PNP	SOT93	40	25	10min	4/15	3M	125
TIP36A		PNP	SOT93	60	25	10min	4/15	3M	125
TIP36B		PNP	SOT93	80	25	10min	4/15	3M	125
TIP36C		PNP	SOT93	100	25	10min	4/15	3M	125
TIP41		NPN	TO220	40	6	15-75	4/3	3M	65
TIP41A		NPN	TO220	60	6	15-75	4/3	3M	65
TIP41B		NPN	TO220	80	6	15-75	4/3	3M	65
TIP41C		NPN	TO220	100	6	15-75	4/3	3M	65
TIP42		PNP	TO220	40	6	15-75	4/3	3M	65
TIP42A		PNP	TO220	60	6	15-75	4/3	3M	65
TIP42B		PNP	TO220	80	6	15-75	4/3	3M	65
TIP42C		PNP	TO220	100	6	15-75	4/3	3M	65
TIP47		NPN	TO220	250	1	30-150	10/0.3	10M	2
TIP48		NPN	TO220	300	1	30-150	10/0.3	10M	2
TIP49		NPN	TO220	350	1	30-150	10/0.3	10M	2
TIP50		NPN	TO220	400	1	30-150	10/0.3	10M	2
TIP51		NPN	SOT93	250	3	30-150	10/0.3	2.5M	3.5
TIP73		NPN	SOT93	300	3	30-150	10/0.3	2.5M	3.5
TIP74		PNP	TO220	40	15	20min	4/5	5M	80
TIP75		NPN	TO220	200	3	30min	5/0.5	10M	65
TIP100		NPN	TO220	60	15	1k-20k	4/3		80
TIP102		NPN	TO220	100	15	1k-20k	4/3		80
TIP105		PNP	TO220	60	15	1k-20k	4/3		80
TIP107		PNP	TO220	100	15	1k-20k	4/3		80
TIP110		NPN	TO220	60	2	500min	4/2		50
TIP111		NPN	TO220	80	2	500min	4/2		50