



# MULTILAYER CERAMIC DIPLEXER

# **RFDIP Series – 1608(0603)- RoHS Compliance**

Halogens Free Product

# 2.4 GHz & 5 GHz ISM Band RF Application

# P/N: RFDIP1606L52T

\*Contents in this sheet are subject to change without prior notice.

# **Approval sheet**

# FEATURES


- 1. Miniature footprint: 1.6 X 0.8X 0.6 mm<sup>3</sup>
- 2. Low Insertion Loss
- 3. High attenuation on 2<sup>nd</sup> harmonic suppressed
- 4. LTCC process

# APPLICATIONS

- 1. ISM 2.4/ 5GHz band RF application
- 2. Wi-Fi 802.11a/b/g/n application


# CONSTRUCTION

Top view




PIN	Connection	PIN	Connection	
1	Low Band	4	GND	
2	GND	5	Common Port	
3	High Band	6	GND	

### DIMENSIONS



# **ELECTRICAL CHARACTERISTICS**

RFDIP1606L52T	Specifi	cation	
Frequency range	2400~2500 MHz	4900~5950 MHz	
Insertion Loss	0.45 dB max. at 25 °C	0.6 dB max. at 25 °C	
	0.55 dB max. at -40 ~ +85 °C	0.7 dB max. at -40 ~ +85 °C	
	21 dB min. @4800~5000MHz 23 dB min. @5000~5500MHz	27 dB min. @ 824~2170MHz	
Attenuation	28 dB min. @5500~5950MHz	31 dB min. @ 2400~2500MHz	
	21 dB min. @7200~7500MHz	26 dB min. @ 9800~11900 MHz	
VSWR	1.7 n	nax.	
Impedance	50	Ω	
Power Capacity	3W 1	nax	
Moisture sensitivity levels	LEVEL 1 (Refer to : IP	C/JEDEC J-STD-020)	
Operating & Storage Conditio Operation Temperature Range: Storage Temperature Range: -4	-40 ~ +85 ℃		
Storage Condition before Sold Storage Temperature Range: + Humidity: 30 to 70% relative hur			
	TYPICAL ELECTRICAL PERFORMA	NCE	
S-Parameters (dB)		ommon Port) BBand) w Band) 10.5 12.0	
LAND PATTERN	noq, oniz		
	Figure		
(7777777		72	
	=0.2		
191111	0.25 0.25		





# Approval sheet

RELIABILITY TEST			
Test item	Test condition / Test method	Specification	
Solderability JIS C 0050-4.6 JESD22-B102D	*Solder bath temperature : 235 ± 5°C *Immersion time : 2 ± 0.5 sec Solder : Sn3Ag0.5Cu for lead-free	At least 95% of a surface of each terminal electrode must be covered by fresh solder.	
Resistance to soldering heat JIS C 0050-5.4	*Preheating temperature : 120~150°C, 1 minute. *Solder temperature : 270±5°C *Immersion time : 10±1 sec Solder : Sn3Ag0.5Cu for lead-free Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C. Loss of metallization on the edges of each electrode shall not exceed 25%.	
Drop Test JIS C 0044 Customer's specification.	<ul> <li>*Height : 75 cm</li> <li>*Test Surface : Rigid surface of concrete or steel.</li> <li>*Times : 6 surfaces for each units ; 2 times for each side.</li> </ul>	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.	
Vibration JIS C 0040	*Frequency : 10Hz~55Hz~10Hz(1min) *Total amplitude : 1.5mm *Test times : 6hrs.(Two hrs each in three mutually perpendicular directions)	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.	
Adhesive Strength of Termination JIS C 0051- 7.4.3	*Pressurizing force : 5N (LGA terminal series) ;5N(≦0603); 10N(>0603) *Test time :10±1 sec	No remarkable damage or removal of the termination.	
Bending test JIS C 0051- 7.4.1	The middle part of substrate shall be pressurized by means of the pressurizing rod at a rate of about 1 mm/s per second until the deflection becomes 1mm/s and then pressure shall be maintained for 5±1 sec. Measurement to be made after keeping at room temperature for 24±2 hours	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.	




# Approval sheet

Temperature cycle	1. 30±3 minutes at -40°C±3°C.	No mechanical damage
JIS C 0025	<ol> <li>30±3 minutes at -40°C±3°C,</li> <li>10~15 minutes at room temperature,</li> <li>30±3 minutes at +85°C±3°C,</li> <li>10~15 minutes at room temperature,</li> <li>Total 100 continuous cycles</li> <li>Measurement to be made after keeping at room temperature for 24±2 hrs</li> </ol>	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
High temperature JIS C 0021	*Temperature : 85°C±2°C *Test duration : 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
Humidity (steady conditions) JIS C 0022	<ul> <li>*Humidity : 90% to 95% R.H.</li> <li>*Temperature : 40±2°C</li> <li>*Time : 1000+24/-0 hrs.</li> <li>Measurement to be made after keeping at room temperature for 24±2 hrs</li> <li>※ 500hrs measuring the first data then 1000hrs data</li> </ul>	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
Low temperature JIS C 0020	*Temperature : -40°C±2°C *Test duration : 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.

## SOLDERING CONDITION

Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2,




# Fig 2. Infrared soldering profile

## ORDERING CODE

RF	DIP	1606	L	52	Т
Walsin	Product Code	Dimension code	Application	Specification	Packing
RF device	DIP : Diplexer	Per 2 digits of Length, Width, Thickness : e.g. : 1606 = Length 16, Width 08, Thickness 065	L : 2.4GHz/5GHz	Design code	T : Reeled


Minimum Ordering Quantity: 4000 pcs per reel. PACKAGING



## Paper Tape specifications (unit :mm)

Index	Ao	Во	ΦD	Т	W
Dimension (mm)	0.975± 0.10	1.76 ±0.10	1.55 + 0.05	$0.75{\pm}0.10$	$\textbf{8.0}\pm\textbf{0.10}$
Index	E	F	Po	P1	P2
Dimension (mm)	$1.75\pm0.10$	$\textbf{3.50} \pm \textbf{0.05}$	$4.00\pm0.10$	$\textbf{4.00} \pm \textbf{0.10}$	$2.00\pm0.05$

# Reel dimensions



Taping Quantity:4000 pieces per 7" reel

### CAUTION OF HANDLING

### Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

# Storage condition

- (1) Products should be used in 6 months from the day of WALSIN outgoing inspection.
- (2) Storage environment condition.
  - Products should be storage in the warehouse on the following conditions.
  - Temperature : +5 to +40°C
  - Humidity : 30 to 70% relative humidity
  - Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
  - Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
  - Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
  - Products should be storage under the airtight packaged condition.