


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION .19 .
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
CE	16		D	REV PER EC 0A40-0247-02	10JUL02	JWD	JD

1. DIMENSIONS IN [] ARE IN INCHES.
2. 0.5dB MAX INSERTION LOSS.
3. 55dB MIN RETURN LOSS.



15±0.15	[591±6]	1-492194-5
10±0.15	[394±6]	1-492194-0
2.5±0.05	[98.4±2.0]	492194-6
5±0.08	[197±3]	492194-5
1.5±0.05	[59.1±2.0]	492194-4
3±0.05	[118±2]	492194-3
2±0.05	[79±2]	492194-2
1±0.05	[39±2]	492194-1
L		PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.BAUBLITZ 09NOV98	AMP Incorporated Harrisburg, PA 17105-3608				
DIMENSIONS: METERS ■ [INCHES]		CHK N.MILLER 10DEC96					
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		APVD N.MILLER 10DEC96	NAME PIGTAIL CABLE ASSEMBLY, SINGLEMODE LDS, FC/UPC				
MATERIAL - FINISH -		PRODUCT SPEC -	SIZE A3	CAGE CODE 00779	DRAWING NO C-492194	RESTRICTED TO -	
		APPLICATION SPEC -	CUSTOMER DRAWING		SCALE NTS	SHEET 1 OF 1	REV D

- [Home](#)
- [Part Number Search](#)
- [Document Search](#)
- [Text Search](#)
- [Alternate Part Search](#)
- [Multiple Part Comparison](#)
- [Alphabetical Search](#)
- [Brand Search](#)
- [Industry Product Search](#)
- [Product Type Search](#)
- [Product Family Search](#)
- [Competitor Cross Reference](#)
- [Lead Free Solutions](#)
- [Help/Glossary](#)

Current Brand View	View All Tyco Electronics Brands Click to activate links to all other products
AMP	

Fiber Optic Products

Fiber Optic Cable Assemblies

AMP **492194-2** **Active** [Active](#)
(Tyco Electronics P/N: 492194-2)

[Search for Parts](#) | [Previous](#) [1] [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Searchable Features:	
Brand:	AMP
Product Type:	Cable Assembly
Cable Assembly Type:	FC-UPC to Pigtail
Fiber Type:	SMF-28
Mode:	Singlemode
Cable Type:	Simplex
Cable Diameter (mm [in]):	3.00 [.118]
No. of Fibers:	1
Flammability Rating:	Riser (UL OFNR/CSA FT-4)
Cable Buffering:	Tight
Cable Color:	Yellow
Length (M [ft]):	2.00 [6.562]
Connector(s) Exit Angle to Connector(s) Exit Angle:	180° to Pigtail

Other Properties:	
AMP Logo:	With
Coupling Nut Material:	Brass
Insertion Loss (dB):	0.50
Return Loss (dB):	55

Boot Body Style - Left:	Long
Boot Color - Left:	Yellow
Ferrule Material:	Ceramic
Fibre Channel:	No

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)