


L002008-75 Logarithmic Amplifier 200 To 800MHz

ADVANCED DATA SHEET

www.aeroflex.com/bband



DESCRIPTION

The Aeroflex Plainview cutting edge Logarithmic Amplifier designs are enabling new applications. Our team of engineers can custom design Log Amplifiers using latest CAD Simulation software to meet even the most demanding specifications.

FEATURES

- ❑ Ultra Wideband with High Sensitivity
- ❑ Great Dynamic Range
- ❑ Fast Rise Times
- ❑ Custom Configurations in Small Package
- ❑ Packaging - Hermetic / Non-Hermetic

SPECIFICATIONS

Absolute Maximum Ratings

PARAMETER	SYMBOL	MIN	MAX	UNITS
Operating Temperature - Case	T_{MO}	-20	+85	°C
Storage Temperature - Case	T_{MS}	-40	+95	°C
Negative Supply Voltage	V_{-SS}	-9	-	V
Positive Supply Voltage	V_{+SS}	-	+15	V

Nominal Operating Conditions


PARAMETER	CONDITIONS	MIN	MAX	UNITS
Temperature, T_O	Full Range	-10	+75	°C
Positive Supply Voltage, V_{PS}		+7.7	+12	V
Negative Supply Voltage, V_{NS}		-5.25	-4.75	V

Electrical Characteristics

PARAMETER	CONDITIONS	MIN	TYP	MAX	UNITS
Frequency Range		200	-	800	MHz
Dynamic Range		-75	-	0	dBm
Tangential Signal Sensitivity (TSS)		-80	-	-	dBm
Linearity	Over Frequency @ 25°C	-	-	±1.0	dB
	Over Frequency and Temperature	-	-	±2.0	dB
Log Slope	93 ohms	22	25	28	mV/dB
Video Output Voltage	Across 93 Ohms	0	-	2	V
Pulse Rise Time	10-90%	-	-	10	ns
Pulse Fall Time	10-90%	-	-	25	ns
RF Input Impedance	Reference to 50 Ohms	-	-	2.0:1	-
RF Output Impedance	Reference to 50 Ohms	-	-	2.0:1	-
Recovery Time		-	40	-	ns
Limited RF Output Power		-	6	-	dBm
Limited RF Output VSWR	Reference to 50 Ohms	-	-	2.0:1	-
Supply Current	+8V	-	300	-	mA
	-5V	-	-100	-	mA

Aeroflex Plainview

OUTLINE DRAWING



ORDERING INFORMATION

MODEL NUMBER	HERMETICITY	PACKAGE
L002008-75H	Hermetic	2.0L x 1.180W x .300Ht
L002008-75	Non Hermetic	

PLAINVIEW, NEW YORK
Toll Free: 800-THE-1553
Fax: 516-694-6715

INTERNATIONAL
Tel: 805-778-9229
Fax: 805-778-1980

NORTHEAST
Tel: 603-888-3975
Fax: 603-888-4585

SE AND MID-ATLANTIC
Tel: 321-951-4164
Fax: 321-951-4254

WEST COAST
Tel: 949-362-2260
Fax: 949-362-2266

CENTRAL
Tel: 719-594-8017
Fax: 719-594-8468

www.aeroflex.com info-ams@aeroflex.com

Aeroflex Microelectronic Solutions reserves the right to change at any time without notice the specifications, design, function, or form of its products described herein. All parameters must be validated for each customer's application by engineering. No liability is assumed as a result of use of this product. No patent licenses are implied.



Our passion for performance is defined by three attributes represented by these three icons: solution-minded, performance-driven and customer-focused