



Our commitment. Your advantage.

- [Products](#)
- [Documentation](#)
- [Resources](#)
- [My Account](#)
- [Customer Support](#)

[Home](#) > [Products](#) > [By Type](#) > [RF & Coax](#) > [Product Feature Selector](#) > Product Details

135019-1 Product Details



135019-1

TE Internal Number: 135019-1



[Contact Product Information Center](#)

Twinax and Triax

[Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- Connector
- Mating Type = Jack
- Connector Type = Twinax
- Coupler Style = Threaded
- Terminate To Coaxial Cable

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

- [Add to My Part List](#)
- [Request Sample](#)
- [Find Similar Products](#)
- [Buy Product](#)

Documentation & Additional Information

<p>Product Drawings:</p> <ul style="list-style-type: none"> ● None Available <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> ● None Available <p>Product Specifications:</p> <ul style="list-style-type: none"> ● None Available <p>Application Specifications:</p> <ul style="list-style-type: none"> ● None Available <p>Instruction Sheets:</p> <ul style="list-style-type: none"> ● None Available <p>CAD Files:</p> <ul style="list-style-type: none"> ● None Available 	<p>Additional Information:</p> <ul style="list-style-type: none"> ● Product Line Information <p>Related Products:</p> <ul style="list-style-type: none"> ● Tooling
---	--

Product Features (Please use the Product Drawing for all design activity)

<p>Product Type Features:</p> <ul style="list-style-type: none"> ● Product Type = Connector ● Mating Type = Jack ● Connector Type = Twinax ● Wire Termination Type = Solder ● Body Style = Straight ● Captivated Contacts = With ● Weatherproof = Yes ● Mating Polarization = With ● Mating Polarization Type = Keyed ● Body Material = Brass <p>Mechanical Attachment:</p> <ul style="list-style-type: none"> ● Panel Attachment = Without <p>Electrical Characteristics:</p> <ul style="list-style-type: none"> ● Connector Impedance (?) = 95 <p>Body Related Features:</p> <ul style="list-style-type: none"> ● Coupler Style = Threaded ● Body Plating = Nickel 	<p>Contact Related Features:</p> <ul style="list-style-type: none"> ● Center Contact Material = Beryllium Copper ● Center Contact Plating = Silver, Gold <p>Configuration Related Features:</p> <ul style="list-style-type: none"> ● Coaxial Cable Type (RG/U or Mfg.) = IBM 7362179 <p>Industry Standards:</p> <ul style="list-style-type: none"> ● RoHS/ELV Compliance = RoHS compliant, ELV compliant ● Lead Free Solder Processes = Not relevant for lead free process ● RoHS/ELV Compliance History = Always was RoHS compliant <p>Conditions for Usage:</p> <ul style="list-style-type: none"> ● Terminate To = Coaxial Cable <p>Other:</p> <ul style="list-style-type: none"> ● Brand = AMP
--	---

[Provide Website Feedback](#) | [Need Help?](#)