


209932-5 Product Details

 [Live Product Chat](#)
**209932-5**

TE Internal Number: 209932-5

**Superseded**[Contact Product Information Center](#)

Fiber Optic Attenuators

[Not reviewed for RoHS Compliance](#)

Product Highlights:

- Attenuator - Fiber Optic
- Fiber Optic Attenuator Type = Dual Window
- Attenuation = 5.0 dB
- Attenuator Style = Build Out
- Operating Wavelength = 1310 nm, 1550 nm

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

[Add to My Part List](#)  [Request Sample](#)  [Find Similar Products](#)  [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- None Available

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Attenuator - Fiber Optic
- [Fiber Optic Attenuator Type](#) = Dual Window
- [Connector Type](#) = SC
- [Sealed](#) = Yes
- Comment = Designed to comply with Telcordia GR-910

Electrical Characteristics:

- [Attenuation \(dB\)](#) = 5.0
- Operating Wavelength (nm) = 1310, 1550
- Attenuation Value = Fixed

Termination Related Features:

- Mode = Singlemode

Body Related Features:

- [Attenuator Style](#) = Build Out
- Reflectance (less than or equal) (dB) = -50
- Fiber Packaging Style = None

Industry Standards:

- [RoHS/ELV Compliance](#) = Not reviewed for ELV/RoHS compliance
- [Lead Free Solder Processes](#) = Not reviewed for lead free solder process

Other:

- Brand = AMP

[Provide Website Feedback](#) | [Need Help?](#)