






| Bauform<br><br>Supply condition   | Artikel-<br>Nummer<br><br>Part number                                    | DIN                              | Bolzen<br><br>Stud<br><br>M | Abmessungen<br>mm<br><br>Dimensions<br>mm   |  |                    |                          |                          |                          |                             |     |    |     |     |                              |      |      |     |                              |      | Verp.-Einh.<br>Stück<br><br>siehe<br>gültige<br>Preisliste |     |
|---|--|----------------------------------|-----------------------------|---|--|--------------------|--------------------------|--------------------------|--------------------------|-----------------------------|-----|----|-----|-----|------------------------------|------|------|-----|------------------------------|------|--|-----|
|   |  |                                  |                             | a   | b1   | b2                 | c                        | d1                       | d2                       | d3                          | d4  | e1 | e3  | L   | L1                           | L3   | n    | s   | t1                           |      |  |     |
|   |  |                                  |                             |  | <b>RLO 4470.005</b><br><b>RLO 4470</b><br><b>RLO 4468</b><br><b>RLO 6120</b> | <br>41496<br>41496 |                          |                          | 3,0                      |                             |     |    |     | 2,6 | 5,5                          |      |      |     |                              | 12,0 |  |     |
|   |  |                                  |                             |   | 3,0  |                    |                          |                          |                          | 3,2                         | 5,5 |    |     |     |                              | 12,0 |      |     | 1,7                          | 0,50 | 3,2  |     |
|   |  |                                  |                             |   | 3,0  |                    |                          |                          |                          | 4,3                         | 6,5 |    |     |     |                              | 12,0 |      |     | 1,7                          | 0,50 | 3,2  |     |
|   |  |                                  |                             |   | 3,0  |                    |                          |                          |                          | 4,3                         | 6,5 |    |     | 4,3 | 5,5                          |      | 12,0 |     |                              | 1,7  | 0,50   | 3,2 |
|   |  |                                  |                             |   | 3,0  |                    |                          |                          |                          | 4,3                         | 6,5 |    |     | 5,5 |                              | 12,0 |      |     | 1,7                          | 0,50 | 3,2  |     |
|   | <b>RLO 4470.001</b><br><b>RLO 4468.001</b>                               | 41496<br>41496                   |                             |   | 3,0  |                    |                          |                          |                          | 3,2                         | 5,5 |    |     | 4,3 |                              | 12,0 |      |     | 1,7                          | 0,50 | 3,2  |     |
|   |  |                                  |                             |   | 3,0  |                    |                          |                          |                          | 4,3                         | 6,5 |    |     | 5,5 |                              | 12,0 |      |     | 1,7                          | 0,50 | 3,2  |     |
|  | <b>RLO 3096</b><br><b>RLO 3098</b><br><b>RLO 3099</b><br><b>RLO 3636</b> | 46215<br>46215<br>46215<br>46215 | 3<br>4<br>5<br>6            | 4,5<br>4,5<br>5,5<br>5,5  | 3,0<br>3,0<br>4,0<br>4,0   |                    | 3,0<br>3,0<br>3,0<br>3,0 | 1,5<br>1,5<br>1,5<br>1,5 | 3,3<br>4,3<br>5,3<br>6,5 | 6,0<br>10,0<br>12,0<br>14,0 |     |    |     |     | 10,0<br>12,0<br>13,5<br>15,0 |      |      |     | 0,50<br>0,50<br>0,80<br>0,80 |      |  |     |
|  | <b>RLO 4514.001</b>  | 41496                            |                             |   | 3,0  | 3,7                |                          |                          |                          |                             |     |    | 1,5 |     | 4,0                          |      |      | 8,0 | 1,7                          | 0,50 | 3,2  |     |
|  | <b>RLO 4514</b>  | 41496                            |                             |   | 3,0  | 3,7                |                          | 1,2                      |                          |                             |     |    | 1,5 |     | 4,0                          |      |      | 8,0 | 1,2                          | 0,50 | 2,2  |     |

Material:  
CuZn verzinkt  
Material:  
CuZn tin plated