




Terminals & Splices > Splices



Product Type: **Splice**

Terminal & Splice Type: **Splice**

Wire Size: **.8 – 2 mm²**

Sealable: **No**

Features

Product Type Features

Product Type	Splice
Sealable	No

Body Features

Weight per Piece	.849 g
Splice Material	Brass
Color	Blue

Contact Features

Contact Plating Material	Tin
Terminal & Splice Type	Splice

Housing Features

Housing Material	Nylon - GF
------------------	------------

Dimensions

Tap Wire Size	.8 – 2 mm ²
Wire Size	.8 – 2 mm ²
Wire Insulation Diameter (Max)	4 mm [.157 in]

Packaging Features

Packaging Quantity	1000
Packaging Method	Carton

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Also in the Series | ELECTRO-TAP



Splices(16)

Customers Also Bought




TE Part #34243
PG BUTT SPLC 22-
16COMM22-18MIL




TE Part #3-520370-2
ULTRA-FAST 110/125 ASY
REC 16-14AWG TPBR




TE Part #3-640599-2
02P MTA156 CONN ASSY
18AWG ORA



TE Part #53440-2
ELECTRO-TAP, 20-18
AWG RUN&TAP



TE Part #281784-4
PLUG HE13 IDC 180 4 P
AWG 26-24




TE Part #794911-1
6 POS UMNL CIR PLUG
HSG



TE Part #61795-1
RING 18-14 AWG TPST



TE Part #640251-6
06P SL156 HSG W/O LCK
RAMP



TE Part #643071-4
04P MTA156 FD-THRU
COVER



TE Part #177766-1
ELECTRO TAP ASSY

Documents

Product Drawings

[ELECTRO-TAP, 18-14 AWG RUN&TAP](#)

English

CAD Files

[3D PDF](#)

English

[Customer View Model](#)

[ENG_CVM_53440-1_M.3d_igs.zip](#)

English

[Customer View Model](#)

[ENG_CVM_53440-1_M.3d_stp.zip](#)

English

[Customer View Model](#)

[ENG_CVM_53440-1_M.2d_dxf.zip](#)

English

Product Environmental Compliance

[TE Material Declaration](#)



English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

Agency Approval Document

English