



Raychem

TE Internal #: 3842263001

Twisted Pair Cable, Spec 44, 600VAC Voltage Rating, 22AWG Wire Size, Operating Temperature Range -65 – 150 °C

[View on TE.com >](#)

Wire & Cable > Twisted Pair Cable



Cable Type: **Spec 44**

Voltage Rating: **600 VAC**

Insulation Material: **Modified Radiation Cross-linked PVDF**

Conductor Material: **Tin-Coated Copper**

Wire Size: **22 AWG**

Features

Product Type Features

| | |
|------------------------|--|
| Product Classification | Cable - High Performance - Spec 44, 55 and RCW |
| Product Type | Cable |
| Cable Style | Primary |
| Cable Type | Spec 44 |

Configuration Features

| | |
|----------------------|----|
| Number of Conductors | 2 |
| Number of Strands | 19 |

Electrical Characteristics

| | |
|----------------|---------|
| Voltage Rating | 600 VAC |
|----------------|---------|

Body Features

| | |
|---------------------|--------------------------------------|
| Wire Color | Blue, Brown |
| Cable Configuration | Twisted Pair |
| Insulation Material | Modified Radiation Cross-linked PVDF |
| Conductor Material | Tin-Coated Copper |

Dimensions

| | |
|--------------------------|------------------|
| Overall Outside Diameter | 2.39 mm[.094 in] |
| Conductor Diameter | .79 mm[.031 in] |



| | |
|---------------|------------------|
| Wire Diameter | .047 mm[.047 in] |
| Wire Size | 22 AWG |
| Strand Size | 34 AWG |

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Operating Temperature Range | -65 – 150 °C[-85 – 302 °F] |
|-----------------------------|----------------------------|

Packaging Features

| | |
|--------------------|------|
| Packaging Quantity | 1 |
| Packaging Method | Reel |

Other

| | |
|-------------|----------------|
| Wire Source | United Kingdom |
|-------------|----------------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC |
| Halogen Content | Out of Scope - excluded from Halogen requirements |
| Solder Process Capability | Not applicable for solder process capability |


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought



Documents

Product Drawings

44A0121-22-1/6

English

Datasheets & Catalog Pages

1654025_Sec9_SPEC44

English

Raychem Wire and Cable Quick Reference Guide

English