



Part Number : [08550110](#)

Product Description : KK 254 Crimp Terminal
4809, 22-30 AWG, Selective Gold (Au), Reel

Series Number : 4809

Status : Active

Product Category : Crimp Terminals

Engineering Number : 4809-(555)



Documents & Resources

Drawings

[Drawing_008550110_sd.pdf](#)

[Packaging Design Drawing_48090001-PK-000.pdf](#)

Specifications

[Product Specification_PS-10-07-001.pdf](#)

[Product Specification_PS-99020-0088-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Crimp Terminals
Series	4809
Description	KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel
Application	Signal, Wire-to-Board
Product Family	KK Interconnect Systems
Product Name	KK 254
UPC	800753757059

Physical

Gender	Female
Material - Metal	Brass
Material - Plating Mating	Gold
Material - Plating Termination	Nickel
Net Weight	0.066/g
Packaging Type	Reel
Plating min - Mating	0.381µm
Plating min - Termination	0.762µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.57mm max.
Wire Size (AWG)	22, 24, 26, 28, 30
Wire Size mm ²	N/A

Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

Application Tooling

Global

Description	Part Number
Extraction Tool for KK 2.54mm Terminals, 22-30 AWG	<u>0011030022</u>
Terminator Die	<u>0011402102</u>
Insertion Tool for KK 2.54mm Terminals, 22-30 AWG	<u>0638120000</u>
Mini-Mac Applicator for KK and Anti-Fish Hook Terminals for 22-30 AWG Wire with Insulation Diameter 1.12-1.57mm	<u>0638887100</u>

This document was generated on Oct 02, 2023