





This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.
The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EC for RoHS compliant.


FOR REFERENCE ONLY

REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
AX1		NON-RELEASE FOR RoHS	10/06/2015	Roger Tsai
AX2	KICK-OFF	MODIFIED DRAWING	06/24/2016	Roger Tsai




NOTE:

- INSULATOR: HIGH TEMP. THERMOPLASTIC, LCP, UL 94V-0, COLOR: BLACK.
- CONTACT: COPPER ALLOY;
- FINISH:
CONTACT: SELECTIVE PLATING;
SOLDERING AREA: MATTE TIN 100u" MIN. OR GOLD PLATING;
UNDER PLATING: NICKEL PLATING 50 μ" THICKNESS MIN. OVERALL.
- THIS PRODUCT DOESN'T ENVIRONMENTAL HAZARDOUS MATERIALS PER DIRECTIVE 2011/65/EC FOR RoHS.
- PACKING MUST BE PER Amphenol PACKING SPECIFICATION



PART NO. G881A XX 1 X 2 X T6EU
No. OF CIRCUIT
CONTACT FINISH
0: TIN
1: GOLD FLASH
2: 15 u" GOLD
3: 30 u" GOLD
TAIL OPTION
2: 2.80 MM



TOIERANCE:±0.05
RECOMMENDED P.C.B. Layout
PCB THICKNESS=1.60MM


2X12=24	33.00	43.00	42.00
2X11=22	30.00	40.00	39.00
2X10=20	27.00	37.00	36.00
2X09=18	24.00	34.00	33.00
2X08=16	21.00	31.00	30.00
2X07=14	18.00	28.00	27.00
2X06=12	15.00	25.00	24.00
2X05=10	12.00	22.00	21.00
2X04=08	9.00	19.00	18.00
2X03=06	6.00	16.00	15.00
2X02=04	3.00	13.00	12.00
NO. OF CIRCUIT	A	B	C

TOLERANCE	APPROVALS	DATE	TITLE		PART No.	
X. ±0.30	DRAWN Aqua Chou	06/24/2016	G881A SERIES, MICRO POWER 3.00 PITCH, WAFER, STR. PCB MOUNT		Amphenol [®] Amphenol Corporation Amphenol Taiwan Corporation	
X.X ±0.20	CHECKED Roger Tsai	06/24/2016				
X.XX ±0.10	APPROVED Roger Tsai	06/24/2016	UNIT mm	SIZE A3	PART No. G881AXX1X2XT6EU	
ANGULAR ±1°	DWG TYPE CUST DWG	PROJECT CODE PHD	SCALE NA	SHEET 1 OF 3	DWG No. G881AXX1X2XT6EU	REV. AX2
UNLESS OTHERWISE SPECIFIED						


This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.
 The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EC for RoHS compliant.

FOR REFERENCE ONLY


REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
AX1		NON-RELEASE FOR RoHS	10/06/2015	Roger Tsai
AX2	KICK-OFF	MODIFIED DRAWING	06/24/2016	Roger Tsai




2*9P




2*10P




2*2P




2*8P




2*11P




2*3P




2*7P




2*12P



2*4P




2*6P



2*5P

TOLERANCE		APPROVALS	DATE	TITLE		Amphenol [®]				
X.		DRAWN		G881A SERIES, MICRO POWER 3.00 PITCH, WAFER, STR. PCB MOUNT		Amphenol Corporation Amphenol Taiwan Corporation				
X.X	±0.30	Aqua Chou	06/24/2016							
X.XX	±0.20	CHECKED				PART No. G881AXX1X2XT6EU				
X.XXX	±0.10	Roger Tsai	06/24/2016			DWG No. G881AXX1X2XT6EU				
ANGULAR	±1°	APPROVED				UNIT	mm	SIZE	A3	REV. AX2
UNLESS OTHERWISE SPECIFIED		DWG TYPE	CUST DWG	PROJECT CODE	PHD	SCALE	NA	SHEET	2 OF 3	



A
B
C
D
E
F


1 2 3 4 5 6 7 8

1 2 3 4 5 6 7 8


This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.
 The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EC for RoHS compliant.

FOR REFERENCE ONLY



REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
AX1		NON-RELEASE FOR RoHS	10/06/2015	Roger Tsai
AX2	KICK-OFF	MODIFIED DRAWING	06/24/2016	Roger Tsai



TRAY BOTTOM COVER



TRAY TOP COVER



POS	PCS/TRAY	PCS/CARTON
02	370	3700
04	280	2800
06	230	2300
08	190	1900
10	170	1700
12	150	1500
14	130	1300
16	120	1200
18	110	1100
20	100	1000
22	90	900
24	80	800

TOLERANCE		APPROVALS	DATE	TITLE		Amphenol [®]		
X.		DRAWN		G881A SERIES, MICRO POWER 3.00 PITCH, WAFER, STR. PCB MOUNT		Amphenol Corporation Amphenol Taiwan Corporation		
X.X	±0.30	Aqua Chou	06/24/2016					
X.XX	±0.20	CHECKED		UNIT mm SIZE A3		PART No. G881AXX1X2XT6EU		
X.XXX	±0.10	Roger Tsai	06/24/2016					
ANGULAR	±1°	APPROVED		SCALE NA SHEET 3 OF 3		DWG No. G881AXX1X2XT6EU REV. AX2		
UNLESS OTHERWISE SPECIFIED		Roger Tsai	06/24/2016					
		DWG TYPE	PROJECT CODE					
		CUST DWG	PHD					