



[Contact Us](#)

[Plant Tour](#)

[Sales & Support](#)

[Company Profile](#)

[Technical Resources](#)



Download:

N/A

Features:


1/2 DIP Industry Standard
Tri-State Enable

Description:

1/2 DIP

- Frequency: 0.5 to 45 MHz
- Output: HCMOS, TTL
- Supply: +3.3, +5 Vdc
- Package: 13.2 x 13.2 x 6.1 mm
- Tri-State Enable
- Series: C74A

<< [XO crystal oscillator](#)



[OCXO](#) | [TCXO](#) | [VCXO](#) | [XO](#) | [Technical Resources](#) | [Company Profile](#) | [Sales & Support](#) |
[Plant Tour](#) | [Contact](#) | [Quick-Turn Oscillators](#) | [Custom Quotes](#) | [Home](#)

©2004 Bliley Technologies, Inc.



Click here to receive our free [e-newsletter](#).

[Search Bliley.com](#)

[sitemap](#)



[Contact Us](#)

[Plant Tour](#)

[Sales & Support](#)

[Company Profile](#)

[Technical Resources](#)

[Home](#)

**Quick Turnaround
Off-The-Shelf XO's**

Qty	Standard Delivery	Frequency (MHz)	Output	Supply (Vdc)	Package	Stability (PPM)	Temp Range	Additional Info	Bliley Part Num.
1	< 1 week	33.6	Logic	5	10.28 x 25.4 x 40.6	100	-55 to +100	N/A	C53C548
14	< 1 week	1.2288	HCMOS TTL	5	13.21 x 13.21 x 6.5		-40 to +85	N/A	C74A800.3.8
226	< 1 week	62.5	HCMOS	3.3	13.21 x 13.21 x 6.5	20	0 to +70	N/A	C74B1129.1B
5	< 1 week	32.768	HCMOS	3.3	13.21 x 13.21 x 6.5	25	0 to +70	N/A	C74B1129.2D

36	< 1 week		HCMOS	3.3	13.21 x 13.21 x 6.5	50	0 to +70	N/A	C74B955
3	< 1 week	2	HCMOS	5	12.95 x 20.57 x 4.95	70	0 to +70	N/A	C79A428
8	< 1 week	100	HCMOS	5	20.82 x 13.2 x 5.08	20	0 to +70	N/A	C79D1139.1D
2	< 1 week	8	HCMOS	5	20.82 x 13.2 x 5.08	50	-40 to +85	N/A	C79D1145
2	< 1 week	10			20.82 x 13.2 x 5.08			N/A	C79D791.28
21	< 1 week	32			20.82 x 13.2 x 5.08			N/A	C79D791.29
4	< 1 week	18			20.82 x 13.2 x 5.08			N/A	C79D791.32
10	< 1 week	8	HCMOS TTL	5	20.82 x 13.2 x 5.08	100	-40 to +85	N/A	C79D791.41
6	< 1 week	10.4166			20.82 x 13.2 x 5.08			N/A	C79D791.42
9	< 1 week	19.6608	HCMOS TTL	5	20.82 x 13.2 x 5.08	5	-40 to +85	N/A	C79D791.44
6	< 1 week	36			20.82 x 13.2 x 5.08			N/A	C79D791.45
14	< 1 week	0.5			20.82 x 13.2 x 5.08			N/A	C79D791.46
8	< 1 week	13			20.82 x 13.2 x 5.08			N/A	C79D791.48
61	< 1 week	95	HCMOS	3.3	18.54 x 11.94 x 9.20	10	0 to +70	N/A	C83B1304
5	< 1 week	44.736	HCMOS	3.3	5.200 x 7.49 x 1.900	15	0 to +70	N/A	C85A1016
3	< 1 week	37.056			5.200 x 7.49 x 1.900			N/A	C85A1016.2
805	< 1 week	125	HCMOS	3.3	5.200 x 7.200 x 1.900	50	-40 to +85	N/A	C85A1102
178	< 1 week	124.416	HCMOS	3.3	5.200 x 7.200 x 1.900	50	0 to +70	N/A	C85A1103

3	< 1 week	65			5.200 x 7.200 x 1.900			N/A	C85A1144.2C
20	< 1 week	44.736	HCMOS	3.3	5.200 x 7.200 x 1.900	20	0 to +70	N/A	C85A1170
10	< 1 week	22	HCMOS	3	5.200 x 7.200 x 1.900	20	0 to +70	N/A	C85A1201
3	< 1 week	0.01488	HCMOS	5	5.200 x 7.200 x 1.900	50	-40 to +70	N/A	C85A1208.1C
990	< 1 week	38.912	HCMOS	3.3	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A939.11A
153	< 1 week	20.83333	HCMOS	3.3	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A939.12A
1512	< 1 week	100	HCMOS	3.3	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A939.13D
200	< 1 week	32.768			5.200 x 7.200 x 1.900			N/A	C85A939.1A
15	< 1 week	16.67			5.200 x 7.200 x 1.900			N/A	C85A939.22D
94	< 1 week	100			5.200 x 7.200 x 1.900			N/A	C85A939.24B
10	< 1 week	20			5.200 x 7.200 x 1.900			N/A	C85A939.25D
2097	< 1 week	40			5.200 x 7.200 x 1.900			N/A	C85A939.26C
24	< 1 week	62.5			5.200 x 7.200 x 1.900			N/A	C85A939.27C
22	< 1 week	53.33			5.200 x 7.200 x 1.900			N/A	C85A939.28C
574	< 1 week	25			5.200 x 7.200 x 1.900			N/A	C85A939.2B

44	< 1 week	19.44	HCMOS	3.3	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A939.31A
60	< 1 week	25			5.200 x 7.200 x 1.900			N/A	C85A939.33C
15	< 1 week	33.33			5.200 x 7.200 x 1.900			N/A	C85A939.38B
4142	< 1 week	18			5.200 x 7.200 x 1.900			N/A	C85A939.39A
1	< 1 week	33			5.200 x 7.200 x 1.900			N/A	C85A939.42D
20	< 1 week	38.976			5.200 x 7.200 x 1.900			N/A	C85A939.43D
673	< 1 week	65.536			5.200 x 7.200 x 1.900			N/A	C85A939.44A
56	< 1 week	34.368			5.200 x 7.200 x 1.900			N/A	C85A939.45A
15	< 1 week	48.384			5.200 x 7.200 x 1.900			N/A	C85A939.46D
5	< 1 week	66			5.200 x 7.200 x 1.900			N/A	C85A939.47B
77	< 1 week	10.24	HCMOS	3.3	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A939.4C
7	< 1 week	66.667	HCMOS	3.3	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A939.51C
5	< 1 week	3.6864	HCMOS	3.3	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A939.52D
94	< 1 week	125	HCMOS	3.3	5.200 x 7.200 x 1.900	25	0 to +70	N/A	C85A939.54B
45	< 1 week	13.248			5.200 x 7.200 x 1.900			N/A	C85A939.55C

158	< 1 week	104	HCMOS	3.3	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A939.56D
55	< 1 week	44.928			5.200 x 7.200 x 1.900			N/A	C85A939.57C
260	< 1 week	77	HCMOS	3.3	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A939.59D
44	< 1 week	20			5.200 x 7.200 x 1.900			N/A	C85A939.61B
223	< 1 week	6.4	HCMOS	3.3	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A939.63B
41	< 1 week	66			5.200 x 7.200 x 1.900			N/A	C85A939.64D
43	< 1 week	8.192			5.200 x 7.200 x 1.900			N/A	C85A939.65D
55	< 1 week	38			5.200 x 7.200 x 1.900			N/A	C85A939.66D
45	< 1 week	48			5.200 x 7.200 x 1.900			N/A	C85A939.67D
19	< 1 week	44.736			5.200 x 7.200 x 1.900			N/A	C85A939.6A
45	< 1 week	49.928			5.200 x 7.200 x 1.900			N/A	C85A939.70C
38	< 1 week	44.928			5.200 x 7.200 x 1.900			N/A	C85A939.71E
25	< 1 week	133			5.200 x 7.200 x 1.900			N/A	C85A939.72C
30	< 1 week	66.66			5.200 x 7.200 x 1.900			N/A	C85A939.73D
79	< 1 week	87.5			5.200 x 7.200 x 1.900			N/A	C85A939.74B
2	< 1 week	49.408			5.200 x 7.200 x 1.900			N/A	C85A939.75A
17	< 1 week	80			5.200 x 7.200 x 1.900			N/A	C85A939.76D

10	< 1 week	27			5.200 x 7.200 x 1.900			N/A	C85A939.79B
16	< 1 week	25			5.200 x 7.200 x 1.900			N/A	C85A939.7D
39	< 1 week	24.25			5.200 x 7.200 x 1.900			N/A	C85A939.80C
49	< 1 week	105			5.200 x 7.200 x 1.900			N/A	C85A939.81C
100	< 1 week	75			5.200 x 7.200 x 1.900			N/A	C85A939.8D
1	< 1 week	1.544			5.200 x 7.200 x 1.900			N/A	C85A939.9B
20	< 1 week	40			5.200 x 7.200 x 1.900			N/A	C85A940.14C
30	< 1 week	18			5.200 x 7.200 x 1.900			N/A	C85A940.15A
524	< 1 week	20	HCMOS	5	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A940.16D
14	< 1 week	20			5.200 x 7.200 x 1.900			N/A	C85A940.17C
41	< 1 week	50			5.200 x 7.200 x 1.900			N/A	C85A940.19B
37	< 1 week	25			5.200 x 7.200 x 1.900			N/A	C85A940.22D
14	< 1 week	16			5.200 x 7.200 x 1.900			N/A	C85A940.23C
5	< 1 week	112			5.200 x 7.200 x 1.900			N/A	C85A940.25A
10	< 1 week	3.686			5.200 x 7.200 x 1.900			N/A	C85A940.27D
84	< 1 week	2.048			5.200 x 7.200 x 1.900			N/A	C85A940.29D
3	< 1 week	20	HCMOS	5	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A940.2B

17	< 1 week	3.6864			5.200 x 7.200 x 1.900			N/A	C85A940.30D
72	< 1 week	32.768			5.200 x 7.200 x 1.900			N/A	C85A940.31C
25	< 1 week	25			5.200 x 7.200 x 1.900			N/A	C85A940.33B
22	< 1 week	15.36			5.200 x 7.200 x 1.900			N/A	C85A940.34C
48	< 1 week	75			5.200 x 7.200 x 1.900			N/A	C85A940.35D
42	< 1 week	10			5.200 x 7.200 x 1.900			N/A	C85A940.36D
42	< 1 week	10			5.200 x 7.200 x 1.900			N/A	C85A940.36D
54	< 1 week	19.44			5.200 x 7.200 x 1.900			N/A	C85A940.37B
133	< 1 week	25	HCMOS	5	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A940.38C
84	< 1 week	19.44			5.200 x 7.200 x 1.900			N/A	C85A940.3A
723	< 1 week	35	HCMOS	5	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A940.40D
1144	< 1 week	4.096	HCMOS	5	5.200 x 7.200 x 1.900	100	0 to +70	N/A	C85A940.41D
1	< 1 week	44.736			5.200 x 7.200 x 1.900			N/A	C85A940.42A
55	< 1 week	10			5.200 x 7.200 x 1.900			N/A	C85A940.46C
69	< 1 week	84			5.200 x 7.200 x 1.900			N/A	C85A940.47C
49	< 1 week	8.448			5.200 x 7.200 x 1.900			N/A	C85A940.48B
525	< 1 week	34.368			5.200 x 7.200 x 1.900			N/A	C85A940.4A

5	< 1 week	49.152			5.200 x 7.200 x 1.900			N/A	C85A940.5B
20	< 1 week	49.152			5.200 x 7.200 x 1.900			N/A	C85A940.6C
98	< 1 week	40			5.200 x 7.200 x 1.900			N/A	C85A940.7D
249	< 1 week	37.056	HCMOS	5	5.200 x 7.200 x 1.900	15	0 to +70	N/A	C85A940.8B
35	< 1 week	18			5.200 x 7.200 x 1.900			N/A	C85A949.1B
34	< 1 week	125	HCMOS	3	5.20 x 7.70 x 1.90	50	0 to +70	N/A	C85A969
28	< 1 week	4			5.200 x 7.200 x 1.900			N/A	C85A985.1C
182	< 1 week	18	HCMOS TTL	3.3	5.200 x 7.200 x 1.900	50	-40 to +85	N/A	C85A985.2A
40	< 1 week	25	HCMOS TTL	3.3	5.200 x 7.200 x 1.900	50	-40 to +85	N/A	C85A985.3A
980	< 1 week	40	HCMOS TTL	3.3	5.200 x 7.200 x 1.900	50	-40 to +85	N/A	C85A985.4C
585	< 1 week	8.192	HCMOS TTL	3.3	5.200 x 7.200 x 1.900	50	-40 to +85	N/A	C85A985.5C
235	< 1 week	24	HCMOS TTL	3.3	5.200 x 7.200 x 1.900	50	-40 to +85	N/A	C85A985.6C
111	< 1 week	2.048	HCMOS TTL	3.3	5.200 x 7.200 x 1.900	50	-40 to +85	N/A	C85A985.7A
153	< 1 week	75	HCMOS	3.6	4.90 x 6.96 x 1.90	50	0 to +70	N/A	C85A998.1A

5	< 1 week	156.25	PECL	3.3	5.23 x 7.65 x 2.16	50	0 to +80	N/A	C85C1176.1
10	< 1 week	87.5	PECL	3.3	5.23 x 7.65 x 2.16	50	0 to +70	N/A	C85C1267

[<< Back](#)

[OCXO](#) | [TCXO](#) | [VCXO](#) | [XO](#) | [Technical Resources](#) | [Company Profile](#) | [Sales & Support](#) |
[Plant Tour](#) | [Contact](#) | [Quick-Turn Oscillators](#) | [Custom Quotes](#) | [Home](#)

©2004 Bliley Technologies, Inc.

**Quick Turnaround
Products**

**Custom Quote
Requests**

Click here to receive our free [e-newsletter](#).

Search [Bliley.com](#)

[sitemap](#)