

**RIDERSERIES RCL
SRC CLIP LP**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Product image

Weidmüller RIDERSERIES relays guarantee a noise-free, decoupled signal transmission in industrial automation concepts.

The are compact, quickly installed and can be fitted in the tightest of spaces.

- 1 NO contact,
- 1 or 2 CO contacts
- optionally with 1 or 2 hard gold plated CO contacts
- optionally: AC or DC coils
- pluggable LED modules with protective functions
- Plastic retaining clip
- Base with screw / tension-clamp connection

General ordering data

| | |
|------------|---------------------------------|
| Type | SRC CLIP LP |
| Order No. | 8691090000 |
| Version | RIDERSERIES RCL, Retaining clip |
| GTIN (EAN) | 4032248361793 |
| Qty. | 10 pc(s). |

Data sheet

**RIDERSERIES RCL
SRC CLIP LP**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Net weight 1.97 g

Temperatures

| | | | |
|-----------------------------|--|-----------------------------|----------------|
| Humidity | 40 °C / 93 % rel. humidity, no condensation | Operating temperature, max. | 70 °C |
| Operating temperature, min. | -40 °C | Storage temperature, max. | 85 °C |
| Storage temperature, min. | -40 °C | Operating temperature | -40 °C...70 °C |
| Storage temperature | -40 °C...85 °C | | |

General data

| | | | |
|---------|----------------|----------|---------|
| Version | for low relays | Material | Plastic |
| Colour | black | | |

Insulation coordination

Protection degree IP20

Classifications

| | | | |
|------------|-------------|------------|-------------|
| ETIM 4.0 | EC001456 | ETIM 5.0 | EC002586 |
| ETIM 6.0 | EC002586 | UNSPSC | 30-21-19-17 |
| eClass 5.1 | 27-37-16-03 | eClass 6.2 | 27-37-16-03 |
| eClass 7.1 | 27-37-92-08 | eClass 8.1 | 27-37-92-08 |
| eClass 9.1 | 27-37-16-92 | | |

Approvals

Approvals



ROHS Conform

Downloads

Engineering Data [EPLAN, WSCAD](#)

**RIDERSERIES RCL
SRC CLIP LP**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings**Dimensional drawing**