# 100G0111-0.60-6 V ACTIVE

#### Raychem

TE Internal #: 1594793001

Hook Up Wire, Spec 100G, 750/1300V Voltage Rating, Blue Wire Color, 20AWG Wire Size, .6mm<sup>2</sup> Wire Size, Operating Temperature

Range -65 – 125 °C

View on TE.com >



#### Wire & Cable > Hook Up Wire



Cable Type: Spec 100G

Voltage Rating: 750/1300 V

Wire Color: Blue

Insulation Material: Halogen-Free Polymer
Conductor Material: Tin-Plated Copper

#### **Features**

### **Product Type Features**

| Cable Style                | Primary               |
|----------------------------|-----------------------|
| Product Type               | Wire                  |
| Product Classification     | Cable - Spec 99 & 100 |
| Cable Type                 | Spec 100G             |
| Configuration Features     |                       |
| Number of Conductors       | 1                     |
| Number of Strands          | 19                    |
| Electrical Characteristics |                       |
| Voltage Rating             | 750/1300 V            |
| De de Estatuare            |                       |

#### **Body Features**

| Wire Color          | Blue                 |
|---------------------|----------------------|
| Insulation Material | Halogen-Free Polymer |
| Conductor Material  | Tin-Plated Copper    |

#### Dimensions

| Overall Outside Diameter | 1.52 mm[.06 in]  |
|--------------------------|------------------|
| Wire Diameter            | 1.56 mm[.061 in] |
| Conductor Diameter       | 1.01 mm[.04 in]  |



| Cable Insulation Thickness  | .2 mm              |
|-----------------------------|--------------------|
| Strand Size                 | 32 AWG             |
| Wire Size                   | .6 mm <sup>2</sup> |
| Usage Conditions            |                    |
| Operating Temperature Range | -65 – 125 °C       |
| Other                       |                    |
| Wire Source                 | United Kingdom     |

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUN 2020<br>(209)<br>Candidate List Declared Against: JUN 2020<br>(209)<br>Does not contain REACH SVHC |
| Halogen Content                               | Out of Scope - excluded from Halogen requirements   |
| Solder Process Capability                     | Not applicable for solder process capability  |

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**





# Customers Also Bought



#### **Documents**

Product Drawings 100G0111-0.60-6

English

Datasheets & Catalog Pages

1654025\_Sec9\_Zerohal100G

English

Raychem Wire and Cable Quick Reference Guide

English

Hook Up Wire, Spec 100G, 750/1300V Voltage Rating, Blue Wire Color, 20AWG Wire Size, .6mm² Wire Size, Operating Temperature Range -65 – 125 °C

