


Flared Aluminum Pin Fin Heat Sinks

- Designed for natural convection cooling
- Generate exceptional cooling power
- Forged from highly conductive aluminum
- Lapped to achieve exceptional base surface finish and flatness
- Overall height can be customized to any dimension between 1.0" to 2.0"
- Single or multiple pins can be removed to meet application-specific requirements
- Secondary operations available (e.g. through holes, threads)
- Plating options: Anodize (black/clear), Electroless Nickel
- RoHS compliant



P/N	Length in(mm)	Width in(mm)	Height in(mm)	Weight lbs(g)	# of pins	TR (°C/W) Natural Convection (0 LFM)
3-302210G	3.05(77.5)	2.21(56.1)	1.00(25.4)	0.2220(100.7)	102	3.80
3-302212G	3.05(77.5)	2.21(56.1)	1.20(30.5)	0.2463(111.7)	102	3.31
3-302214G	3.05(77.5)	2.21(56.1)	1.40(35.6)	0.2707(122.8)	102	2.95
3-302216G	3.05(77.5)	2.21(56.1)	1.60(40.6)	0.2951(133.8)	102	2.67
3-302218G	3.05(77.5)	2.21(56.1)	1.80(45.7)	0.3195(144.9)	102	2.45
3-302220G	3.05(77.5)	2.21(56.1)	2.00(50.8)	0.3438(156.0)	102	2.26

Please see Disclaimer at www.coolinnovations.com