



Sprite AC - SU2A5 - 028279
 (Family) (Model) (Part Number)

Electrical Specifications

Rated Voltage:	115 VAC
AC Frequency:	60 Hz
Power Supply:	11.0 Watts
Line Current:	0.15 Amps
Locked Rotor Current	0.22 Amps
Nominal Speed:	3250 RPM

Mechanical Specifications

Dimensions:	3.15in x 1.65in
Weight	18.0 oz
Max Airflow @ 0 in H ₂ O	34.0 CFM
Max Pressure @ 0 CFM	0.149 in H ₂ O
Noise	40.3 dBA



North American Sales Office

Phone: +1 (972) 644 5591
 sales@comairrotron.com

European Sales Office

Phone: +44 7595 221168
 saleseurope@comairrotron.com


Asian Sales Office

Phone: +86 21 623 91966
 salesasia@comairrotron.com

Print Date: Thursday, March 22, 2012 at 22:52:58 - AC Fan Datasheet - Web Version 1.0 Rev. A



Mechanical Drawing




Options


Part Number	Model Number	Bearing Type	Fan Rotation	Termination	In-Stock <small>(Click 'Yes' for current stock)</small>
<input type="radio"/> 028268	SU2B1	Ball	Normal	Leads, Venturi	No
<input type="radio"/> 028410	SU2B5	Ball	Normal	Terminals, Venturi	No
<input type="radio"/> 028267	SU2A1	Sleeve	Normal	Leads, Venturi	No
<input checked="" type="radio"/> 028279	SU2A5	Sleeve	Normal	Terminals, Venturi	No
<input type="radio"/> 030272	SU2A7	Sleeve	Reverse	Leads, Venturi	No
<input type="radio"/> 030458	SU2A9	Sleeve	Reverse	Terminals, Venturi	No

Accessories (Click on part number for detailed drawing.)


428056
Plug and Cord




550440
Plug and Cord



554141
Filter Guard Assembly



550648
Finger Guard



476143
Finger Guard



North American Sales Office

Phone: +1 (972) 644 5591

sales@comairrotron.com

European Sales Office

Phone: +44 7595 221168

saleseurope@comairrotron.com

Asian Sales Office

Phone: +86 21 623 91966

salesasia@comairrotron.com

Print Date: Thursday, March 22, 2012 at 22:52:58 - AC Fan Datasheet - Web Version 1.0 Rev. A