


Flared Aluminum Pin Fin Heat Sinks

- Designed for natural convection cooling
- Generate exceptional cooling power
- Forged from highly conductive aluminum
- Lapped to achieve exceptional base surface finish and flatness
- Overall height can be customized to any dimension between 1.5" to 2.5"
- Single or multiple pins can be removed to meet application-specific requirements
- Secondary operations available (e.g. through holes, threads)
- Plating options: Anodize (black/clear), Electroless Nickel
- RoHS compliant



P/N	Length in(mm)	Width in(mm)	Height in(mm)	Weight lbs(g)	# of pins	TR (°C/W) Natural Convection (0 LFM)
3-505015G	5.00(127.0)	5.00(127.0)	1.50(38.1)	1.3960(633.2)	360	1.79
3-505017G	5.00(127.0)	5.00(127.0)	1.70(43.2)	1.4820(672.2)	360	1.27
3-505019G	5.00(127.0)	5.00(127.0)	1.90(48.3)	1.5680(711.2)	360	1.18
3-505021G	5.00(127.0)	5.00(127.0)	2.10(53.3)	1.6540(750.3)	360	1.11
3-505023G	5.00(127.0)	5.00(127.0)	2.30(58.4)	1.7400(789.3)	360	1.04
3-505025G	5.00(127.0)	5.00(127.0)	2.50(63.5)	1.8260(828.3)	360	0.99

Please see Disclaimer at www.coolinnovations.com