

## DECT OMNIDIRECTIONAL BASE STATION ANTENNAS 1880-1900MHz TYPE 1646, 1670, 1671, 1672

- HIGH ELECTRICAL PERFORMANCE
- 'LOCAL LOOP' APPLICATIONS
- COMPACT, ATTRACTIVE STYLING

The DECT range of omnidirectional base station antennas provides the 'Radio in the local loop' user with the capability of installing remote antennas with various gain options.

### TECHNICAL SPECIFICATION

Frequency	1880-1900MHz
Gain	1646 - 2dBi 1670 - 2dBi 1671 - 4dBi 1672 - 6dBi
VSWR	>1.5:1
Horizontal Beamwidth	80°
Vertical Beamwidth	28°
Polarisation	Vertical
Connector	1646 - SMA male 1670/71/72 - N type female
Impedance	50Ω
Dimensions (LxØ)	1646 - 115 x 11 mm 1670 - 120 x 20mm 1671 - 270 x 22mm 1672 - 540 x 22mm
Temperature Range	-55°C to +65°C
Mounting Bracket	Wall-mount provided



#### THALES ANTENNAS LTD

First Avenue, Millbrook Trading Estate, Southampton SO15 0LJ United Kingdom  
Tel: +44 (0) 2380 705705, Fax: +44 (0) 2380 701122, email: sales@racal-antennas.co.uk, www.thalesantennas.com  
Thales reserve the right to vary in detail from the description and specification in this publication. Issue: 6/01/1