



EYELET TYPE SOLDERING LUGS

STANDARD LUGS




PART	"A" SLOT	"B" BARREL	MAT'L
N4001	.16 X .08	7/64 SQ.	.020 BRASS
N4002	.16 X .08	7/64 SQ.	.020 STEEL
N4002-1	.20 X .10	1/8 SQ.	.018 STEEL

SOLDERING LUGS




PART	MATERIAL
N4003	.017 BRASS
N4004	.017 STEEL
N4005 No Emboss	.017 BRASS
N4006 No Emboss	.023 BRASS

SOLDERING LUGS




PART	MATERIAL	"A"
N4008	.023 BRASS	5/32
N4009	.032 BRASS	1/8

.023 BRASS SOLDERING LUGS




PART	"A"	"B"
N4010	1/8	7/64 SQUARE
N4011	5/32	1/8 ROUND


N4012 .023 BRASS SOLDERING LUG



N4013 .023 BRASS SOLDERING LUG




SOLDERING LUGS




PART	MATERIAL
4014	.017 BRASS
4014-1	.015 STEEL


N4015 DRAWN STANDARD LUG



N4016 DRAWN STANDARD LUG




TERMINAL LUGS




PART	"A"	MAT'L
N4018	1/8	.017 BRASS
N4019	9/64	.017 BRASS

.020 BRASS SOLDERING LUGS




PART	DIA. "A"
N4020	.16
N4021	.13

.020 BRASS LUGS




PART	"A"	"B"	"C"
N4022	1/8	3/8	1/8
N4024	1/8	5/16	3/16
N4025	5/32	5/16	3/16

N4026 .023 BRASS LUG




SOLDERING LUGS




PART	MAT'L	"A"
N4027	.016 BRASS	3/32
N4028	.016 BRASS	7/64
N4029	.016 BRASS	1/8
N4030	.016 BRASS	9/64

N4031 .016 BRASS LUG




N4032 .016 BRASS SOLDERING LUG




EYELET TYPE SOLDERING LUGS (CONTINUED)


N4033 .020 BRASS LUG




N4034 .020 BRASS LUG



N4035 .025 BRASS LUG




SOLDERING LUGS



PART NO.	THK.	MATERIAL
N4036	.018	BRASS
N4036-1	.018	STEEL


SOLDER LUGS



FINISH: Solder-plated.


PART NO.	ILLUS.	STYLE	"A" STUD SIZE	"L" LENGTH	MATERIAL AND THKNS.	DIMENSIONS			
						"B" O.D.	"C" WIDTH	"D" HOLE	"E" CNTR
1485-4	A	Flat	#4	27/32	.010 BRASS	5/16	3/16	1/16	5/16
1485-6			#6						
1485-8			#8						
1485-10			#10						
1497			3/8						
1486-4	B	Flat Teardrop	#4	27/32	.010 BRASS	5/16	5/32	1/16	5/8
1486-6			#6						
1486-8			#8						
1486-10			#10						
1488-4	C	Flat Tongue	#4	9/16	.020 BRASS	1/4	3/16	3/16	23/64
1488-6			#6						
1488-8			#8						
1496	D	Bent Tongue	1/4	25/32	.020 BRASS	3/8	7/32	9/64	19/64
1494-6	E	Crimp Ring	#6	5/8	.018 BRASS	5/16	3/32	1/8	15/32
1494-8			#8						
1491			#10						
1493			1/4						
1490	F	Crimp Spade	#10	25/32	.020 BRASS	3/8	7/32	9/64	37/64
1495			#8	21/32		11/32	3/32	9/64	33/64
129			#6 to 1/4"	1-1/4	.022 BRASS	7/32	13/64	.162	—
218	H	Insulated Spade Lug	1/4"	1-7/16		3/8	3/8		

SOLDER LUGS CONTINUED




J

J1




K

K1



L



M

M1

MATERIAL: Brass, thickness as specified.


FINISH: Solder-plated.

STYLE: Bent lugs have the same configuration as the flat lug shown in the adjacent drawing, with the bend details as shown.

PART NO.	ILLUS.	STYLE	A STUD SIZE	L LENGTH	THKNS.	DIMENSIONS					
						B O.D.	C WIDTH	D HOLE	E CNTR		
1410-4 1410-6 1410-8 1410-10 1410-14	J	Flat Locking	#4 #6 #8 #10 1/4	7/8 57/64 13/16	.018	5/16 11/32 7/16	11/64 3/16	3/32	5/8 1/2		
1414-4 1414-6 1414-8 1414-10	J1	Bent Locking	#4 #6 #8 #10	13/16 53/64		5/16 11/32	11/64		17/64		
1411-4 1411-6 1411-8	K	Flat Locking	#4 #6 #8	47/64		5/16	5/32		3/32	17/32	
1415-4 1415-6 1415-8	K1	Bent Locking	#4 #6 #8	23/32						7/32	
1412-4 1412-6 1412-8	L	Flat Locking	#4 #6 #8	5/8						3/16	3/8
1413-4 1413-6 1413-8	M	Flat Locking Dual Locking	#4 #6 #8	23/32							15/32
1416-4 1416-6 1416-8	M1	Bent Locking Dual Locking	#4 #6 #8	41/64							1/4


QUICK DISCONNECT TYPE TERMINALS

QUICK DISCONNECT LUG



PART	MATERIAL	"A"	"B"	"C"	"D"
N4201	.020 BRASS	7/64 SQ. BARREL	.205	.27	.12
N4220	.020 BRASS	1/8 SQ. HOLE	.205	.27	-
N4231	.020 BRASS	7/64 SQ. BARREL	.250	.31	.12
N4236	.020 BRASS	1/8 SQ. HOLE	.250	.31	-
N4250	.032 BRASS	1/8 SQ. HOLE	.205	.27	-
N4258	.032 BRASS	1/8 SQ. HOLE	.250	.31	-
N4289	.032 BRASS	1/8 SQ. BARREL	.250	.31	.12
N4450	.020 BRASS	7/64 SQ. BARREL	.187	.27	.12
N4450-5	.020 BRASS	7/64 SQ. BARREL	.187	.27	.19
N4455	.020 BRASS	1/8 SQ. HOLE	.187	.27	-
N4466	.032 BRASS	1/8 SQ. HOLE	.187	.27	-


QUICK DISCONNECT LUG




PART	MATERIAL	"A"	"B"	"C"	"D"
N4202	.020 BRASS	7/64 SQ. BARREL	.205	.27	.12
N4202-S	.020 STEEL	7/64 SQ. HOLE	.205	.27	.12
N4221	.020 BRASS	1/8 SQ. BARREL	.205	.27	-
N4232	.020 BRASS	7/64 SQ. BARREL	.250	.31	.12
N4237	.020 BRASS	1/8 SQ. HOLE	.250	.31	-
N4251	.032 BRASS	1/8 SQ. HOLE	.205	.27	-
N4259	.032 BRASS	1/8 SQ. HOLE	.250	.31	-
N4451	.020 BRASS	7/64 SQ. BARREL	.187	.27	.12
N4451-3	.020 BRASS	7/64 SQ. BARREL	.187	.27	.07
N4451-5	.020 BRASS	1/8 SQ. BARREL	.187	.27	.19
N4456	.020 BRASS	1/8 SQ. HOLE	.187	.27	-
N4467	.032 BRASS	1/8 SQ. HOLE	.187	.27	-

QUICK DISCONNECT LUG

PART	MATERIAL	"A"	"B"	"C"
N4203	.020 BRASS	7/64 SQ. BARREL	.205	.27
N4222	.020 BRASS	1/8 SQ. HOLE	.205	.27
N4233	.020 BRASS	7/64 SQ. BARREL	.250	.31
N4238	.020 BRASS	1/8 SQ. HOLE	.250	.31
N4252	.032 BRASS	1/8 SQ. HOLE	.205	.27
N4260	.032 BRASS	1/8 SQ. HOLE	.250	.31
N4268	.032 BRASS	1/8 SQ. HOLE	.187	.27
N4452	.020 BRASS	7/64 SQ. BARREL	.187	.27
N4452-1	.020 BRASS	NO HOLE/BARREL	.187	.27
N4457	.020 BRASS	1/8 SQ. HOLE	.187	.27




QUICK DISCONNECT



PART	MATERIAL	"A"
N4206	.020 BRASS	.115 SQ. BARREL
N4206-1	.020 BRASS	.115 SQ. HOLE


QUICK DISCONNECT LUG

PART	MATERIAL	"A"	"B"	"C"
N4204	.020 BRASS	7/64 SQ. BARREL	.205	.27
N4223	.020 BRASS	1/8 SQ. HOLE	.205	.27
N4234	.020 BRASS	7/64 SQ. BARREL	.250	.31
N4239	.020 BRASS	1/8 SQ. HOLE	.250	.31
N4253	.032 BRASS	1/8 SQ. HOLE	.205	.27
N4261	.032 BRASS	1/8 SQ. HOLE	.250	.31
N4269	.032 BRASS	1/8 SQ. HOLE	.187	.27
N4453	.020 BRASS	7/64 SQ. BARREL	.187	.27
N4458	.020 BRASS	1/8 SQ. HOLE	.187	.27




QUICK DISCONNECT LUG


PART	MATERIAL	"A"	"B"	"C"
N4205	.020 BRASS	7/64 SQ. BARREL	.205	.27
N4224	.020 BRASS	1/8 SQ. HOLE	.205	.27
N4224-5	.020 BRASS	9/64 DIA. HOLE	.205	.27
N4235	.020 BRASS	7/64 SQ. BARREL	.250	.31
N4240	.020 BRASS	1/8 SQ. HOLE	.250	.31
N4254	.032 BRASS	1/8 SQ. HOLE	.205	.27
N4262	.032 BRASS	1/8 SQ. HOLE	.250	.31
N4262-1	.032 BRASS	1/8 DIA. HOLE	.250	.31
N4270	.032 BRASS	1/8 SQ. HOLE	.187	.31
N4454	.020 BRASS	7/64 SQ. BARREL	.187	.27
N4459	.020 BRASS	1/8 SQ. HOLE	.187	.27
N4459-5	.020 BRASS	1/8 DIA. HOLE	.187	.27



N4207 .020 BRASS QUICK DISCONNECT LUG




QUICK DISCONNECT LUG



PART	MATERIAL	"A"	"B"	"C"	"D"
N4225	.020 BRASS	7/64 SQ. BARREL	.205	.29	.12
N4228	.020 BRASS	1/8 SQ. HOLE	.205	.29	.12
N4241	.020 BRASS	7/64 SQ. BARREL	.250	.31	.12
N4245	.020 BRASS	1/8 SQ. HOLE	.250	.31	.12
N4255	.032 BRASS	1/8 SQ. HOLE	.205	.29	.12
N4263	.032 BRASS	1/8 SQ. HOLE	.250	.31	.12
N4271	.032 BRASS	1/8 SQ. HOLE	.187	.29	.12
N4460	.020 BRASS	7/64 SQ. BARREL	.187	.29	.12
N4460-5	.020 BRASS	1/8 SQ. BARREL	.187	.29	.19
N4463	.020 BRASS	1/8 SQ. HOLE	.187	.29	.12


QUICK DISCONNECT TYPE TERMINALS (CONTINUED)

QUICK DISCONNECT LUG




PART	MATERIAL	"A"	"B"	"C"
N4226	.020 BRASS	7/64 SQ. BARREL	.205	.27
N4229	.020 BRASS	1/8 SQ. HOLE	.205	.27
N4242	.020 BRASS	7/64 SQ. BARREL	.250	.31
N4246	.020 BRASS	1/8 SQ. HOLE	.250	.31
N4256	.032 BRASS	1/8 SQ. HOLE	.205	.27
N4264	.032 BRASS	1/8 SQ. HOLE	.250	.31
N4272	.032 BRASS	1/8 SQ. HOLE	.187	.27
N4461	.020 BRASS	7/64 SQ. BARREL	.187	.27
N4464	.020 BRASS	1/8 SQ. HOLE	.187	.27

QUICK DISCONNECT LUG




PART	MATERIAL	"A"	"B"	"C"
N4227	.020 BRASS	7/64 SQ. BARREL	.205	.27
N4230	.020 BRASS	1/8 SQ. HOLE	.205	.27
N4243	.020 BRASS	7/64 SQ. BARREL	.250	.31
N4247	.020 BRASS	1/8 SQ. HOLE	.250	.31
N4257	.032 BRASS	1/8 SQ. HOLE	.205	.27
N4265	.032 BRASS	1/8 SQ. HOLE	.250	.31
N4273	.032 BRASS	1/8 SQ. HOLE	.187	.27
N4462	.020 BRASS	7/64 SQ. BARREL	.187	.27
N4465	.020 BRASS	1/8 SQ. HOLE	.187	.27


N4470 .032 BRASS QUICK DISCONNECT LUG




N4475 .032 BRASS QUICK DISCONNECT LUG




N4479 .032 BRASS QUICK DISCONNECT LUG




N4481 .032 BRASS QUICK DISCONNECT LUG




N4482 .032 BRASS QUICK DISCONNECT LUG



N4483 .032 BRASS QUICK DISCONNECT LUG




N4486 .032 BRASS QUICK DISCONNECT LUG



PART	"A"
N4486	.12
N4486-6	.16


QUICK DISCONNECT TYPE TERMINALS (CONTINUED)

N4484 .030 BRASS QUICK DISCONNECT




PART	DIM "A"	SLOT "B"
N4484	.12	.12 X .07
N4484-6	.15	.16 X .07


N4485 .032 BRASS QUICK DISCONNECT




N4209 .025 BRASS QUICK DISCONNECT



N4214 .032 BRASS QUICK DISCONNECT




QUICK DISCONNECT



PART	MATERIAL	DIM "A"
N4215	.020 BRASS	9/64
N4216	.022 BRASS	3/32
N4217	.016 BRASS	9/64


QUICK DISCONNECT



PART	MATERIAL	DIM "A"
N4218	.022 BRASS	3/32
N4219	.022 BRASS	1/8

MULTI-QUICK DISCONNECT

N4489 .030 BRASS QUICK DISCONNECT



.030 BRASS MULTI-QUICK DISCONNECT

PART #	# TERMINALS
N4490-01	1
N4490-02	2
N4490-03	3
N4490-04	4
N4490-05	5
N4490-06	6
N4490-07	7
N4490-08	8
N4490-09	9
N4490-10	10
N4490-11	11
N4490-12	12

Can be supplied with up to 12 terminals on a continuous strip.

