



Wire & Cable > High Speed Digital & Data Cable



High Speed Digital & Data Cable Type: **CANbus**

Impedance: **120 Ω**

Wire Size: **19 AWG**

Operating Temperature Range: **-55 – 125 °C [-131 – 257 °F]**

Features

Product Type Features

High Speed Digital & Data Cable Type	CANbus
--------------------------------------	--------

Electrical Characteristics

Impedance	120 Ω
-----------	-------

Dimensions

Wire Size	19 AWG
-----------	--------

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-131 – 257 °F]
-----------------------------	-----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2019 (197) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Model / Part # 650075-000
D-436-37

Also in the Series | Raychem CANbus Cable



High Speed Digital & Data Cable(19)

Customers Also Bought



TE Model / Part #2150074-1
OCEAN_2.0_APPLICATOR-E-090F140F



TE Model / Part #2151717-1
OCEAN_2.0_Applicator-S-080F102F



TE Model / Part #4-1490019-1
CRIMPER, WIRE



TE Model / Part #964739-1
FLA-STE-GEH2,8 24P



TE Model / Part #CR2545-000
2020B0309-0



TE Model / Part #160557-2
FF 312 REC TERMINAL 20-15 AWG
TPBR



TE Model / Part #2-456409-1
CRIMPER, WIRE .120 "F"



TE Model / Part #2151719-1
OCEAN-2.0-APPLICATOR-S-059F0620



TE Model / Part #456426-3
CRIMPER WIRE .155 F



TE Model / Part #5202066047
RT-3-NO.1-0-1.25IN

Documents

Product Drawings

[2019E0309-0](#)

English

Datasheets & Catalog Pages

[Wire and Cable Overview](#)

English

Product Specifications

[Product Specification](#)

English