# 7518A1311-0 ACTIVE

#### Raychem

TE Internal #: 440819-000


High Speed Digital & Data Cable, Coaxial, 75  $\Omega$ , 18AWG Wire Size,

Operating Temperature Range -55 – 115 °C

View on TE.com >



Wire & Cable > High Speed Digital & Data Cable



High Speed Digital & Data Cable Type: Coaxial

Impedance:  $75 \Omega$ Wire Size: 18 AWG

Operating Temperature Range: -55 – 115 °C

# **Features**

# **Product Type Features**

Product Classification	Cable - Coaxial
Cable Style	Round Braided
Wire/Cable Type	Coaxial Cable
Product Type	Cable
High Speed Digital & Data Cable Type	Coaxial

# **Electrical Characteristics**

	17.1 pF/ft
Impedance	75 Ω

# Signal Characteristics

Velocity of Propagation	79%

#### **Body Features**

Shield Material	Tin-Coated Copper
Shield Style	Single
Jacket Color	Black
Conductor Material	Tin-Plated Copper
Jacket Material	Thermorad F

#### **Dimensions**

Overall	Outside Diameter	7.32 mm[.288 in]
Ovoran		7.02 11111[.200 111]



Cable Dielectric Diameter	5.77 mm[.227 in]
Wire Diameter	1.27 mm[.05 in]
Wire Size	18 AWG
Usage Conditions	

# Operating Temperature Range

Other	
Wire Source	United Kingdom, United States

-55 – 115 °C

Dielectric Material Rayfoam L

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2019 (197) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Customers Also Bought











TE Model / Part #YDIV46E25-04PAC009
PLUG ASSY















# **Documents**

Product Drawings 7518A1311-0

English

Datasheets & Catalog Pages

1654025\_Sec9\_CheminaxCables

English

Raychem Cheminax RF Coaxial Cables and RF Connectors Selection Guide

English

**Product Specifications** 

**Product Specification** 

English