


L0208-65 Logarithmic Amplifier 2.0 To 8.0GHz

ADVANCED DATA SHEET

www.aeroflex.com/bband



AEROFLEX
A passion for performance.

DESCRIPTION

The Aeroflex Plainview cutting edge Logarithmic Amplifier designs are enabling new applications. Our team of engineers can custom design Log Amplifiers using latest CAD Simulation software to meet even the most demanding specifications.

FEATURES

- Ultra Wideband with High Sensitivity
- Great Dynamic Range
- Fast Rise Times
- Custom Configurations in Small Package
- Packaging - Hermetic / Non-Hermetic

SPECIFICATIONS

Absolute Maximum Ratings

PARAMETER	SYMBOL	MIN	MAX	UNITS
Operating Temperature - Case	T_{MO}	-20	+85	°C
Storage Temperature - Case	T_{MS}	-40	+95	°C
Negative Supply Voltage	V_{-SS}	-9	-	V
Positive Supply Voltage	V_{+SS}	-	+15	V

Nominal Operating Conditions


PARAMETER	CONDITIONS	MIN	MAX	UNITS
Temperature, T_O	Full Range	-10	+75	°C
Positive Supply Voltage, V_{PS}		+7.7	+12	V
Negative Supply Voltage, V_{NS}		-5.25	-4.75	V

Electrical Characteristics

PARAMETER	CONDITIONS	MIN	TYP	MAX	UNITS
Frequency Range		2.0	-	8.0	GHz
Dynamic Range		-65	-	0	dBm
Tangential Signal Sensitivity (TSS)		-68	-	-	dBm
Linearity	Over Frequency @ 25°C	-	-	±1.0	dB
	Over Frequency and Temperature	-	-	±2.0	dB
Log Slope	93 ohms	14	15	16	mV/dB
Video Output Voltage	Across 93 Ohms	0	-	1.5	V
Pulse Rise Time	10-90%	-	-	10	ns
Pulse Fall Time	10-90%	-	-	25	ns
RF Input Impedance	Reference to 50 Ohms	-	-	2.0:1	-
RF Output Impedance	Reference to 50 Ohms	-	-	2.0:1	-
Recovery Time		-	50	-	ns
Limited RF Output Power		-	6	-	dBm
Limited RF Output VSWR	Reference to 50 Ohms	-	-	2.0:1	-
Supply Current	+8V	-	500	-	mA
	-5V	-	-100	-	mA

Aeroflex Plainview

OUTLINE DRAWING



ORDERING INFORMATION

MODEL NUMBER	HERMETICITY	PACKAGE
L0208-65H	Hermetic	2.0L x 1.180W x .300Ht
L0208-65	Non Hermetic	

PLAINVIEW, NEW YORK

Toll Free: 800-THE-1553
 Fax: 516-694-6715

INTERNATIONAL

Tel: 805-778-9229
 Fax: 805-778-1980

NORTHEAST

Tel: 603-888-3975
 Fax: 603-888-4585

SE AND MID-ATLANTIC

Tel: 321-951-4164
 Fax: 321-951-4254

WEST COAST

Tel: 949-362-2260
 Fax: 949-362-2266

CENTRAL

Tel: 719-594-8017
 Fax: 719-594-8468

www.aeroflex.com info-ams@aeroflex.com

Aeroflex Microelectronic Solutions reserves the right to change at any time without notice the specifications, design, function, or form of its products described herein. All parameters must be validated for each customer's application by engineering. No liability is assumed as a result of use of this product. No patent licenses are implied.



Our passion for performance is defined by three attributes represented by these three icons: solution-minded, performance-driven and customer-focused