




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2000
 © COPYRIGHT 2000 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
GW	-	A	-	5APR2001	CM	KM
		A1	SR10-0445-02	17OCT2002	KM	RL
		-	-	-	-	-



- Supplied as loose part
- Length of ferrule is 12.2 max
Complete length of connector = 29 max
- 3. Mating face according to DIN 47297 and CECC 22230
- Minimum dimension
- Maximum dimension

Old Nr	Tyco Nr	Cable Type	Dim a	Dim b	Appl. spec.	Description	Material	Plating
V23614-A102-P76	6-1393670-4	02Y(ST)CY 0.45/2.0	2.15	5.2	114-71009	Dielectric Outer Con. Center Con.	PTFE Cu Be Cu Be Brass	 1μm Au min in contact area 1μm Au min in contact area
V23614-A102-P57	6-1393670-2	RG179 B/U	1.7	3.6	114-71009	Dielectric Outer Con. Center Con.	PTFE Cu Be Cu Be Brass	 1μm Au min in contact area 1μm Au min in contact area
V23614-A102-P45A	6-1393670-1	2YCCY 0.4-2.5 2YC(mS)CY 0.4-2.5	2.55	6.2	114-71009	Dielectric Outer Con. Center Con.	PTFE Cu Be Cu Be Brass	 1μm Au min in contact area 1μm Au min in contact area
V23614-A102-P45	6-1393670-0	2YCCY 0.4-2.5 2YC(mS)CY 0.4-2.5	2.55	6.2	114-71009	Dielectric Outer Con. Center Con.	PTFE Cu Be Cu Be Brass	 1μm Au min in contact area 1μm Au min in contact area
V23614-A102-P34A	5-1393670-9	TR-SP127	2.35	6.4	114-71009	Dielectric Outer Con. Center Con.	PTFE Cu Be Cu Be Brass	 1μm Au min in contact area 1μm Au min in contact area
V23614-A102-P24	5-1393670-7	R1-T2.0 Li 75K	2.15	5.2	114-71009	Dielectric Outer Con. Center Con.	PTFE Cu Be Cu Be Brass	 1μm Au min in contact area 1μm Au min in contact area







THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
 IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
 SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN MOROBE 2APR2001	Tyco Electronics Oostkamp - Belgium
	0 PLC ± 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±	CHK MATTHEEUWS 5APR2001	
		APVD BOZZER 5APR2001	
MATERIAL -	FINISH -	PRODUCT SPEC 108-71032	NAME CABLE PLUG SNAP-ON COUPLING 1.0/2.3 75 Ohm
		APPLICATION SPEC SEE TABLE	SIZE A3
		WEIGHT -	CAGE CODE 00779
			DRAWING NO 5-1393670-7
			RESTRICTED TO -
			SCALE 5/1
			SHEET 1 OF 3
			REV A1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2000
 © COPYRIGHT 2000 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
GW	-					



Old Nr	Tyco Nr	Cable Type	Dim a	Dim b	Appl. Spec.	Description	Material	Plating
V23614-B109-P25 	9-1393670-0	ST214	3.8	7.93	114-71012	Dielectric	PTFE	
						Outer Con.	Cu Be	1µm Au min in contact area
						Center Con.	Cu Be Brass	1µm Au min in contact area
V23614-B109-P23	8-1393670-9	ST212	2.15	4.45	114-71012	Dielectric	PTFE	
						Outer Con.	Cu Be	1µm Au min in contact area
						Center Con.	Cu Be Brass	1µm Au min in contact area
V23614-B102-P76	8-1393670-8	02Y(ST)CY 0.45/2.0	2.15	5.2	114-71009	Dielectric	PTFE	
						Outer Con.	Cu Be	1µm Au min in contact area
						Center Con.	Cu Be Brass	1µm Au min in contact area
V23614-A109-P25 	6-1393670-7	ST214	3.8	7.93	114-71012	Dielectric	PTFE	
						Outer Con.	Cu Be	1µm Au min in contact area
						Center Con.	Cu Be	1µm Au min in contact area
V23614-A109-P23A	6-1393670-6	ST212	2.15	4.45	114-71012	Dielectric	PTFE	
						Outer Con.	Cu Be	1µm Au min in contact area
						Center Con.	Cu Be Brass	1µm Au min in contact area
V23614-A109-P23	6-1393670-5	ST212	2.15	4.45	114-71012	Dielectric	PTFE	
						Outer Con.	Cu Be	1µm Au min in contact area
						Center Con.	Cu Be Brass	1µm Au min in contact area

<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN MOROBE 2APR2001 CHK MATTHEEUWS 5APR2001 APVD BOZZER 5APR2001	 Tyco Electronics Oostkamp - Belgium
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±	PRODUCT SPEC - APPLICATION SPEC - WEIGHT -	NAME CABLE PLUG SNAP-ON COUPLING 1.0/2.3 75 Ohm
MATERIAL -	FINISH -	SIZE A3	CAGE CODE 00779 DRAWING NO C-5-1393670-7 RESTRICTED TO -
		SCALE 1/1	SHEET 2 OF 3 REV A1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2000
 © COPYRIGHT 2000 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
GW	-	P	LTR	DESCRIPTION	DATE	DWN	APVD

	619086-1	02Y12YC(mS) C6Y 0.45/2.0 BT 3002 TZC 750 24	2.1	5.2	114-71009	Dielectric	PTFE	
						Outer Con.	Brass	1µm Au min in contact area
						Center Con.	Cu Be	1µm Au min in contact area
V23614-C109-P23	9-1393670-5	ST212	2.15	4.45	114-71012	Dielectric	PTFE	
						Outer Con.	Brass	1µm Au min in contact area
						Center Con.	Cu Be	1µm Au min in contact area
V23614-C102-P76	9-1393670-4	02y(st)cy 0.45/2.0	2.15	5.2	114-71009	Dielectric	PTFE	
						Outer Con.	Brass	1µm Au min in contact area
						Center Con.	Cu Be	1µm Au min in contact area
Old Nr	Tyco Nr	Cable Type	Dim a	Dim b	Appl. Spec.	Description	Material	Plating

<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN MOROBE 2APR2001 CHK MATTHEEUWS 5APR2001 APVD BOZZER 5APR2001		 Tyco Electronics Oostkamp - Belgium	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±		NAME CABLE PLUG SNAP-ON COUPLING 1.0/2.3 75 Ohm	
		MATERIAL - FINISH -		PRODUCT SPEC - APPLICATION SPEC - WEIGHT -	
				SIZE A3 CAGE CODE 00779 DRAWING NO C-5-1393670-7	RESTRICTED TO -
				SCALE 1/1 SHEET 3 OF 3 REV A1	