


RED INDICATES ORIGINAL

DWG SIZE C	DATA CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO TROMPETER ELECTRONICS, INC. AND SHALL NOT BE DISCLOSED, COPIED OR USED FOR PROCUREMENT OR MANUFACTURE WITHOUT EXPRESS WRITTEN PERMISSION.				REVISIONS			3-0210	SH 1
	REV	ED	DESCRIPTION	DWN	APPROVED	DATE			
	N	12086	-308 TAI-218 WAS TAI-168; ADDED -308 & -309; SEE ECO	DKC	<i>(Signature)</i>	8/26/99			

DASH NO	CABLES ACCOMMODATED	A HEX	B DIM	C MAX	ASSEMBLE PER
-201	M17/176-00002	.344	.030	1.80	TAI-166
-202	TWC-78-1				
-203	TWC-124-1A				
-204	10602, RAYCHEM				
-205	TWAC-78-1F2				
-206	782600130, RAYCHEM				
-207	B3310, BELDEN				
-208	202-3927, MICRODOT				
-209	202-3942, MICRODOT				
-210	B451, BELDEN				
-211	202-3934, MICRODOT				
-212	252450114, RAYCHEM				
-213	TWC-78-2				
-214	TWC-124-2				
-215	BL982, TIMES				
-216	BL1242, TIMES				
-217	GC875TM24H, GRUMMAN				
-218	EDP221888, RAYCHEM				
-219	252601114, RAYCHEM				
-220	GC875RRI, GRUMMAN				
-221	10614, RAYCHEM				
-222	10613, RAYCHEM				
-223	HMS2-1149, HUGHES				
-206	782600130, RAYCHEM	1.55	TAI-138		
-207	B3310, BELDEN				
-208	202-3927, MICRODOT				
-209	202-3942, MICRODOT				
-210	B451, BELDEN				
-211	202-3934, MICRODOT				
-212	252450114, RAYCHEM				
-213	TWC-78-2				
-214	TWC-124-2				
-215	BL982, TIMES				
-216	BL1242, TIMES				
-217	GC875TM24H, GRUMMAN				
-218	EDP221888, RAYCHEM				
-219	252601114, RAYCHEM				
-220	GC875RRI, GRUMMAN				
-221	10614, RAYCHEM				
-222	10613, RAYCHEM				
-223	HMS2-1149, HUGHES				
-206	782600130, RAYCHEM	1.80	TAI-166		
-207	B3310, BELDEN				
-208	202-3927, MICRODOT				
-209	202-3942, MICRODOT				
-210	B451, BELDEN				
-211	202-3934, MICRODOT				
-212	252450114, RAYCHEM				
-213	TWC-78-2				
-214	TWC-124-2				
-215	BL982, TIMES				
-216	BL1242, TIMES				
-217	GC875TM24H, GRUMMAN				
-218	EDP221888, RAYCHEM				
-219	252601114, RAYCHEM				
-220	GC875RRI, GRUMMAN				
-221	10614, RAYCHEM				
-222	10613, RAYCHEM				
-223	HMS2-1149, HUGHES				

DASH NO	CABLES ACCOMMODATED	A HEX	B DIM	C MAX	ASSEMBLE PER	
-301	GC875GC1, GRUMMAN	.344	.030	1.80	TAI-168	
-302	GC875GB1, GRUMMAN					
-303	7528A5314, RAYCHEM					
-304						
-305	M17/177-00001, THERMATICS				1.80	TAI-218
-306	TRC-50-2					
-307	M17/134-00002					
-308	TRC-75-1					
-309	TRC-75-2	TAI-168				
-308	TRC-75-2					
-308	TRC-50-1	TAI-218				
-308	TRC-50-1					

INCH	MM
.005	0.13
.010	0.25
.030	0.76
.344	8.74
.593	15.08
1.00	25.40
1.25	31.75
1.416	35.97
1.55	39.37
1.75	44.45
1.80	45.72



-202 SHOWN

5. EXAMPLE OF COMPLETE MODEL NO:
CJ70CTL-201

BASIC MODEL NO. — CABLE GROUP DASH NO


A 1 SHRINKABLE STRAIN RELIEF AND/OR SHRINKABLE SEALING SLEEVE SUPPLIED LOOSE AS FOLLOWS:

- a. CABLE GROUPS -201 THROUGH -210, -217 THROUGH -303, -305, -307 & -309
 - 1 SHRINKABLE STRAIN RELIEF (1.00 LONG)
 - 1 SHRINKABLE SEALING SLEEVE (1.25 LONG)
- b. CABLE GROUPS -211 THROUGH -216, -306 & -308
 - 1 SHRINKABLE STRAIN RELIEF (1.75 LONG)

3. 2-LUG CONCENTRIC TWINAX/TRIAX TRB, FULL CRIMP CABLE RECEPTACLE

2. FINISH: TFS-1A (NICKEL)

1. ALL DIMENSIONS ARE IN INCHES



RECOMMENDED
HEX CRIMP
SCALE: 2/1

QTY	DESCRIPTION	PART NUMBER	ITEM
	TOL. UNLESS SPECIFIED .005 ± .0005 ± .00006 ± ANGLE	TROMPETER ELECTRONICS, INC.	CJ70CTL
DWN	DKC 8-1-87	MATERIAL	CODE IDENT
CHK	DKC 8-18-97	14949	3-0210
ENGR			
APPR	<i>(Signature)</i>	SCALE 4/1	DATE 10/24/88 SHEET 1 OF 2