



**136Z9424** [↗](#)

**FC-102N110T7E54H2XCXXSXXXAXBXCXXXXX**

Frequency Converter  
 FC-102N110T7E54H2XCXXSXXXAXBXCXXXXX  
 VLT® HVAC Drive FC-102  
 (N110) 110 KW / 150 HP, Three phase  
 525 - 690 VAC \*, (E54) IP54 / Type 12  
 RFI Filter  
 No brake chopper  
 No Loc. Cont. Panel  
 Coated PCB, No Mains Option  
 Latest release std. SW.  
 No A Option, No B Option  
 No C1 option, No D option  
 Frame: D1H  
 Other options according to Model Code

**Model code:** FC-102N110T7E54H2XCXXSXXXAXBXCXXXXX

Danfoss Drive is dedicated to ventilation, heating, and refrigeration applications. With a wide range of powerful standard and optional features, the Drive provides the lowest overall cost of ownership.

**View Efficiency Data** [↗](#)

**PRODUCT DETAILS**

<b>Gross weight</b>		62.3 kg
<b>Net weight</b>		62 kg
<b>Volume</b>		0 l
<b>EAN</b>		5715253252933
<b>Sales restriction control</b>		
<b>Matr grp for sales restriction</b>	0001	No grouping
<b>VLT® HVAC DRIVE FC 100 SERIES</b>		
<b>Product View (Switch)</b>	GLBL	Global (Standard)
<b>Product Group</b>	FC-	VLT® HVAC Drive FC-
<b>Series</b>	102	102
<b>Power Rating</b>	N110	(N110) 110 KW / 150 HP
<b>Phase</b>	T	Three phase
<b>Mains Voltage</b>	7	525 - 690 VAC *
<b>Possible rating issue</b>	WARN01	Possible Rating Issue:
<b>Enclosure</b>	E54	(E54) IP54 / Type 12
<b>RFI Filter</b>	H2	RFI Filter
<b>Brake - Safe Stop</b>	X	No brake chopper
<b>LCP</b>	X	No Loc. Cont. Panel
<b>Coating PCB</b>	C	Coated PCB
<b>Mains Option</b>	X	No Mains Option
<b>Adaptation A</b>	X	Standard Cable Entries
<b>Adaptation B</b>	X	No adaptation
<b>Software Release</b>	SXXX	Latest release std. SW.
<b>Software Language Pack</b>	X	Standard Language Pack
<b>A Option</b>	AX	No A Option

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Product Detail | FC-102N110T7E54H2XCXXXSXXXAXBXCXXXDX

## PRODUCT DETAILS

<b>B Option</b>	BX	No B Option
<b>C0 Option MCO</b>	CX	No C0 option
<b>C1 Option</b>	X	No C1 option
<b>C Option Software</b>	XX	No software option
<b>D Option</b>	DX	No D option
<b>Frame Size</b>	D1H	D1H
<b>Product Catalog</b>	NO_VIEW	NO VIEW
<b>Typecode Part 1</b>		FC-102N110T7E54H2XXC
<b>Typecode Part 2</b>		XXXSXXXAXBXCXXXDX
<b>Power 180% (HO) [KW]</b>		NV
<b>Power 160% (HO) [KW]</b>		NV
<b>Power 150% (HO) [KW]</b>		NV
<b>Power 110% (NO) [KW]</b>		110
<b>Height [mm]</b>		901,0
<b>Height w/ Regen/Loadshare [mm]</b>		NV
<b>Width w/ no C options [mm]</b>		325,0
<b>Depth [mm]</b>		378,0
<b>Depth with Option A/B [mm]</b>		378,0
<b>kVA</b>		157
<b>Power Loss NO [W]</b>		1739
<b>Power Loss NO [W]</b>		1796
<b>Power Loss HO [W]</b>		NV
<b>Power Loss HO [W]</b>		NV
<b>Continuous Current (NO) [A]</b>		137
<b>Intermittent Current (NO) [A]</b>		151
<b>Continuous Current (NO) [A]</b>		131
<b>Intermittent Current (NO) [A]</b>		144
<b>Continuous Current (HO) [A]</b>		NV
<b>Intermittent Current (HO) [A]</b>		NV
<b>Continuous Current (HO) [A]</b>		NV
<b>Intermittent Current (HO) [A]</b>		NV
<b>Calculated Gross Weight</b>		62.3
<b>Calculated Net Weight [kg]</b>		62
<b>Vendor</b>	ERR01	Cannot Determine Vendor
<b>Recommended Factory</b>	ERR01	Cannot Determine Vendor
<b>Modelcode01</b>		FC-102N110T7E54H2XXC
<b>Modelcode02</b>		XXXSXXXAXBXCXXXDX

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

## Accessories

Image  
coming  
soon

**176F3648** [🔗](#)

Cooling Kit, in back/out back, D1h

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Accessories

Image  
coming  
soon

### 176F3631 [🔗](#)

#### Pedestal Kit, 400mm, D1h

Sub-base kit, H 400 mm for VLT FC New Generation D-Frame, housing size D1h. For use with floor installation / assembly of the VLT in IP21 / 54. Contains components / assembly parts and fastening material.

Image  
coming  
soon

### 176F3409 [🔗](#)

#### Adapter Plate, D1h/D3h

VLT® drive replace adptr plate d1h d3h

Image  
coming  
soon

### 176F6339 [🔗](#)

#### VLT® Mains Shield Kit D1H Framesize



### 130B1235 [🔗](#)

#### VLT® PROFINET MCA 120, coated

MCA 120 PROFINET interface  
With reinforced coating (class 3C3 / IEC 60721-3-3)  
-Supports operation on PROFINET network with extensive characteristics  
-DCP support for easy setting u. Communication parameters via the PLC  
-on Board web-Page with Drive Status  
-parameterization with the MCT10 software  
- 2-port version, reduced external hardware



### 130B1243 [🔗](#)

#### VLT® Analog I/O Option MCB 109, coated

I / O extension for FC 100, easy to retrofit thanks to modular technology.  
Analog inputs / outputs galvanically isolated.  
Expands the analog inputs / outputs by:  
3 analog inputs: 0 ... 10V / Pt1000 / Ni1000  
3 analog outputs: 0 ... 10V  
Time switch (RTC backup): lithium cell for 10 years



### 130B1219 [🔗](#)

#### VLT® EtherNet IP MCA 121, coated

EtherNet/IP extends commercial off-the-shelf Ethernet to the Common Industrial Protocol (CIP™) – the same upper-layer protocol and object model found in DeviceNet. Built-in high-performance switch enabling line-topology, and eliminating the need for external switches. Device Level Ring (DLR) topology for higher system availability. Based on CIP™, makes the reuse of PLC program possible when migrating from DeviceNet to EtherNet/IP. Built-in web server provides remote diagnosis and reading out of basic drive parameters. E-mail notification provides fast access to warnings or alarm information. Unicast and Multicast communication for improved network utilization. Certified by ODVA for fulfilment of the newest standard.

**For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)**

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories



**130B1212** [🔗](#)

**VLT® General Purpose I/O MCB 101, ctd**

MCB 101 - Advanced I / O option

Expands the number of freely programmable

Control inputs and outputs around the following I / Os:

- 3 digital inputs opto-decoupled 0 - 24 V.
  - 2 analog inputs 0 - 10 V.
  - 2 digital outputs NPN / PNP switchable 24 V
  - 1 analog output 0/4 - 20 mA
- with reinforced coating



**130B1210** [🔗](#)

**VLT® Relay Option MCB 105, coated**

Relay extension for FC 100 and FC 300.

Extension with 3 additional load relays (changeover contacts), easy to retrofit thanks to modular technology.

Painted version for harsh environments,

easy to retrofit thanks to modular technology.

Max. Load 240V AC (resistive): 2 A

Max. Load 240V AC (Cos Phi 0.4): 0.2 A

Max. Load 24V DC (ohmic): 1 A

Max. Load 24V DC (inductive): 0.1 A



**130B1208** [🔗](#)

**VLT® 24V DC Supply MCB 107, coated**

Connect an external DC supply to keep the control section and any installed option alive during power failure. Enables full operation of the LCP (including the parameter setting) and all installed options without connection to mains.



**130B1202** [🔗](#)

**VLT® DeviceNet MCA 104, coated**

MCA 104 - DeviceNet interface Option for FC300 and FC100 for mounting on the control card. Painted version



**130B1200** [🔗](#)

**VLT® Profibus DP V1 MCA 101, coated**

Provides wide compatibility, a high level of availability, support for all major PLC vendors and compatibility with future versions. Fast, efficient communication, transparent installation, advanced diagnosis and parameterization and auto-configuration of process data using GSD-file. Acyclic parameterization using PROFIBUS DP-V1, →PROFIdrive or Danfoss FC profile state machines, PROFIBUS DP-V1, Master Class 1 and 2.



**130B1386** [🔗](#)

**VLT® Profibus DP V1 MCA 101, ctd, 5pcs**

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Accessories**

---

**130B1385** [🔗](#)**VLT® Profibus DP V1 MCA101, unctd 5pcs****130B1296** [🔗](#)**VLT® Modbus TCP MCA 122, coated**

The first industrial Ethernet-based protocol for automation. Connects to Modbus-TCP-based networks. Able to handle connection interval down to 5 ms in both directions, positioning it among the fastest performing Modbus TCP devices in the market. For master redundancy it features hot swapping between two masters.

**130B1006** [🔗](#)**VLT® Motion Ctrl Tool MCT 10>100 lic.**

An interactive tool for quick and easy online/offline configuration of a VLT® drive or soft starter using a PC. Configure communication networks and back up relevant parameter settings. Control and configure systems simultaneously and monitor entire system more effectively for faster monitoring, diagnosis, troubleshooting (alarms/warnings) and better preventive maintenance.

**130B1005** [🔗](#)**VLT® Motion Ctrl Tool MCT 10,100 lic.**

An interactive tool for quick and easy online/offline configuration of a VLT® drive or soft starter using a PC. Configure communication networks and back up relevant parameter settings. Control and configure systems simultaneously and monitor entire system more effectively for faster monitoring, diagnosis, troubleshooting (alarms/warnings) and better preventive maintenance.

**130B1004** [🔗](#)**VLT® Motion Ctrl Tool MCT 10,50 lic.**

An interactive tool for quick and easy online/offline configuration of a VLT® drive or soft starter using a PC. Configure communication networks and back up relevant parameter settings. Control and configure systems simultaneously and monitor entire system more effectively for faster monitoring, diagnosis, troubleshooting (alarms/warnings) and better preventive maintenance.

**130B1003** [🔗](#)**VLT® Motion Ctrl Tool MCT 10,25 lic.**

An interactive tool for quick and easy online/offline configuration of a VLT® drive or soft starter using a PC. Configure communication networks and back up relevant parameter settings. Control and configure systems simultaneously and monitor entire system more effectively for faster monitoring, diagnosis, troubleshooting (alarms/warnings) and better preventive maintenance.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Accessories**


---

**130B1002** [🔗](#)**VLT® Motion Ctrl Tool MCT 10,10 lic.**

An interactive tool for quick and easy online/offline configuration of a VLT® drive or soft starter using a PC. Configure communication networks and back up relevant parameter settings. Control and configure systems simultaneously and monitor entire system more effectively for faster monitoring, diagnosis, troubleshooting (alarms/warnings) and better preventive maintenance.

**130B1001** [🔗](#)**VLT® Motion Ctrl Tool MCT 10,5 lic.**

An interactive tool for quick and easy online/offline configuration of a VLT® drive or soft starter using a PC. Configure communication networks and back up relevant parameter settings. Control and configure systems simultaneously and monitor entire system more effectively for faster monitoring, diagnosis, troubleshooting (alarms/warnings) and better preventive maintenance.

**130B1000** [🔗](#)**VLT® Motion Ctrl Tool MCT 10,1 lic.**

An interactive tool for quick and easy online/offline configuration of a VLT® drive or soft starter using a PC. Configure communication networks and back up relevant parameter settings. Control and configure systems simultaneously and monitor entire system more effectively for faster monitoring, diagnosis, troubleshooting (alarms/warnings) and better preventive maintenance.

**130B1135** [🔗](#)**VLT® PROFINET MCA 120, UNCOATED**

MCA 120 PROFINET interface

- Supports operation on PROFINET network with extensive properties
- DCP support for easy setting u. Communication parameters via the PLC
- On Board web-Page with Drive Status
- Parameterization with the MCT10 software
- 2 port version, reduced external hardware

**130B1125** [🔗](#)**VLT® General Purpose I/O MCB 101, unctd**

MCB 101 - Advanced I / O option

Expands the number of freely programmable Control inputs and outputs around the following I / Os:

- 3 digital inputs opto-decoupled 0 - 24 V.
- 2 analog inputs 0 - 10 V.
- 2 digital outputs NPN / PNP switchable 24 V
- 1 analog output 0/4 - 20 mA

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Accessories



### 130B1110 [🔗](#)

#### VLT® Relay Option MCB 105, uncoated

Relay extension for FC 100 and FC 300. Extension with 3 additional load relays (changeover contacts), easy to retrofit thanks to modular technology.

Max. Load 240V AC (resistive): 2 A

Max. Load 240V AC (Cos Phi 0.4): 0.2 A

Max. Load 24V DC (ohmic): 1 A

Max. Load 24V DC (inductive): 0.1 A



### 130B1143 [🔗](#)

#### VLT® Analog I/O Option MCB 109, unctd

I / O expansion for FC 100, through modular technology easy to retrofit. Analog inputs/outputs galvanically isolated.

Expands the analog inputs / outputs by:

3 analog inputs: 0 ... 10V / Pt1000 / Ni1000

3 analog outputs: 0 ... 10V

Time switch (RTC backup): lithium cell for 10 years



### 130B1137 [🔗](#)

#### VLT® PTC Thermistor Card MCB 112, ctd

MCB 112 PTC - thermistor relay MS220DA In connection with ATEX certified explosion-proof motors for full motor protection. Certified PTC sensors are the sole protection required.

Integrable module with ATEX-compliant full thermal motor protection

1 PTB-certified PTC thermistor input

1 switch-off signal for using the Safe Stop function

1 logic output for error identification



### 130B1071 [🔗](#)

#### 6 Pole Connector, FC series, 10 pcs

6-pole spring cage connectors 10 pcs



### 130B1070 [🔗](#)

#### RS485 plug, FC series, 10 pcs

10pcs RS485 connectors for FC-series.

Product group: R



### 130B1107 [🔗](#)

#### VLT® Control Panel LCP 102

Graphic operating unit LCP102 Illuminated graphic display with plain

text. Supports all languages and characters. Quick menu for brief

commissioning. Saving and copying parameter sets. Online help for each

function

**For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)**

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Accessories



### 130B1100 [↗](#)

#### VLT® Profibus DP V1 MCA 101

Provides wide compatibility, a high level of availability, support for all major PLC vendors and compatibility with future versions. Fast, efficient communication, transparent installation, advanced diagnosis and parameterization and auto-configuration of process data using GSD-file. Acyclic parameterization using PROFIBUS DP-V1, –PROFIdrive or Danfoss FC profile state machines, PROFIBUS DP-V1, Master Class 1 and 2.

Image  
coming  
soon

### 175U0009 [↗](#)

#### Mounting bracket Kit, 216 x 30 x 18mm

Mounting angle for flatpack resistor 200W



### 175N2584 [↗](#)

#### VLT® EtherNet/IP Modbus TCP gateway

Image  
coming  
soon

### 134B6302 [↗](#)

#### VLT MCT 10 Software Customizer, 1 key

the commissioning experience of the VLT® to best fit your needs. It is a strong tool that enables you to quickly create your setup and test it first to MCT 10 using the simulator before uploading it to a real drive. local Danfoss Drives representative to order the required license(s).

Customize your commissioning experience

As the name suggests, VLT® Software Customizer allows you to customize

Note that the Advanced MCT 10 license is needed, please contact the



### 134B5925 [↗](#)

#### Pressure Transmitter

VLT PTU 025 pressure transmitter unit

for external attachment to frequency converters

VLT HVAC Drive FC-102 IP55 / IP66 on one

the cable entries suitable for M25

- with four pressure sensors 2x 0-500 Pa;

1x 0-1000 Pa; 1x 0-2500 Pa

- eight hose connections D 5mm

- Can be positioned 360 ° around the longitudinal axis

Software version of the frequency converter FC-102

at least 5.20 am required

Mounting thread: M25

Dimensions LxW: 155mm x 38mm

(Length with hose support rail 260.5mm)

Degree of protection: IP66

Image  
coming  
soon

### 134B5225 [↗](#)

#### Remote LCP unit, 10m

Remote mounting kit for LCP with cover for outdoor mounting with 10 m (33 ft) cable

**For more information, please use this link to visit the product page on Danfoss Product Store [↗](#)**

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories

Image coming soon

**134B5224**

**Remote LCP unit, 5m**

Remote mounting kit for LCP with cover for outdoor mounting with 5 m (16 ft) cable



**134B5223**

**Remote LCP unit, 3m**

Remote mounting kit for LCP with cover for outdoor mounting with 3 m (10 ft) cable



**134B0460**

**LCP 103 Wireless Communication Panel**

With VLT® Wireless Communication Panel LCP 103 you can communicate with MyDrive® Connect - an app that can be downloaded for iOS and Android based smartphones. MyDrive® Connect makes commissioning easy, monitor and maintain tasks on your frequency converter. VLT® Wireless Communication Panel LCP 103 shows the current status of the drive (On, Warning, Alarm, Wifi connection) via built-in LED. Detailed information is also available using MyDrive® Connect. Here do you have access to i.a. status, menu and alerts. You can also see graphs over the latest available data.

The new VLT® Wireless Communication Panel LCP 103 allows you to wireless communication to the following drives:

- VLT® HVAC Drive FC 102
- VLT® Refrigeration Drive FC 103
- VLT® AQUA Drive FC 202
- VLT® AutomationDrive FC 302

[!] Note!

LCP 103 only works on frequency converters produced in 2018 (White USB stik).

Product group: R1

Image coming soon

**134B1992**

**Control Terminals w/ screw connections**

Image coming soon

**130B6447**

**VLT® Safety Option MCB 141**

Extends the Safe Torque Off feature of VLT® drives with additional safety functions: Safe Stop 1 (SS1), Safely Limited Speed (SLS), Safe Maximum Speed (SMS) and Safe Speed Monitor (SSM).

**For more information, please use this link to visit the product page on Danfoss Product Store**

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories



**130B1144** [🔗](#)

**VLT® BACnet MCA 109, uncoated**

Open communication protocol dedicated to building automation

- Efficient integration of all parts of building automation equipment
- BACnet: standard for building automation worldwide
- International standard ISO 16484-5
- can be used in all sizes of building automation systems
- the Drive communicates easily with construction management systems running the BACnet protocol
- can be easily integrated into the network of existing control equipment

Product group: R1



**130B1244** [🔗](#)

**VLT® BACnet MCA 109, coated**

A. Device profile: Application-Specific-Controller (B-ASC)

Supported objects: Analog Input, Analog Output, Analog Value, Binary Input, binary output, Binary Value, Device, Multi-State Output, Notification Class

Protocol: Building automation world standard ISO 16484-5

Data Link Layer: MS / TP 9600, 19200, 38400, 76800

Data sharing: ReadProperty-B, DS-RP-B  
 ReadPropertyMultiple-B, DS-RPM-B  
 WriteProperty-B, DS-WP-B  
 WritePropertyMultiple-B, DS-WPM-B

Alarm and Notification Internal-B, AE-N-I-B

Event Notification: ACK-B, AE-ACK-B  
 Information-B, AE-INFO-B

Device and Network Dynamic Device Binding-A, DM-DDB-A  
 Management: Dynamic Device Binding-B, DM-DDB-B



**130B1206** [🔗](#)

**VLT® LonWorks MCA 108, coated**

Lonworks interface for FC 100. With modular technology

Fieldbus option that can be easily retrofitted for the decentralized integration of the Frequency converter. The fieldbus option is based on the LonWorks Technology and corresponds to the LonMark Interoperability Guide.

Painted version for harsh environments

Hardware: Module technology for option slot A

Transceiver: Free topology FTT 10

Transfer rate: 78kbit / s

Protocol: Echelon LonTalk

Image coming soon

**176F3812** [🔗](#)

**KIT,MULTI WIRE,MOTOR,BB,D1H,D3H,P454**

Image coming soon

**176F3817** [🔗](#)

**KIT, MULTI WIRE, D1H, P454**

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Accessories

Image  
coming  
soon**176F3854** **KIT,MULTI WIRE,MAINS,BB,D1H/D3H,P454**  
KIT,MULTI WIRE,MAINS,BB,D1H/D3H,P454Image  
coming  
soon**176F6770** **KIT, COMMON MODE, T5/50M, P454**Image  
coming  
soon**176F3522** **kit,cooling,in bottom out back,d1h d3h**Image  
coming  
soon**176F3532** **kit,cooling,in-back/out-back,pedstl,d1h****130B0295** **Accessory bag with control card plugs****134B1586** **VLT® BACNET/IP MCA125**

The VLT® BACnet/IP MCA 125 option is a plug-and-play solution that optimizes the use of VLT® HVAC Drive together with building management systems using the BACnet/IP protocol or running BACnet on Ethernet. The embedded three-port managed switch of the VLT® BACnet/IP MCA 125 option comprises two external and one internal Ethernet port. This switch allows the use of line structure for the Ethernet cabling. In modern installation this is becoming increasingly attractive

**176F3881** **FC302 Standard Spare Pkg 250kW T5**

1 Qty 176F3159 Inrush Card NO 110-315kW 400V

1 Qty 176F3145 Power Card NO 315kW 380-500V

1 Qty 134B1726 Control Card for FC-302

Image  
coming  
soon**130B4847** **extension cable for lcp+communication****134B8814** **VLT® PROFINET MCA120 coated 5pcs**

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories



**134B8492** [🔗](#)  
**TRANSDUCER 0-50G, 4-20MA**



**134B8493** [🔗](#)  
**CBM Transducer 0-25mm/s RMS 4-20mA**



**134B8494** [🔗](#)  
**Transducer w, temp 0-25mm/s RMS 4-20mA**



**134B8496** [🔗](#)  
**Cable assy 10m, straight socket connetc.**

Image coming soon

**134B8497** [🔗](#)  
**Cable assy, M12 female connec.10m screen**

Spare Parts

Image coming soon

**176F3549** [🔗](#)  
**Cover DC Link Coil Small Dh Frame**



**176F3540** [🔗](#)  
**Heatsink fan cover Dh Frames**

Image coming soon

**176F3481** [🔗](#)  
**Mains Shield D1h Frame**



**176F4711** [🔗](#)  
**Repair Kit, NG D-Frame, T7, 55kW-160kW**

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Spare Parts

Image coming soon

**176F3761**   
**Loadshare Retrofit Kit for D4h Frame**

Image coming soon

**176F3760**   
**Loadshare Retrofit Kit for D3h Frame**



**176F3331**   
**Cable Gate Drive to Inrush D1h/D3h**



**176F3328**   
**Cable Power Card to Gate Drive D1h/D3h**




**176F3326**   
**Cable Power Card to HF/RFI D1h/D3h**




**176F3324**   
**Cable DC bus to Power Card D1h/D3h**



**176F3323**   
**Cable Power Card to CT D2h/D4h**  
 For use on drives produced in week 50, 2015 or earlier.



**176F3322**   
**Cable Power Card to CT D1h-D3h**  
 For use on drives produced in week 50, 2015 or earlier.



**176F3320**   
**Cable Power Card to Door Fan D1h/D3h**



**176F3388**   
**Cradle for LCP D1h/D3h enclosure**

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

**176F3430** **Bus Bar Assembly CAP Bank 690V D1h/D3h**

To be used on the following frame sizes  
D-frame: Drives produced before week 23, 2018 with production site "H" indicated by the character preceding the last 3 characters of the serial number (H238)

**176F3428** **DC Bus CAP T7 drive Single in housing**

To be used on the following frame sizes  
D-frame: Drives produced before week 23, 2018 with production site "H" indicated by the character preceding the last 3 characters of the serial number (H238)

**176F3422** **IGBT Dual Module 300amp T7 Drive**

IGBT Dual Module 300amp T7 Drive

**176F3419** **BALANCE/HF CARD NO 75-800KW****176F3418** **Gate Drive Card NO 75-400kW 690V****176F3417** **Inrush Card NO 75-400kW 690V****176F3411** **Current Scaling Card 5.91 Ohm 690V****176F3359** **Bus Bar mains, RFI, no fuse D1h/D3h****176F3357** **Bus Bar mains, no fuse, no RFI D1h/D3h**

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

**176F3356** [🔗](#)**Bus Bar motor terminals U,V,W D1h/D3h**

For use on drives produced in week 50, 2015 or earlier.

**176F3355** [🔗](#)**Insulation Motor Terminals D1h/D3h****176F3354** [🔗](#)**Insulation Mains Terminals D1h/D3h****176F3353** [🔗](#)**Door Fan Filter Dh Frame Package of 10****176F3352** [🔗](#)**Air Baffle D1h frame****176F3349** [🔗](#)**Bracket Gate Drive Support D1h/D3h****176F3348** [🔗](#)**Bracket Inrush Support D1h/D3h****176F3347** [🔗](#)**Busbar Current Sensor D1h/D3h - 300A**

For use on drives produced in week 50, 2015 or earlier.

**176F3346** [🔗](#)**Bus Bar Assembly SCR to DC coil D1h/D3h****176F3345** [🔗](#)**Cable Clamp 45mm Dh Frame****For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Spare Parts



**176F3341** [🔗](#)  
Bus Bar IGBT AC output D1h/D3h



**176F3340** [🔗](#)  
Bus Bar DC- Inductor to CAP Bank D1h/D3h



**176F3339** [🔗](#)  
Bus Bar DC+ Inductor to CAP Bank D1h/D3h



**176F3338** [🔗](#)  
Bus Bar SCR AC Input D1h/D3h



**176F3333** [🔗](#)  
Cable Inrush to SCR Gate D1h/D3h



**176F3375** [🔗](#)  
Door Vent Kit IP21/IP54



**176F3361** [🔗](#)  
Bracket Inrush Support D2h/D4h



**176F8342** [🔗](#)  
Current sensor 300AMP  
For use on drives produced in week 50, 2015 or earlier.

Image coming soon

**176F5741** [🔗](#)  
Gland Plate D1h Frame

Image coming soon

**176F5736** [🔗](#)  
Front Cover no LCP IP21/54 D1h enclosure

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

**176F6519** [🔗](#)**Cable Power Card to CT D1h-D3h**

For use on drives produced in week 51, 2015 or later.

**176F6518** [🔗](#)**Bus Bar motor terminals U,V,W D1h/D3h**

For use on drives produced in week 51, 2015 or later.

**176F6517** [🔗](#)**Busbar Current Sensor D1h/D3h - 300A LEM**

For use on drives produced in week 51, 2015 or later.

**176F6516** [🔗](#)**300A Current Sens. Conv. Kit - D1h / D3h**

Spare part for VLT: 300A Current Sensor Conversion Kit - D1 Frame

**176F6515** [🔗](#)**Current Sensor 300Amp**

For use on drives produced in week 51, 2015 or later.

**176F3183** [🔗](#)**Cable Control Card to Power Card D1h D3h****176F3181** [🔗](#)**Cable LCP to Control Card D1h D3h****176F3178** [🔗](#)**Cable IGBT Temp to Gate PCA D2h D4h****176F3177** [🔗](#)**Cable IGBT Temp to Gate PCA D1h D3h****176F3175** [🔗](#)**Cable IGBT Gate Signal D1h D3h**

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts



**176F3168** [🔗](#)  
Door Fan IP21/54 DC 120x25



**176F3165** [🔗](#)  
Mixing Fan DC 40x28



**176F3164** [🔗](#)  
Heatsink Fan DC 172x51



**176F3152** [🔗](#)  
Power Card NO 110kW 525-690V



**176F8534** [🔗](#)  
Capacitor IGBT snubber 1250V 1UF



**176F8529** [🔗](#)  
Rectifier SCR 160AMP 2200V

Image  
coming  
soon

**176F8430** [🔗](#)  
Cable Clamp for frame size D & E



x10

**130B9001** [🔗](#)  
multiple 2 pole power combicon, 24V plug



**130B0295** [🔗](#)  
Accessory bag with control card plugs



**130B1069** [🔗](#)  
Multiple relay 1 plug  
spare, 3 pole connector, relay 1, fc300

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

**130B1068** [🔗](#)**Multiple relay 2 plug**

spare, 3 pole connector, relay 2, fc300

**134B1730** [🔗](#)**Control Card w/o safe stop for FC-102**

Note: The MKII control cards are backward compatible to the old cards but will only work with SW equal or higher than 5.21. If your drive has a customer specific software or a brand labeled software version please order the old control card MKI PN: 130B1151.

**176F3885** [🔗](#)**FC102-302 Maintenance Pkg D1H**

1 Qty 176F3164 Heatsink Fan DC 172x51 48VDC

1 Qty 176F3165 MIXING FAN DC 40X28 24VDC

1 Qty 176F3168 Door Fan IP21/54 DC 120x25

**176F6692** [🔗](#)**tool, capacitor removal/installation**

Image  
coming  
soon

**176F3891** [🔗](#)**CAPACITOR T7 - D1h-D8h**

CAPACITOR T7 - D1h-D8h

Image  
coming  
soon

**176F6766** [🔗](#)**Bus Bar Assy Capbank Twist 690V D1h/D3h**

To be used on the following frame sizes

D-frame: Drives produced during or after week 23, 2018 with production site "H" indicated by the character preceding the last 3 characters of the serial number (H238)

Image  
coming  
soon

**134B0187** [🔗](#)**split- bus power supply 650vdc, 24v dc**

Powering the drive in the split bus mode allows dynamic testing on the drive in a safer manner.

In the split bus mode, the DC bus in each module is split into two portions. One connects to the DC bus and power card to provide low voltage power for the SMPS. By powering only the SMPS in each module, the various logic circuits can be tested without the danger of damaging the power components.

A low voltage power supply connected to the DC bus allows testing

the functionality of the output section safely.

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Spare Parts**

---

Image  
coming  
soon**134B5998** **24 pole jumper/2 connector jumper**Image  
coming  
soon**176F6769** **Thermal Grease - Pack of 5**

---

**Services**

---

**130R1153** **DrivePro ExWarr Work Shop PG06 42 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1156** **DrivePro ExWarr Work Shop PG06 60 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1152** **DrivePro ExWarr Work Shop PG06 36 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1154** **DrivePro ExWarr Work Shop PG06 48 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R1155** [🔗](#)**DrivePro ExWarr Work Shop PG06 54 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1151** [🔗](#)**DrivePro ExWarr Work Shop PG06 30 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1150** [🔗](#)**DrivePro ExWarr Work Shop PG06 24 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1157** [🔗](#)**DrivePro ExWarr Work Shop PG06 66 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1158** [🔗](#)**DrivePro ExWarr Work Shop PG06 72 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1057** [🔗](#)**DrivePro ExWarr Onsite PG06 66 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services



**130R1056** [🔗](#)

**DrivePro ExWarr Onsite PG06 60 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1050** [🔗](#)

**DrivePro ExWarr Onsite PG06 24 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1058** [🔗](#)

**DrivePro ExWarr Onsite PG06 72 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1055** [🔗](#)

**DrivePro ExWarr Onsite PG06 54 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1053** [🔗](#)

**DrivePro ExWarr Onsite PG06 42 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1054** [🔗](#)

**DrivePro ExWarr Onsite PG06 48 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**


---

**130R1052** [🔗](#)**DrivePro ExWarr Onsite PG06 36 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1051** [🔗](#)**DrivePro ExWarr Onsite PG06 30 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1325** [🔗](#)**DrivePro SU + ctr interface test D & E**

DrivePro Start-Up Control interface testing medium frame unit

---

**130R1322** [🔗](#)**DrivePro SU + special applications D & E**

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R1306****DrivePro Start-Up unit on-demand medium**

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

**130R1305****DrivePro Start-Up unit pre-order medium**

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

---

**For more information, please use this link to visit the product page on Danfoss Product Store**

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R2030** [🔗](#)**DRIVEPROTECTION EXWAR WORKSHOP PG06 18MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico  
You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R2031** [🔗](#)**DRIVEPROTECTION EXWAR WORKSHOP PG06 24MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico  
You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services



**130R2032**

**DRIVEPROTECTION EXWAR WORKSHOP PG06 30MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico  
You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R2033**

**DRIVEPROTECTION EXWAR WORKSHOP PG06 36MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico  
You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**For more information, please use this link to visit the product page on Danfoss Product Store**

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R2034****DRIVEPROTECTION EXWAR WORKSHOP PG06 42MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico  
You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R2035****DRIVEPROTECTION EXWAR WORKSHOP PG06 48MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico  
You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store**

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R2036** [🔗](#)**DRIVEPROTECTION EXWAR WORKSHOP PG06 54MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico  
You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R2037** [🔗](#)**DRIVEPROTECTION EXWAR WORKSHOP PG06 60MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico  
You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R2038** [🔗](#)**DRIVEPROTECTION EXWAR WORKSHOP PG06 66MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico  
You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R2039** [🔗](#)**DRIVEPROTECTION EXWAR WORKSHOP PG06 72MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at a Danfoss Drives workshop or shipment of a replacement product to the site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico  
You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R2139** [🔗](#)**DRIVEPROTECTION EXWARR ONSITE PG06 72 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico.

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R2138** [🔗](#)**DRIVEPROTECTION EXWARR ONSITE PG06 66 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico.

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R2137** [🔗](#)**DRIVEPROTECTION EXWARR ONSITE PG06 60 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico.

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R2136** [🔗](#)**DRIVEPROTECTION EXWARR ONSITE PG06 54 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico.

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R2135** [🔗](#)**DRIVEPROTECTION EXWARR ONSITE PG06 48 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico.

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R2134** [🔗](#)**DRIVEPROTECTION EXWARR ONSITE PG06 42 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico.

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R2133** [🔗](#)**DRIVEPROTECTION EXWARR ONSITE PG06 36 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico.

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R2132** [🔗](#)**DRIVEPROTECTION EXWARR ONSITE PG06 30 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico.

You can only order DrivePro-tection Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R2131** [🔗](#)**DRIVEPROTECTION EXWARR ONSITE PG06 24 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico. You can only order DrivePro-tecton Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R2130** [🔗](#)**DRIVEPROTECTION EXWARR ONSITE PG06 18 MO**

DrivePro®-tection is a unique Danfoss offering that provides additional comfort of coverage for many types of accidental damage, such as; line anomalies (including lightning strikes), load anomalies, accidental exposure to moisture or corrosives, and accidental collision or other physical damage. Provides repair at the customer site, or replacement at the customer site.

Note: See product description for full disclosure of coverage and customer responsibilities under the brochure tab. This warranty product is only sold and supported in the North America Region (US & Canada). Continental 48 states plus Anchorage-Alaska, and Oahu-Hawaii, and Puerto Rico. You can only order DrivePro-tecton Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

Image  
coming  
soon**130R1370** [🔗](#)**DrivePro Start-up Travel Time 1h extra**

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.