


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
-	INITIAL RELEASE	10/24/03	D.N.
A	ECO #6100	01/09/06	A.D.M.



PROPRIETARY INFORMATION
NOT TO BE RELEASED
WITHOUT WRITTEN PERMISSION
FROM AN AUTHORIZED
REPRESENTATIVE OF
APPLIED ENGINEERING PRODUCTS



NOTES:

MATERIALS:

1. BODY = BRASS PER ASTM B16, ALLOY C36000, TEMPER H02.
2. INSULATOR = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
3. CONTACT = BERYLLIUM COPPER PER ASTM B196, ALLOY C17300, TEMPER TD04.

FINISHES:

1. BODY = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 0, GRADE C, OVER .00010 TO .00020 COPPER STRIKE PER MIL-C-14550.
2. CONTACT = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 1, GRADE C, OVER .00010 TO .00020 STRESS FREE SULFAMATE NICKEL PER QQ-N-290.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON		DWN:	DATE	 APPLIED ENGINEERING PRODUCTS 104 John W. Murphy Dr. New Haven, CT 06513
		D.N.	10/23/03	
		CHKD:	DATE	
DECIMAL	ANGLE	A.D.M.	10/24/03	SSLB STRAIGHT MALE JACK SURFACE MOUNT RECEPTACLE
		APVD:	DATE	
		D.J.C.	10/24/03	SIZE A FSCM NO. 19505 DWG NO. 7309-1511-015 REV A
REFERENCE:	MATERIALS & FINISHES:		SCALE 10:1	THIRD ANGLE PROJECTION 
ORIGINATOR: D.N. DATE: 10/23/03	SEE NOTES			SHEET 1 OF 1

7309-1511-015