





注記 NOTES

1. 梱包数量 : 1000個/リール NUMBER OF CONNECTORS : 1000PCS/REEL
2. リードテープ長さ LEAD TAPE LENGTH









3. トップテープの剥離強度についてはIEC60286-3に準拠。
TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3.
4. 材料 キャリアテープ : ポリプロピレン (PP)
トップテープ : PET, PE, PEF
リール : ポリスチレン (PS) <リサイクル材を含む>
- MATERIAL
CARRIER TAPE : POLYPROPYLENE
TOP TAPE : PET, PE, PEF
REEL : POLYSTYRENE (PS) < CONTAINED RECYCLE MATERIAL >
5. 本製品は53309-**91の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 53309-**91.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex									
mm		NTS															
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 653700 DRWN: AHMADI2 2021/02/03 CHK'D: HSHIMOYAMA 2021/02/26 APPR: SHOSHIKAWA 2021/02/26 INITIAL REVISION: DRWN: YSATO06 2017/03/23 APPR: TKUSUHARA01 2017/03/27						0.8 MM PITCH B-TO-B CONN. PLUG (WITHOUT BOSS) EMBOSS TAPE PACKAGE							
ANGULAR TOL ± °										PRODUCT CUSTOMER DRAWING							
4 PLACES ±										DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
3 PLACES ±										533090000		PSD		000		B	
2 PLACES ±																	
1 PLACE ±																	
0 PLACES ±																	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
						A2-SIZE		53309		SEE CHART				1 OF 3			




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 653700 DRWN: AHMADI2 2021/02/03 CHK'D: HSHIMOYAMA 2021/02/26 APPR: SHOSHIKAWA 2021/02/26				0.8 MM PITCH B-TO-B CONN. PLUG (WITHOUT BOSS) EMOSS TAPE PACKAGE							
ANGULAR TOL ± °				INITIAL REVISION: DRWN: YSATO06 2017/03/23 APPR: TKUSUHARA01 2017/03/27				PRODUCT CUSTOMER DRAWING							
4 PLACES		±						DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
3 PLACES		±						533090000		PSD		000		B	
2 PLACES		±													
1 PLACE		±													
0 PLACES		±													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A2-SIZE		53309		SEE CHART				2 OF 3	





0.4	17.8	16.9	15.2	53309-4070	40
0.4	16.2	15.3	13.6	53309-3670	36
0.4	14.6	13.7	12.0	53309-3270	32
0.8	13.8	12.9	11.2	53309-3070	30
0.4	13.0	12.1	10.4	53309-2870	28
0.8	12.2	11.3	9.6	53309-2670	26
0.4	11.4	10.5	8.8	53309-2470	24
0.8	10.6	9.7	8.0	53309-2270	22
0.4	9.8	8.9	7.2	53309-2070	20
0.8	9.0	8.1	6.4	53309-1870	18
0.4	8.2	7.3	5.6	53309-1670	16
0.8	7.4	6.5	4.8	53309-1470	14
0.4	6.6	5.7	4.0	53309-1270	12
0.8	5.8	4.9	3.2	53309-1070	10
D	C	B	A	EMBOSSSED TAPE PACKAGE	極數 CIRCUIT
				ORDER NO	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex 0.8 MM PITCH B-TO-B CONN. PLUG (WITHOUT BOSS) PRODUCT CUSTOMER DRAWING	
mm		10:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 750938					
ANGULAR TOL		± °		DRWN: RAJAGN 2023/05/19				533091000	
4 PLACES		±		CHK'D: HSHIMOYAMA 2023/05/25				DOC TYPE	
3 PLACES		±		APPR: YNAITO 2023/05/25				DOC PART	
2 PLACES		±		INITIAL REVISION:				REVISION	
1 PLACE		±		DRWN: YSATO06 2017/03/23				PSD	
0 PLACES		±		APPR: TKUSUHARA01 2017/03/27				000	
DRAWING WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	
				A2-SIZE		53309	SEE CHART		CUSTOMER
									SHEET NUMBER
									1 OF 2

