




Wire & Cable > High Speed Digital & Data Cable



High Speed Digital & Data Cable Type: **Coaxial**

Impedance: **95 Ω**

Wire Size: **30 AWG**

Operating Temperature Range: **-55 – 115 °C**

Features

Product Type Features

Product Classification	Cable - Coaxial
Cable Style	Round Braided
Wire/Cable Type	Coaxial Cable
Product Type	Cable
High Speed Digital & Data Cable Type	Coaxial

Electrical Characteristics

	13.5 pF/ft
Impedance	95 Ω

Signal Characteristics

Velocity of Propagation	79%
-------------------------	-----

Body Features

Shield Material	Tin-Coated Copper
Shield Style	Single
Jacket Color	White
Conductor Material	Tin-Coated Copper Clad Steel
Jacket Material	Thermorad S

Dimensions

Overall Outside Diameter	2.97 mm[.117 in]
--------------------------	------------------



Cable Dielectric Diameter	2.03 mm[.08 in]
---------------------------	-----------------

Wire Diameter	.32 mm[.0127 in]
---------------	------------------

Wire Size	30 AWG
-----------	--------

Usage Conditions

Operating Temperature Range	-55 – 115 °C
-----------------------------	--------------

Other

Wire Source	United Kingdom, United States
-------------	-------------------------------

Dielectric Material	Rayfoam L
---------------------	-----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
--	---


Halogen Content	Out of Scope - excluded from Halogen requirements
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought




TE Model / Part #814297-000
222D263-4-0




TE Model / Part #794090-000
FLDWC0311-24-9



TE Model / Part #YDIV46E25-04PAC009
PLUG ASSY




TE Model / Part #479761-000
D-128-0055




TE Model / Part #846291-7
LGH-4 DBL MOLDED END LEAD



TE Model / Part #CJ5694-000
BSTS-03X25




TE Model / Part #YDL60R-18-14S8C012
RECP ASSY



TE Model / Part #534451-000
TXR21AB90-2008AI



TE Model / Part #917753-000
TXR61AB00-1404AI



TE Model / Part #855801-000
TXR61AB90-1804AI

Documents

Product Drawings

9530A1317-9

English

Datasheets & Catalog Pages

1654025_Sec9_CheminaxCables

English

Wire and Cable Overview

English

Product Specifications

Product Specification

English