82A0112-10-9 - ACTIVE

Raychem

TE Internal #: E73405-000 Hook Up Wire, Spec 80, 600V Voltage Rating, White Wire Color, 10AWG Wire Size, Operating Temperature Range -65 – 200 °C View on TE.com >



Wire & Cable > Hook Up Wire



Cable Type: Spec 80 Voltage Rating: 600 V Wire Color: White Insulation Material: Modified Radiation Cross-linked ETFE Polymer Conductor Material: Silver-Coated Copper

Features

Product Type Features

Wall Type	Single
Cable Style	Primary
Product Type	Wire

Product Classification	Wire - Spec 80 (FlexLine)
Cable Type	Spec 80
Configuration Features	
Number of Conductors	1
Number of Strands	665
Electrical Characteristics	
Voltage Rating	600 V
Body Features	
Conductor Stranding	High Strand Count Conductor
Wire Color	White
Insulation Material	Modified Radiation Cross-linked ETFE Polymer
Conductor Material	Silver-Coated Copper
Dimensions	
	.006 in

82A0112-10-9

Hook Up Wire, Spec 80, 600V Voltage Rating, White Wire Color, 10AWG Wire Size, Operating Temperature Range -65 – 200 °C



Strand Size	38 AWG
Wire Size	10 AWG
Usage Conditions	
Operating Temperature Range	-65 – 200 °C
Operation/Application	
Wire Class	Equipment
EU RoHS Directive 2011/65/EU	Compliant
For compliance documentation, visit the product page on TE.com>	
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUL 2019 (201) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts


82A0112-10-9

Hook Up Wire, Spec 80, 600V Voltage Rating, White Wire Color, 10AWG Wire Size, Operating Temperature Range -65 – 200 °C





Customers Also Bought



LENGTH

55A0812-22-0	14 MODII HDR SRST UNSHRD STKG	MAW-26S = RELAY
€ TE	TE	
TE Model / Part #5-1676274-4 RN 0805 27K 0.1% 10PPM 1K RL	TE Model / Part #1879281-1 RP 2A 309K 0.1% 15PPM CUT LENGTH	

Documents

Product Drawings 82A0112-10-9

English

Datasheets & Catalog Pages 1654025_Sec9_SPEC80

English

Raychem Wire and Cable Quick Reference Guide

English

82A0112-10-9

Hook Up Wire, Spec 80, 600V Voltage Rating, White Wire Color, 10AWG Wire Size, Operating Temperature Range -65 – 200 °C



Product Specifications Product Specification

English