

# Trunk and Distribution Adapters, KS female/ KS female

Socket contact, large hex body

CORNING

## Specifications

### General Specifications

Environment	Outdoor
-------------	---------

### Temperature Range

Storage Temperature	-40 °C to 70 °C (-40 °F to 158 °F)
Installation	-30 °C to 70 °C (-22 °F to 158 °F)
Operation	-40 °C to 70 °C (-40 °F to 158 °F)

### Design - Hardware

Interface type	KS Female to KS Female
Body	Straight

### Mechanical Characteristics

Frequency Range	0 GHz to 3 GHz
-----------------	----------------

### Electrical characteristics (at 20°C)

Return Loss (cable dependent)	-30 dB
-------------------------------	--------

### Transmission

Shielding effectiveness	-130 dB
-------------------------	---------

## Ordering Information

Part Number	G-KS-KS-FSL
Product Description	Trunk and Distribution Adapters, KS female/KS female, socket contact, large hex body
EAN Code	4056418765914

# Trunk and Distribution Adapters, KS female/ KS female

Socket contact, large hex body

The CORNING logo is displayed in white, uppercase letters within a solid blue square.

## Notes

**Corning Optical Communications LLC • PO Box 489 • Hickory, NC 28603-0489 USA**

**800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • [www.corning.com/opcomm](http://www.corning.com/opcomm)**

A complete listing of the trademarks of Corning Optical Communications is available at [www.corning.com/opcomm/trademarks](http://www.corning.com/opcomm/trademarks).

All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified.

© 2016 Corning Optical Communications. All rights reserved.

**Corning Optical Communications RF LLC (Corning Gilbert) • 5310 W. Camelback Rd. • Glendale, AZ 85301 USA**

**800-528-5567 • FAX: 602-344-6358 • International: +1-623-245-1050 • [www.corning.com/opcomm](http://www.corning.com/opcomm)**

Page 2 | Revision date 2016-03-02

A complete listing of the trademarks of Corning Optical Communications RF is available at [www.corning.com/opcomm/trademarks](http://www.corning.com/opcomm/trademarks). All other trademarks are the properties of their respective owners. Corning Optical Communications RF is ISO 9001

The CORNING logo is displayed in large, white, uppercase letters.