

5 μ sec 12 Bit High Reliability A/D Converter


The 4189 is a new, high speed, 12 bit A/D converter. Its guaranteed 5 μ sec conversion time is achieved using an internal clock and Teledyne Philbrick's progressive approximation A/D conversion technique. Unlike some other converters in its speed range, the 4189 has a preset clock and requires no external adjusting to achieve its 5 μ sec conversion time. Also unlike some of its competition, the 4189's moderate 1300mW power consumption does not force it to trade off accuracy or operating temperature range for speed. $\pm 1/2$ LSB maximum integral and differential linearity errors are guaranteed. No missing codes for 12 bits is guaranteed over the entire operating temperature range (including the -55°C to $+125^{\circ}\text{C}$ version). Gain drift is a low $\pm 25\text{ppm}/^{\circ}\text{C}$ and offset drift a low $\pm 5\text{ppm}$ of FSR/ $^{\circ}\text{C}$.

The 4189 is extremely versatile. It has an internal clock, internal reference, 5 user-selectable input ranges, serial and parallel outputs, a short cycle pin, and a user optional high impedance input buffer. The buffer allows direct driving from high impedance sources. With low impedance sources (such as Teledyne Philbrick's 4860 or 4857 S/H amplifiers), the buffer can be bypassed for maximum throughput.

The progressive approximation conversion technique is similar to the successive approximation technique except the 4189's internal clock begins to run faster after the first four digital output bits have been set to their final values. The technique is based on the fact that an A/D's internal D/A takes longer to settle for more significant bit decisions than it does for less significant bit decisions. Another speed contributor is the fact that the 4189's internal DAC is designed to settle into a virtual ground point and not into a diode clamped comparator input. This permits faster DAC settling and gives the 4189 much better repeatability.

The 4189 is housed in a standard 32 pin dual-in-line package and is functionally complete, requiring only bypass capacitors and $\pm 15\text{V}$ and $+5\text{V}$ supplies for normal operation. The standard 4189 is fully specified for 0°C to $+70^{\circ}\text{C}$ operation. For military/aerospace applications, the 4189-83 is fully specified for -55°C to $+125^{\circ}\text{C}$ operation and 100% screened to the high reliability requirements of MIL-STD-883, Method 5008.

4189 ✓



FEATURES

- 5 μ sec Max Conversion Time
Progressive Approximation
- No Clock Adjusting Required
- $\pm 1/2$ LSB Max Integral and
Differential Nonlinearities
- No Missing Codes
4189 0°C to $+70^{\circ}\text{C}$
4189-83 -55°C to $+125^{\circ}\text{C}$
- Serial and Parallel Outputs
- Optional MIL-STD-883 Screening
- Superior Second Source MN5240

APPLICATIONS

- High Accuracy, High Speed
Data Acquisition
- Waveform Analysis
- Medical and Military
Instrumentation


ABSOLUTE MAXIMUM RATINGS

+ 15V Supply (+ V _{CC} , Pin 28)	- 0.5 to + 18 Volts
- 15V Supply (- V _{CC} , Pin 31)	+ 0.5 to - 18 Volts
+ 5V Supply (+ V _{DD} , Pin 16)	- 0.5 to + 7 Volts
Digital Inputs (Pins 14, 21)	- 0.5 to + 5.5 Volts
Direct Analog Input (Pins 24, 25)	± 15 Volts
Buffer Input (Pin 30)	± 15 Volts
Operating Temperature Range	- 55°C to + 125°C
Specified Temperature Range	
4189	0°C to + 70°C
4189-83 (Note 1)	- 55°C to + 125°C
Storage Temperature Range	- 65°C to + 150°C

SPECIFICATIONS (T_A = + 25°C, ± 15V and + 5V supplies, pin 17 tied to + 5V unless otherwise indicated).

PARAMETER	MIN.	TYP.	MAX.	UNITS
ANALOG INPUTS				
Input Voltage Ranges: Unipolar		0 to + 5, 0 to + 10		Volts
Bipolar		± 2.5, ± 5, ± 10		Volts
Direct Input Impedance (Note 2): 0 to + 5V, ± 2.5V		1		kΩ
0 to + 10V, ± 5V		2		kΩ
± 10V		4		kΩ
Buffer Amplifier: Gain Accuracy		± 0.01		%
Input Impedance	10 ¹⁰	10 ¹²		Ω
Input Bias Current		± 2	± 7	nA
Offset Voltage		± 2.5	± 8	mV
Settling Time (20V Step to ± 0.01%FSR)		2		μsec
DIGITAL INPUTS				
Start Convert: Logic Levels: Logic "1"	+ 2.0		+ 5.5	Volts
Logic "0"	0		0.8	Volts
Loading (Note 3)		1		LP TTL Load
Pulse Width (Note 4)	100			nsec
DIGITAL OUTPUTS				
Output Coding (Note 5): Unipolar Ranges		CSB		
Bipolar Ranges		COB, CTC		
Logic Levels: Logic "1"	2.4	3.6		Volts
Logic "0"		0.2	0.4	Volts
Output Drive Capability (Note 6)	5			TTL Loads
TRANSFER CHARACTERISTICS (Note 7)				
Integral Linearity Error		± ¼	± ½	LSB
Differential Linearity Error		± ¼	± ½	LSB
Guaranteed No Missing Codes: 4189	0		+ 70	°C
4189-83	- 55		+ 125	°C
Offset Error (Notes 8, 9): Unipolar		± 0.025		%FSR
Bipolar		± 0.05		%FSR
Gain Error (Notes 8, 10)		± 0.05		%
STABILITY				
Integral Linearity Drift		± 1	± 3	ppm of FSR/°C
Differential Linearity Drift		± 1		ppm of FSR/°C
Offset Drift: Unipolar		± 2	± 5	ppm of FSR/°C
Bipolar		± 4	± 15	ppm of FSR/°C
Gain Drift		± 7	± 25	ppm/°C
DYNAMIC CHARACTERISTICS				
Conversion Time (Note 11)		4.8	5	μsec
Internal Clock Frequency (Note 12): Phase 1		2		MHz
Phase 2		2.9		MHz
Transition Uncertainty (Note 13)		± ½		LSB
Delay Rising Clock Edge to Output Data		26	40	nsec
Valid (Parallel, Serial, Status)				
Delay LSB Valid to Falling Edge of Status		20		nsec
REFERENCE OUTPUT				
Internal Reference: Voltage		+ 6.3		Volts
Accuracy		± 5		%
Drift		± 5		ppm/°C
External Current			200	μA

Package Dimensions 32 Pin DIP



Dimensions are in inches (millimeters)

Pin Designations

Pin 1	Bit 12 (LSB)	Pin 32	Serial Output
Pin 2	Bit 11	Pin 31	-15V Supply
Pin 3	Bit 10	Pin 30	Buffer Amp Input
Pin 4	Bit 9	Pin 29	Buffer Amp Output
Pin 5	Bit 8	Pin 28	+15V Supply
Pin 6	Bit 7	Pin 27	Gain Adjust
Pin 7	Bit 6	Pin 26	Ground
Pin 8	Bit 5	Pin 25	20V Range
Pin 9	Bit 4	Pin 24	10V Range
Pin 10	Bit 3	Pin 23	Bipolar Offset
Pin 11	Bit 2	Pin 22	Summing Junction
Pin 12	Bit 1 (MSB)	Pin 21	Start Convert
Pin 13	MSB	Pin 20	Status (E.O.C.)
Pin 14	Short Cycle	Pin 19	Clock Output
Pin 15	Ground	Pin 18	Ref Out (+6.3V)
Pin 16	+5V Supply	Pin 17	Clock Adjust (+5V)

Applications Information

Layout Considerations

With proper grounding and bypassing, the 4189 will meet all its published performance specifications without the need for additional external components. The units' two ground pins (pins 15 and 26) are not connected to each other internally. They should be tied together as close to the package as possible and both connected to system analog ground. It is preferable to have a large analog ground plane beneath the 4189 and have pins 15 and 26 soldered directly to it. Potential differences between pins 15 and 26 and the ground of the analog signal source will result in 4189 accuracy and linearity errors. If runs to pins 15 and 26 have to be made separately, an $0.01\mu\text{F}$ ceramic capacitor should be connected between pins 15 and 26 as close to the unit as possible, and conductor runs should be as wide as possible.

Coupling between analog inputs and digital signals should be minimized to avoid noise pick-up. Pin 22, the high impedance input to the internal comparator, is particularly noise susceptible. Care should be taken to avoid long runs, or runs close to digital lines when utilizing the comparator input. In bipolar operation, where pin 23 is connected to pin 22, a short jumper should be used. If optional external offset and gain adjustments are used, series resistors and adjusting potentiometers should be located as close to the device as possible.

Power supply connections should be short and direct, and all supplies should be bypassed to the same ground the converter is tied to. Bypass capacitors should be located as close to the converter as possible and should consist of one large

value capacitor ($1\mu\text{F}$ tantalum or larger) in parallel with an $0.01\mu\text{F}$ ceramic capacitor.

If short cycling is not used, the short cycle pin (pin 14) must be tied to +5V (pin 16) for normal 12 bit operation. For specified $5\mu\text{sec}$ conversion time, the clock adjust pin (pin 17) must be tied to +5V.

Status Output

The status or end of conversion (E.O.C.) output will be set to a logic "1" by the rising edge of the start convert command. It will remain high during conversion, and it will drop to a logic "0" when conversion is complete. Because status rises on the leading edge of the start pulse and a conversion does not actually commence until the falling edge, conversion time must be defined as the interval between the falling edge of the start pulse and the falling edge of the status pulse. The 4189 has an internal time delay (20nsec) to ensure that both serial and parallel data are valid by the time the status output drops to a logic "0". This permits parallel data transfer to be initiated by the trailing edge of the status pulse.

Start Convert Signal and Internal Clock

The start convert signal must be a positive pulse with a minimum pulse width of 100nsec. The 4189 resets (MSB output goes to "0"; other bits go to "1"; status output goes to "1") on the rising edge of the start pulse. The falling edge gates on the internal clock and begins the conversion cycle. The 4189 reset scheme allows it to continuously convert by inverting the status out-


put and tying it back to the start convert input (see below).

The internal clock that was gated on by the falling edge of the start pulse is gated off by the status output going low at the end of a conversion. If the start convert input is brought high after a conversion has been initiated, the internal clock will be disabled halting the conversion. If the start convert input is then brought low, the original conversion will continue with a possible error in the output bit that was about to be set when the internal clock was stopped.

Continuous Converting

The 4189 can be made to continuously convert by inverting and tying its status output (pin 20) back to its start convert (pin 21) input. In this configuration, status going low at the end of a conversion becomes the rising edge of the start pulse that resets the converter. When the status goes high as part of the reset action, the start pulse drops allowing the conversion to commence. The end result is that the 4189 will continuously convert and the status output will go low for approximately 60nsec following each conversion. In the figure below, the oscillator formed by gates 2 and 3 insures that the conversion process will start when the system is initially powered up.

Continuous Converting for 12 Bits




Clock Rate Adjustment

See timing diagram for a description of progressive approximation type A/D conversion. The 4189's phase 2 clock frequency is approximately 1.4 times its phase 1 frequency. With the clock adjust pin (pin 17) tied to +5V, these frequencies are preset at the factory to approximately 2.9 and 2MHz respectively. To adjust the internal clock frequencies, a ±100ppm/°C TCR multiturn potentiometer can be connected to pin 17 as shown above. See the table above

for typical integral linearity error vs. conversion time. See short cycling for additional clock adjusting information.

Clock Adjust Circuit




Range of Adjustment
1.4MHz to 2.2MHz
for phase 1 clock

Short Cycling

For applications requiring less than 12 bits resolution, the 4189 can be truncated or short cycled at the desired number of bits with a proportionate decrease in conversion time. To truncate at n bits, simply connect the n + 1 bit output to the short cycle pin (pin 14). For example, to truncate at 10 bits, connect pin 2 (bit 11) to pin 14; converting will stop, and the status output will go low after bit 10 has been set. When short cycling, conversion times can be further reduced by increasing the internal clock frequency. The connections shown below both increase the clock rate and truncate the converter to provide the minimum conversion time for a given resolution.

Resolution Bits	12	12	10	8
Connect Pin 17 to Pin	16	28	28	28
Connect Pin 14 to Pin	16	16	2	4
Conversion Time (μsec)	4.8	4.3	3.7	3.1
Clock Freq. (MHz)				
Phase 1	2	2.2	2.2	2.2
Phase 2	2.9	3.2	3.2	3.2
Nonlinearity (typ., %FSR)	± 0.006	± 0.05	± 0.05	± 0.05



Timing Diagram

The 4189 employs the progressive approximation technique of A/D conversion. The technique is very similar to successive approximation A/D conversion except the 4189's clock begins to run faster after bit 4 has been determined. This technique results in approximately 20% faster conversion times, and it is based on the fact that an A/D's internal D/A converter takes longer to settle on more significant bit decisions than it does on less significant bit decisions. Clock acceleration after bit 4 has been set is accomplished in the following manner. The 4189's internal clock is a retriggerable monostable multivibrator. The resistor in the clock's RC timing circuit is paralleled by a second resistor that is switched in after bit 4 has been set. This results in a lower time constant and a smaller clock pulse width (higher frequency) for the remaining 8 bits.


The 4189's start pulse must be a minimum 100nsec wide, and it must remain low during conversion. The rising edge of the start pulse resets the converter (clock = "1" after 25nsec delay, status = "1" after 50nsec delay, MSB = "0", other bits = "1") and the falling edge gates on the internal clock and begins the conversion. Final bit decisions are made on subsequent rising clock edges. Parallel and serial output bits become valid on the same rising clock edges. Both become valid no longer than 40nsec after the edge. If an external clock is used, output data

becomes valid no longer than 90nsec after each falling clock edge. The status output goes low gating off the internal clock approximately 20nsec after the LSB has been determined. Once a conversion has begun, a second start pulse will not reset the converter. When the 4189 is initially "powered up", it may come on at any point in the conversion cycle.

External Clock

An external clock may be connected to the start convert input. This external clock must consist of negative pulses 100 to 200nsec wide and must be at a lower frequency than the internal clock. The result is that each falling edge of the external clock turns on the internal clock for a single cycle, completing a conversion in 13 clock cycles (the internal clock is disabled whenever the start convert input is held high). When using an external clock, a start convert command is unnecessary. The converter will begin to convert when the external clock is started and will provide a continuous string of conversions with each conversion starting on the first falling edge of the external clock after the status output has gone low signaling the end of the previous conversion. When continuously converting in this manner, the status output will go low for approximately one external clock period following the completion of each conversion.

Timing Diagram




Optional Zero and Gain Adjustments

Initial zero and gain errors may be trimmed to zero using external potentiometers as shown in the following diagrams. Adjustments should be made following warm-up, and to avoid interaction, zero should be adjusted before gain. Fixed resistors can be $\pm 20\%$ carbon composition or better. Multiturn potentiometers with TCR's of 100ppm/ $^{\circ}$ C or less are recommended to minimize drift with temperature. If these adjustments are not used, pin 22 should be connected as described in the range selection section, and pin 27 should be left open.

Zero Adjustment—Connect the zero potentiometer as shown. For unipolar ranges, apply the input voltage at which the 1111 1111 1111 to 1111 1111 1110 transition is ideally supposed to occur ($+ \frac{1}{2}$ LSB). While continuously converting, adjust the zero potentiometer until all the output bits are "1" and the LSB "flickers" on and off. For bipolar ranges apply the input voltage at

which the 1000 0000 0000 to 0111 1111 1111 transition is ideally supposed to occur ($- \frac{1}{2}$ LSB). While continuously converting, adjust the zero potentiometer until all the output bits "flicker" on and off.




Gain Adjustment—Connect the gain potentiometer as shown, and apply the input voltage at which the 0000 0000 0000 to 0000 0000 0001 transition is ideally supposed to occur ($FS-3/2$ LSB). While continuously converting, adjust the gain potentiometer until all the output bits are "0" and the LSB "flickers" on and off.

Digital Output Coding

Because of the inherent uncertainty associated with quantizing an analog signal, the only points along an ADC's input/output transfer function that accurately describe the function are the transition voltages—the analog input voltages at which the digital output changes from one code to the next. The sketch to the right shows the ideal input/output transfer function for the 4189's 0 to +10V input range. The table below lists five of the most important transition voltages for each of the 4189's five input ranges. 1111 1111 111* indicates the 4189's digital output ideally changes from 1111 1111 1111 to 1111 1111 1110 (or vice versa) at the input voltage listed for the input range selected. **** signifies the center of an input/output range where the digital output changes from 1000 0000 0000 to 0111 1111 1111. CSB = Complementary Straight Binary.

COB = Complementary Offset Binary.
CTC = Complementary Two's Complement—this coding is achieved using the MSB output on bipolar input ranges.



Input Range	Analog Input (DC Volts)					Digital Output Transition		
	0 to +5V	0 to +10V	$\pm 2.5V$	$\pm 5V$	$\pm 10V$			
Logic Coding	CSB	CSB	COB, CTC	COB, CTC	COB, CTC			
LSB Size (12 bits)	1.22mV	2.44mV	1.22mV	2.44mV	4.88mV	MSB	LSB	
Transition Voltage	+ 4.9982	+ 9.9963	+ 2.4982	+ 4.9963	+ 9.9927	0000	0000	000*
	+ 4.9969	+ 9.9939	+ 2.4969	+ 4.9939	+ 9.9878	0000	0000	00*0
	+ 2.5006	+ 5.0012	+ 0.0006	+ 0.0012	+ 0.0024	0111	1111	111*
	+ 2.4994	+ 4.9988	- 0.0006	- 0.0012	- 0.0024	****	****	****
	+ 2.4982	+ 4.9963	- 0.0018	- 0.0037	- 0.0073	1000	0000	000*
	+ 0.0018	+ 0.0037	- 2.4982	- 4.9963	- 9.9927	1111	1111	11*1
	+ 0.0006	+ 0.0012	- 2.4994	- 4.9988	- 9.9976	1111	1111	111*

Input Range Selection


Pin Connections		Input Voltage Range				
		0 to +5V	0 to +10V	± 2.5V	± 5V	± 10V
Normal Input	Input Impedance (k Ω)	1	2	1	2	4
	Connect Pin 23 to Pin	26	26	22	22	22
	Connect Pin 25 to Pin	22	Open	22	Open	Input
	Connect Pin 30 to Pin	26	26	26	26	26
	Connect Input to Pin	24	24	24	24	25
Buffered Input	Input Impedance (M Ω)	10 ⁴	10 ⁴	10 ⁴	10 ⁴	10 ⁴
	Connect Pin 23 to Pin	26	26	22	22	22
	Connect Pin 25 to Pin	22	Open	22	Open	29
	Connect Pin 29 to Pin	24	24	24	24	25
	Connect Input to Pin	30	30	30	30	30

Using a Sample-Hold Amplifier with the 4189

Sample-hold (S/H) and track-hold (T/H) amplifiers can be used with the 4189 in a number of different configurations. There are three major considerations when using S/H's with SA type A/D converters. First, the S/H's output impedance should be very low compared to the A/D's input impedance (normally 1 to 10k Ω) at frequencies up to 5 times the A/D's clock frequency. Second, the S/H output should be able to fully recover from current transients in less than 1 A/D clock period. These requirements are due to the fact that as the A/D's internal DAC settles just prior to each output bit being determined, the S/H output may be required to sink and source high frequency current components, and changes in its output voltage will cause system accuracy errors. The third consideration is the S/H spec called sample-to-hold settling time (transient settling time). As you switch a S/H from the sample to the hold mode, an output transient usually occurs, and one must be sure this transient has settled before the A/D makes its final decision on the MSB.

If the 4189 is being used in a single conversion mode with an external start pulse, the S/H can be driven directly (or inverted) from the A/D's status output. The status output changes state when the converter receives a convert command, and this change can drive the S/H from the track to the hold mode. The change in the state of the A/D's status output at the end of the conversion can put the S/H back in to the track mode. The diagram above illustrates a 4189 mated with a Teledyne Philbrick 4857 (1 μ sec max acquisition time, 500nsec max sample-to-hold settling time) in this manner. Since the 4189's MSB output is not set to its final value until one clock period (approximately 500nsec) after a conversion begins, the 4857's sample-to-hold transient will be com-

pletely settled, and no extra precautions are necessary.



If the 4189 is used in a continuous convert mode, its output goes low for approximately 60nsec following each conversion. This is not enough time for any S/H to acquire a new signal to 0.01%, and it becomes necessary to use a one-shot to generate the S/H acquisition command and the next start convert signal. The diagram below shows such a scheme using a Teledyne Philbrick 4860 (200nsec max acquisition time, 100nsec max sample-to-hold settling time). See the 4857, 4860, TPADC85/87 and TP5210 data sheets for additional tips on mating S/H's and A/D's.

