


DASH NO.	DESCRIPTION	MADE FROM
----------	-------------	-----------



STAMP: KINGS KC-99-53

NOTES:

1. MATERIALS: BRASS QQ-B-626, TEFLON MIL-P-19468, BERYLLIUM COPPER QQ-C-530, SILICONE RUBBER ZZ-R-765.
2. PLATING: SILVER PLATE QQ-S-365 .0002 MIN., TR-5 TARNISH RESISTANT FINISH.
3. ELECTRICAL CHARACTERISTIC:
 NOMINAL IMPEDANCE: 50 Ω
 VOLTAGE RATING: 500 VRMS
 FREQUENCY RANGE: 0 TO 4 GHz

KC-99-53

REVISIONS	
ISSUE	CHANGES
2	CN 28751 C AJ 31 MAR 87
3	CN 32434 C KH 15 AUG 90

GSD

USED ON:	
REF:	
FINISH	
SPEC.	
MATL.	
SPEC.	
BNC TEE ADAPTER (M-F-F)	
DRAWN <i>MJB</i>	DATE 7 SEP 76
APPR. <i>[Signature]</i>	DATE 8 Sep 76

KINGS ELECTRONICS
 40 MARLBOROUGH ROAD
 TUCKAHOE, N. Y. 10707

KC-99-53

- UNLESS OTHERWISE SPECIFIED:
- | | |
|---|---|
| 1. TOLERANCES: FRACTIONS & 2 PLACE DECIMALS ± .010
3 PLACE DECIMALS ± .004
T. I. R. CONCENTRICITY OF ANY 2 DIAMETERS MAY NOT EXCEED HALF THE SUM OF THEIR TOLERANCES. | 2. REMOVE ALL BURRS, BREAK SHARP EDGES .005 MAX.
3. NO FILLETS PERMITTED.
4. SURFACE ROUGHNESS 63 MICROINCHES RMS MAX.
5. ALL DIMENSIONS PRIOR TO PLATING. |
|---|---|

ITEM	REQ'D	DESCRIPTION	PART NO.
------	-------	-------------	----------

GSD S-D