

H2,5/21 ZH GR SV

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



- in multi-pack bag (5 x 100 pcs.)
- DIN colour code
- other colour code

General ordering data

Version	Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, grey
Order No.	9005150000
Type	H2,5/21 ZH GR SV
GTIN (EAN)	4008190482732
Qty.	250 pc(s).
Packaging	Multipack bag

Creation date July 14, 2021 5:37:31 PM CEST

Catalogue status 02.07.2021 / We reserve the right to make technical changes.

H2,5/21 ZH GR SV**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Net weight 0.064 g

Technical data

Description of article Twin wire end ferrule, grey Version Twin wire-end ferrule

Wire-end ferrules

Collar height (A) 8 mm Collar width (B) 4.5 mm

Colour code Miscellaneous Conductor cross-section 2.5 mm²

Contact surface diameter (D1) 2.8 mm Contact surface length (L2) 12 mm

L1 in mm 21 mm Metal sleeve thickness (S1) 0.15 mm

Plastic collar thickness (S2) 0.4 mm Stripping length 15 mm

Wire connection cross section AWG, max. AWG 14

Classifications

ETIM 6.0 EC000005 ETIM 7.0 EC000005

ETIM 8.0 EC000005 ECLASS 9.0 27-40-02-01

ECLASS 9.1 27-40-02-01 ECLASS 10.0 27-40-02-01

ECLASS 11.0 27-40-02-01

Approvals

Approvals



ROHS Conform

UL File Number Search E499744

DownloadsEngineering Data [STEP](#)Engineering Data [EPLAN, WSCAD, Zuken E3.S](#)User Documentation [Technical information - EN](#)[Technical information - DE](#)Catalogues [Catalogues in PDF-format](#)

Brochures

Data sheet

H2,5/21 ZH GR SV

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Drawing

