# 81044/12-20-8 - ACTIVE

## Raychem

TE Internal #: 282527-002 Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Gray Wire Color, 20AWG Wire Size, Operating Temperature Range -65 – 150 ° C

### View on TE.com >

Wire & Cable > Hook Up Wire



Cable Type: MIL-DTL-81044 Voltage Rating: 600 V Wire Color: Gray Insulation Material: Modified Radiation Cross-linked PVDF Conductor Material: Tin-Coated Copper

## Features

## Product Type Features

Cable Style	Primary				
Product Type	Cable				
Product Classification	Cable - High Performance - Spec 44, 55 & RCW				
Cable Type	MIL-DTL-81044				
Configuration Features					
Number of Conductors	1				
Number of Strands	19				
Electrical Characteristics					
Voltage Rating	600 V				
Body Features					
Wire Color	Gray				
Insulation Material	Modified Radiation Cross-linked PVDF				
Conductor Material	Tin-Coated Copper				
Dimensions					
Overall Outside Diameter	1.4 mm[.055 in]				
Wire Diameter	1.4 mm[.055 in]				



**C** For support call+1 800 522 6752

10/12/2020 03:32PM | Page 1

## 81044/12-20-8

Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Gray Wire Color, 20AWG Wire Size, Operating Temperature Range -65 – 150 °C



Conductor Diameter	1.01 mm[.04 in]					
Strand Size	32 AWG					
Wire Size	20 AWG					
Usage Conditions						
Operating Temperature Range	-65 – 150 °C					
Other						
Wire Source	United States					
Product Compliance						
Product Compliance For compliance documentation, visit the product page on TE.com>						
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant					
For compliance documentation, visit the product page on TE.com>	Compliant Compliant					
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	·					
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant					

requirements

### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**


## 81044/12-20-8

Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Gray Wire Color, 20AWG Wire Size, Operating Temperature Range -65 – 150 °C





## **Customers Also Bought**



202E336-51/164-0	381A302-770-0	RT-770-3/4-0-SP	81044/12-20-1
TE Model / Part #282526-000 81044/12-20-7	TE Model / Part #282320-003 81044/12-20-3		

## Documents

Product Drawings 81044/12-20-8

English

Datasheets & Catalog Pages 1654025\_Sec9\_SPEC44

English

Raychem Wire and Cable Quick Reference Guide

English

## 81044/12-20-8

Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Gray Wire Color, 20AWG Wire Size, Operating Temperature Range -65 – 150 °C



Product Specifications Product Specification

English