# 81044/12-12-7 - ACTIVE

## Raychem

TE Internal #: 285710-000 Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Violet Wire Color, 12AWG Wire Size, Operating Temperature Range -65 – 150 ° C

## View on TE.com >

Wire & Cable > Hook Up Wire



Cable Type: MIL-DTL-81044 Voltage Rating: 600 V Wire Color: Violet Insulation Material: Modified Radiation Cross-linked PVDF Conductor Material: Tin-Coated Copper

## Features

## Product Type Features

Cable Style	Primary
Product Type	Wire
Product Classification	Cable - High Performance - Spec 44, 55 & RCW
Cable Type	MIL-DTL-81044
Configuration Features	
Number of Conductors	1
Number of Strands	37
Electrical Characteristics	
Voltage Rating	600 V
Body Features	
Wire Color	Violet
Insulation Material	Modified Radiation Cross-linked PVDF
Conductor Material	Tin-Coated Copper
Dimensions	
Overall Outside Diameter	2.74 mm[.108 in]
Wire Diameter	2.74 mm[.108 in]



**C** For support call+1 800 522 6752

10/12/2020 03:31PM | Page 1

## 81044/12-12-7

Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Violet Wire Color, 12AWG Wire Size, Operating Temperature Range -65 – 150 °C



Conductor Diameter	2.23 mm[.088 in]
Strand Size	28 AWG
Wire Size	12 AWG
Usage Conditions	
Operating Temperature Range	-65 – 150 °C
Other	
Wire Source	United States
Product Compliance	
Product Compliance For compliance documentation, visit the product page on TE.com>	Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant
For compliance documentation, visit the product page on TE.com>	CompliantCompliantNo Restricted Materials Above Threshold
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant

requirements

### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**


## 81044/12-12-7

Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Violet Wire Color, 12AWG Wire Size, Operating Temperature Range -65 – 150 °C





# Customers Also Bought



LENGTH

55A0812-22-0	14 MODII HDR SRST UNSHRD STKG	MAW-26S = RELAY
E TE	TE	
TE Model / Part #5-1676274-4 RN 0805 27K 0.1% 10PPM 1K RL	TE Model / Part #1879281-1 RP 2A 309K 0.1% 15PPM CUT LENGTH	

## Documents

Product Drawings 81044/12-12-7

English

Datasheets & Catalog Pages 1654025\_Sec9\_SPEC44

English

Raychem Wire and Cable Quick Reference Guide

English

## 81044/12-12-7

Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Violet Wire Color, 12AWG Wire Size, Operating Temperature Range -65 – 150 °C



Product Specifications
Product Specification

English