


V23049B1007A131 Product Details



V23049B1007A131 (3-1393256-4)

TE Internal Number: 3-1393256-4

**Superseded**[Search for Replacement Parts](#)

Relays with Forcibly Guided Contacts (Safety Relays)

[Not reviewed for RoHS Compliance](#)

Product Highlights:

- Relay Type = Safety Relay SR4
- V23049-B Series
- DC Actuating System
- Contact Arrangement = 3 Form A & 1 Form B, 3PST-NO & SPST-NC, 3 N/O & 1 N/C
- Contact Current Rating = 6 Amps.

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

[Add to My Part List](#)[Request Sample](#)[Find Similar Products](#)[Buy Product](#)

Documentation & Additional Information

Product Drawings:

- None Available

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Additional Product Images:

- [Schematic](#)
- [PCB Layout](#)
- [Wiring Diagram](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Termination Type = Through Hole

Electrical Characteristics:

- Actuating System = DC
- Contact Current Rating (Amps.) = 6
- [Coil Resistance \(?\)](#) = 1020
- Coil Power, Nominal (mW) = 0.55
- Input Voltage (VDC) = 24

Body Related Features:

- [Series](#) = V23049-B
- Polarized = No

Contact Related Features:

- Relay Type = Safety Relay SR4
- Enclosure = Sealed
- Contact Type = Single button, forcibly guided
- Approx. Dimensions (L x W x H) (mm [in]) = 42.00 x 12.50 x 30.00 [1.654 x .492 x 1.182]
- Contact Base Material = Silver Cadmium Oxide
- Number of Bistable Coils = Single
- Bistable = No
- Mounting Options = PC Board
- Approved Standards = UL Recognized, VDE Component Mark, TUV Approved, CSA Certified

Configuration Related Features:

- [Contact Arrangement](#) = 3 Form A & 1 Form B, 3PST-NO & SPST-NC, 3 N/O & 1 N/C
- Coil Magnetic System = Monostable

Industry Standards:

- [RoHS/ELV Compliance](#) = Not reviewed for ELV/RoHS compliance
- [Lead Free Solder Processes](#) = Not reviewed for lead free solder process

Other:

- Brand = Schrack

Corporate Information

[Who We Are](#)
[Investors](#)
[News Room](#)
[Supplier Portal](#)
[Careers](#)

Quick Links

[Check Distributor Inventory](#)
[Cross Reference](#)
[Find Documents & Drawings](#)
[Product Compliance Support Center](#)
[Site Map](#)

Customer Support

[Email or Chat with Us](#)
[Find a Phone Number](#)
[Search Knowledge Base](#)
[Manage Your Account](#)

