


LED Numeric Displays (LA)

1 digit to 3 digit, for clock display, frequency display, etc.

●Product Designation

- When ordering, specify the type.
- Check each code against the code tables shown below.
- Fill a space with the next character.



* LA-6000, and LB-6000 are not included.

●Single digit Numeric Displays (LA)


Digit count	Character height (outer dimensions) (mm)	Emitting color (material) Common 1p (nm)	Red	Orange	Yellow	Green	Basic ordering unit	Quantity /package	Quantity /bag	Rank	
			GaAsP on GaP								GaP
			650	610	585	563					
Single Digit	8 (7×11)	Anode	LA-301VB	LA-301DB	LA-301YB	LA-301MB	200	200	200	◎	
		Cathode	LA-301VL	LA-301DL	LA-301YL	LA-301ML					
	10.16 (9.6×13)	Anode	LA-401VD	LA-401DD*3	LA-401YD*3	LA-401MD	140	140	140	◎	
		Cathode	LA-401VN	LA-401DN*3	LA-401YN*3	LA-401MN					
	11 (12.5×17.5)	Anode	LA-421MLA (Green/Brightness Red*2 Two-color light emission) *3				50	50	50	○	
		Cathode	LA-421MLK (Green/Brightness Red*2 Two-color light emission) *3								
	13 (12.5×17.5)	Anode	LA-501VD	LA-501DD*3	—	LA-501MD	80	80	80	◎	
		Cathode	LA-501VN	LA-501DN*3	—	LA-501MN					
	14.6 (12.5×19)	Anode	LA-601LB*2/VB*3	LA-601DB*3	LA-601YB*3	LA-601MB*3	80	80	80	○	
		Cathode	LA-601LL*2/VL*3	LA-601DL*3	LA-601YL*3	LA-601ML*3					
	14.22 (12.2×19)	Anode	LA-6760/6960*1*4	LA-6660*1*3	LA-6860*1*3	LA-6460*1	80	80	80	○	
		Cathode	LA-6780/6980*1*4	LA-6680*1*3	LA-6880*1*3	LA-6480*1					
	15 (12.5×19)	Anode	LA-621LMA (Brightness Red*2/Green Two-color light emission) *3				500	500	500	○	
		Cathode	LA-621MLK (Brightness Red*2/Green Two-color light emission) *3								
	25.4 (24×34)	Anode	LA-101VA	LA-101DA*3	LA-101YA*3	LA-101MA	50	50	50	◎	
		Cathode	LA-101VK	LA-101DK*3	LA-101YK*3	LA-101MK					
	New (22.8×33)	25.4	Anode	LA-101LD*2*3	—	—	—	50	50	50	○
		Cathode	LA-101LN*2*3	—	—	—					
	New (22.8×33)	25.4	Anode	LA-131LA*2*3	—	—	—	50	50	50	○
		Cathode	LA-131LK*2*3	—	—	—					
	25.4 (22.8×33)	25.4	Anode	LA-121MLA (Green/Red*2Two-color light emission) *3				50	50	50	○
		Cathode	LA-121MLK (Green/Red*2Two-color light emission) *3								

Note : *1 Surface finished gray *2 Emitting material : GaAlAs λp : 660nm *3 Need a certain lead time for delivery *4 λp : 635nm.



◎ : Standard products ○ : Semi-standard products

(Unit : mm)

LA-301VB/DB/YB/MB/VL/DL/YL/ML




LA-401VD/DD/YD/MD/VN/DN/YN/MN





LED Numeric Displays

LED

LA-421MLA/MLK



LA-501VD/DD/MD/VN/DN/MN







LED Numeric Displays (LA)

●Single Digit LED Numeric Displays (LA)

(Unit : mm)

LA-601LB/VB/DB/YB/MB/LL/VL/DL/YL/ML





LA-6760/6960/6660/6860/6460/6780/6980/6680/6880/6480







Note : Black coated surface colored segments LA-6760/6780 only.

LA-621LMA/LMK

LA-101VA/DA/YA/MA/VK/DK/YK/MK



(Unit : mm)

LA-101LD/LN, LA-121MLA/MLK	LA-131LA/LK
	
 Top view dimensions: 22.8±0.25, 2.6, 14.7, 2.6, 33±0.25, 25.4, 2.6, 3, 15.24, 4.0±0.5, 9.0±0.25, 2.54, 0.5. Side view dimensions: 27.94, 0.5. Bottom view dimensions: 18.0, 4.0±0.5, 9.0, 0.5.	 Top view dimensions: 22.8±0.25, 1.8, 13.7, 2.6, 33±0.25, 25.4, 1.8, 3, 15.24, 4.0±0.5, 9.0±0.25, 2.54, 0.5. Side view dimensions: 27.94, 0.5. Bottom view dimensions: 18.0, 4.0±0.5, 9.0, 0.5.

LED Numeric Displays

LED

Product Designation

Page 234