


**VS-08-KU-IP67**

Order No.: 1689268

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1689268>

RJ45 coupling, IP67, CAT5e, with protective cover, color: gray

**Ethernet****Commercial data**

EAN	 4 017918 938185
sales group	D513
Pack	1 Pcs.
Customs tariff	85366990
Gross weight in pieces	0.054 KG
Net weight per piece	0.04494 KG
Catalog page information	Page 119 (C-2-2013)

**Product notes**WEEE/RoHS-compliant since:  
02/08/2006

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data****Mechanical characteristics**

Number of positions	8
Connection profile	RJ45 8(8)
Insertion/withdrawal cycles	≥ 750
Connection method	Coupling
Cable exit	Straight
Color	gray

#### Ambient conditions

Ambient temperature (operation)	-10 °C ... 60 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C
Degree of protection	IP67

#### Material data

Inflammability class according to UL 94	V0
Housing material	PBT
Contact carrier material	Thermoplastic
Contact material	Copper alloy
Contact surface material	Gold over nickel
Sealing material	NBR
Seal material	NBR

#### Electrical characteristics

Number of positions	8
Transmission characteristics (category)	CAT5 (IEC 11801:2002), CAT5e (TIA 568B:2001)
Rated current	1 A
Surge voltage category	I
Pollution degree	1

#### Certificates / Approvals



Certification cULus Recognized

Certifications applied for:

Certification Ex:

#### Accessories

Item	Designation	Description
------	-------------	-------------


#### Protective covers

1652606	VS-08-SD-F	Protective cover, IP67, flat design, to cover the contact insert in the panel mounting frame, color: gray
---------	------------	---

Drawings

Dimensioned drawing

RJ45 coupling



**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact  
Technical modifications reserved;