

PIDG FASTON FLAG ASSY 22-18 ✓ ACTIVE



PIDG


TE Part # 156667-1

TE Internal #: 156667-1

PIDG FASTON RECPT QUICK DISCONNECTS

[View on TE.com >](#)

Terminals & Splices > Quick Disconnects > PIDG FASTON RECPT QUICK DISCONNECTS



Terminal & Splice Type: **Receptacle**

Wire Size: .26 – .96 mm²

Mating Tab Width: 6.35 mm [.25 in]

Mating Tab Thickness: .81 mm [.032 in]

[All PIDG FASTON RECPT QUICK DISCONNECTS \(25\)](#)

Features

Product Type Features

Wire Stop	No
Terminates To	Wire & Cable
Insertion Force	Normal
Sealable	No
Insulated	Yes

Configuration Features

Connection Capacity	Single
---------------------	--------

Electrical Characteristics

Voltage (Max)	300 V
---------------	-------

Body Features

Insulation Material	Nylon
Fully Insulated	No
Plating Material	Tin



Contact Features

Terminal Type	Receptacle
Terminal & Splice Type	Receptacle
Terminal Orientation	Flag
Contact Base Material	Brass
Crimp Type	Compression
Barrel Type	Closed

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Accepts Wire Insulation Diameter Range	2.67 – 3.56 mm [.105 – .14 in]
Overall Length	18.29 mm [.72 in]
Receptacle Terminal Stock Thickness	.41 mm [.016 in]
Wire Size	.26 – .96 mm ²
Mating Tab Width	6.35 mm [.25 in]
Mating Tab Thickness	.81 mm [.032 in]

Usage Conditions

Operating Temperature Range	105 °C [221 °F]
-----------------------------	-----------------

Packaging Features

Packaging Quantity	1000
Packaging Method	Carton

Other

Barrel Color	Red
--------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2018 (181)

Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
-----------------	--

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



REPRESENTATION ONLY

TE Part # 90035-3
DOUBLE ACTION HAND TOOL PREM.



TE Part # 58423-1
DIE, RBY IS9252



TE Part # 59824-1
TETRA-CRIMP HT ASSY



REPRESENTATION ONLY

TE Part # 47386-4
22-16 PIDG D.A.H.T ASSY
***PL



TE Part # 539691-2
ERGO DIE R.B.Y



TE Part # 58433-3
PRO CR ASSY, RBY IS9252

Also in the Series | **PIDG**



Crimp Terminal Housings (1)



Crimp Wire Pins, Tabs & Ferrules(41)



Knife Disconnects(11)



PCB Terminals(9)



Portable Crimp Tools(1)



Quick Disconnects(53)



Rings & Spades(868)



Special Purpose Terminals (1)



Splices(48)

Customers Also Bought



TE Part #160136
P.G. RING TONGUE



TE Part #131443
PG, WIRE TAB ASSY, 22-16



TE Part #160300
PLASTI-GRIP 12-10 RING M10



TE Part #34070
PG BUTT SPLC 22-16COMM22-18MIL

Documents

Product Drawings

[PIDG FASTON FLAG ASSY 22-18](#)

English

CAD Files

[Customer View Model](#)

[ENG_CVM_156667-1_C.2d_dxf.zip](#)

English



Customer View Model

[ENG_CVM_156667-1_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_156667-1_C.3d_stp.zip](#)

English

3D PDF

English

Datasheets & Catalog Pages

[Ultra-Fast and Ultra Fast Plus](#)

English

[PIDG_FASTON](#)

English

[PIDG TERMINALS & SPLICES Quick Reference Guide](#)

English

Product Environmental Compliance

[MD_156667-1_112320171136_dmtec](#)

English

[MD_156667-1_112320171136_dmtec](#)

English