



Part Number : [643251091](#)
Product Description : CMC 2.80mm Blind
Cavity Plug
Series Number : 64325
Status : Active
Product Category : Connector Accessories



Documents & Resources

Drawings

[Drawing 643251091_sd.pdf](#)

Specifications

[Application Specification AS-560065-001-001.pdf](#)
[Application Specification AS-560065-001-CH-001.pdf](#)
[Application Specification AS-64318-002-001.pdf](#)
[Application Specification AS-64318-002-CH-001.pdf](#)
[Application Specification AS-64318-002-SP-001.pdf](#)
[Application Specification AS-64327-001-001.pdf](#)
[Application Specification AS-98420-001-001.pdf](#)
[Application Specification AS-98420-001-CH-001.pdf](#)
[Application Specification AS-98420-003-001.pdf](#)
[Application Specification AS-98420-003-CH-001.pdf](#)
[Application Specification AS-98420-003-FR-001.pdf](#)
[Packaging Specification PK-64325-003-001.pdf](#)
[Product Specification 643270001-PS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant
China RoHS	Not Relevant
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

[Multiple Part Product Compliance Statements](#)

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Accessories
Series	64325
Description	CMC 2.80mm Blind Cavity Plug
Application	Automotive
Component Type	Wire Plug
Product Family	CMC and CMX Sealed, Hybrid, Modular Connectors
Product Name	CMC
UPC	883906127886

Physical

Circuits (Loaded)	0
Circuits (maximum)	0
Net Weight	0.020/g
Packaging Type	Carton

Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

Use with Part(s)

Description	Part Number
-------------	-------------

Power CMC Receptacles	<u>64318</u>
CMC Receptacles and Wire Caps	<u>64321</u>

This document was generated on Sep 05, 2023