


ENERGIZER 3-335I



Industry Standard Dimensions




Specifications

Classification:	Alkaline
Chemical System:	Zinc-Manganese Dioxide (Zn/MnO ₂) No added mercury or cadmium
Nominal Voltage:	1.5 volts
Nominal IR:	150 to 300 milliohms (fresh)
Operating Temp:	-18°C to 55°C (0°F to 130°F)
Typical Weight:	64.8 grams (2.3 oz.)
Typical Volume:	25.4 cubic centimeters (1.6 cubic inch)
Cell:	One No. 3-335 (size 'C')
Shelf Life:	7 years at 21°C
Terminal:	Flat Contact


Milliamp-Hours Capacity

Continuous discharge to 0.8 volts at 21°C




Constant Resistance Performance

Typical Characteristics (21°C)



Constant Current Performance

Typical Characteristics (21°C)




Important Notice

This data sheet contains typical information specific to products manufactured at the time of its publication.
©Energizer Holdings, Inc. - Contents herein do not constitute a warranty.


ENERGIZER 3-335I

Industry Standard Tests (21°C)


RADIO
20 ohm 4 hrs/day




LIGHTING
3.9 ohm LIF



TOY
3.9 ohm 1 hr/day



PORTABLE STEREO
400 mA 2 hrs/day



Important Notice

This data sheet contains typical information specific to products manufactured at the time of its publication.
©Energizer Holdings, Inc. - Contents herein do not constitute a warranty.