



Laird's unique patented Phantom Elite® UHF Mobile antenna models are available in the 406-512 MHz operating ranges and delivers durability and high performance for outdoor or indoor applications. Suitable for outdoor and indoor applications, the revolutionary design measures only 3.5" and features vertical polarization. The Phantom Elite® provides frequency agility, low visibility, wide bandwidth and a low angle radiation pattern that is superior to traditional gain antennas in most applications.

The industry standard NMO mounting socket mates with all Laird's magnetic, trunk lid, and hole mounts. A threaded permanent stud mount model is also available for vandal resistant mounting on brackets, panels, ceilings or any other kind of housing.

FEATURES AND BENEFITS

- Patented Field Diversity
- High performance whip-less design
- Phantom® outperforms a 3dB whip in many applications
- U.S. Patent Nos. 5,977,931 – 6,292,156

ELECTRICAL SPECIFICATIONS


Operating Frequency (MHz)	406-512
VSWR	<2.1
Nominal Gain (dBi)	3
Nominal Impedance (Ohms)	50
Maximum Power (W)	100
Polarization	Vertical
Radiation Pattern	Omnidirectional
Half-Power Beamwidth (Elevation° / Azimuth°)	146° / 360°
Mount	NMO or P-mount
Material	High Heat ABS
Color	Black or White
Height cm (inch)	8.89 (3 ½)
Weight kg (lbs)	0.068 (0.15)
Noise Suppressor (optional)	NS1535 (Sold Separately)
Material Substance Compliance	RoHS
Ingress Protection	IP67

CONFIGURATION


MODEL	DESCRIPTION	COLOR
ETRA4063	406-425 MHz, 3dBi Phantom®Elite NMO	White
ETRAB4063	406-425 MHz, 3dbi Phantom®Elite NMO	Black
ETRA4103	410-430 MHz 3dBi Phantom® Elite NMO	White
ETRAB4103	410-430 MHz 3dBi Phantom® Elite NMO	Black
ETRA4303	430-450 MHz 3dBi Phantom® Elite NMO	White
ETRAB4303	430-450 MHz 3dBi Phantom® Elite NMO	Black
ETRA4503	450-470 MHz 3dBi Phantom® Elite NMO	White
ETRAB4503	450-470 MHz 3dBi Phantom® Elite NMO	Black
ETRA4703	470-490 MHz 3dBi Phantom® Elite NMO	White
ETRAB4703	470-490 MHz 3dBi Phantom® Elite NMO	Black
ETRA4903	490-512 MHz 3dBi Phantom® Elite NMO	White
ETRAB4903	490-512 MHz 3dBi Phantom® Elite NMO	Black

Note: The addition of "P" to the model numbers indicates Permanent Mount.

RADIATION PATTERNS



Azimuth Pattern (X, Y, or E-plane)



Elevation Pattern (Y, Z, or H-plane)

Americas: +1.847 839.6925
 IAS-AmericasSales@lairdtech.com
Europe: +44.1628.858941
 IAS-EUSales@lairdtech.com
Asia: IAS-AsiaSales@lairdtech.com
Middle East and Africa: +44.1628.858941
 IAS-MEAUSales@lairdtech.com
<https://connectivity.lairdtech.com>

✓RoHS

Laird warrants to the original end user customer of its products that its products are free from defects in material and workmanship. Subject to conditions and limitations Laird will, at its option, either repair or replace any part of its products that prove defective because of improper workmanship or materials. This limited warranty is in force for the useful lifetime of the original end product into which the Laird product is installed. Useful lifetime of the original end product may vary but is not to exceed five (5) years from the original date of the end product purchase.

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request.

© Copyright 2019 Laird Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Logo, and other marks are trademarks or registered trademarks of Laird Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.

