FLHTC0311-1.00-4 ACTIVE

Raychem

TE Internal #: 5773073002

Hook Up Wire, FlexLite HT, 600V Voltage Rating, Yellow Wire Color, 17AWG Wire Size, 1mm² Wire Size, Operating Temperature

Range -55 – 200 °C

View on TE.com >



Wire & Cable > Hook Up Wire



Cable Type: FlexLite HT
Voltage Rating: 600 V
Wire Color: Yellow

Insulation Material: Radiation-Crosslinked, Modified ETFE

Conductor Material: Tin-Plated Copper

Features

Product Type Features

| Product Type | Wire |
|----------------------------|---------------------|
| Product Classification | Wire - Commercial |
| Cable Style | Primary, Stranded |
| Cable Type | FlexLite HT |
| Configuration Features | |
| Number of Conductors | 1 |
| Number of Strands | 19 |
| Electrical Characteristics | |
| Resistance (Max) | 20 Ω/1000 ft @ 68°F |
| Voltage Rating | 600 V |

Body Features

| Weight | 9.85 kg/km |
|---------------------|--------------------------------------|
| Wire Color | Yellow |
| Insulation Material | Radiation-Crosslinked, Modified ETFE |
| Conductor Material | Tin-Plated Copper |

Dimensions



| Wire Diameter | 1.601 mm[.063 in] |
|--------------------------------|--------------------------------|
| Conductor Diameter Range | 1.17 – 1.26 mm[.046 – .05 in] |
| Overall Outside Diameter | 1.62 mm[.0638 in] |
| Overall Outside Diameter Range | 1.58 – 1.66 mm[.062 – .065 in] |
| Conductor Diameter | 1.215 mm[.048 in] |
| Cable Insulation Thickness | .152 mm[.006 in] |
| Strand Size | 30 AWG |
| Wire Size | 1 mm ² |
| Usage Conditions | |
| Operating Temperature Range | -55 – 200 °C |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC |
| Halogen Content | Out of Scope - excluded from Halogen requirements |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Customers Also Bought





















Documents

Product Drawings FLHTC0311-1.00-4

English

Datasheets & Catalog Pages

1654025_Sec9_FlexLite

English

Wire and Cable Overview

English

Hook Up Wire, FlexLite HT, 600V Voltage Rating, Yellow Wire Color, 17AWG Wire Size, 1mm² Wire Size, Operating Temperature Range -55 – 200 °C

