




Have a Question?
 Chat with a Product Information Specialist

What can we help you find?

- [Products](#) [Industries](#) [Resources](#) [About TE](#) [My Account](#) [Innovation](#) [Support Center](#)

SLS230PC Product Details

- [Share](#) [Print](#) [Email](#)



SLS230PC

TE Internal Number: 4-1437577-1

Superseded

[Search for Replacement Parts](#)

Slide Switches

Not EU RoHS or ELV Compliant (Find RoHS Compliant Alternates)

Product Highlights:

- 3 Positions
- Single Pole - Single Throw Configuration (Pole-Throw)
- Actuator Style = Top
- Actuator Color = Black
- SLS Series

[View all Features](#)

Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

- [Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [Slide Switch, SLS230 PC \(PDF, English\)](#)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Actuator Style = Top
- Series = SLS
- Mount Angle = Vertical
- Terminal Configuration = Standard
- Grade = Consumer
- Termination Type = PC

Electrical Characteristics:

- Contact Rating = 150mA @ 12 VDC, 250mA @ 125 VAC

Dimensions:

- PCB Tail Length (mm [in]) = 2.50 [0.098]
- Actuator Length (mm [in]) = 5.00 [0.197]

Body Features:

- Actuator Color = Black
- Mount Style = Through-Hole
- Actuator Material = Polycarbonate

Contact Features:

- Contact Plating = Silver
- Contact Base Material = Copper Alloy

Configuration Features:

- [Number of Positions](#) = 3
- Configuration (Pole-Throw) = Single Pole - Single Throw
- Number of Actuators = Single

Industry Standards:

- [RoHS/ELV Compliance](#) = Not ELV/RoHS compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C

Identification Marking:

- Stamped Marking = With

Other:

- Brand = Alcoswitch

Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)

Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

[Privacy Policy](#)

Keep Me Informed

Receive TE News, Events & Technology Updates

Enter your email address

