




N Connectors

Unless noted, body and pin material is brass, contact is BeCu, insulator is PTFE, plating on components is BA.


N Connectors



Catalog Number

NS-6795-1


50 Ω N PCB
Three Hole Mount



Catalog Number

NS-6795-3

50 Ω N PCB
Four Hole Mount




Catalog Number

NS-5335-5

50 Ω Right Angle
N PCB Mount

Catalog Number


NS-5470-1



75 Ω Bulkhead Mount N

Catalog Number


NS-7791-1



50 Ω Cable Mount Female N


Catalog Number **Cable** **Ω** **Crimp Tool**

| | | | |
|------------------|-------------------|----|-----------|
| GN-214-AHS/480 | RG-214/U | 50 | G-CRT-480 |
| GN-8-213-AHS/460 | RG-8/U, RG-213/U | 50 | G-CRT-480 |
| GN-8-AHS/480-LD | RG-8/U FOAM | 50 | G-CRT-480 |
| GN-216-AHS/480 | RG-216/U | 75 | G-CRT-211 |
| GN-11-AHS/460 | RG-11/U Up to 60% | 75 | G-CRT-211 |
| GN-11-AHS/480 | RG-11/U Over 60% | 75 | G-CRT-211 |
| GN-375-CX | .375 Cable Flex | 75 | G-CRT-211 |
| NS-3008-9 | RG-11/U | 50 | G-CRT-480 |
| NS-3008-23 | Belden 8214 | 50 | G-CRT-480 |
| NS-3008-29 | Belden 9913 | 50 | G-CRT-480 |



Large Cable Mount Male N

N Connectors



Small Cable Mount
Male N

| Catalog Number | Cable | Ω | A ϕ |
|-----------------|----------------------|----------|----------|
| GN-58-B-AHS-250 | RG-58/U | 50 | .250 |
| GN-223-AHS-290 | RG-223/U | 50 | .290 |
| GN-59-AHS/290-L | Low density RG-59/U | 75 | .290 |
| GN-59-AHS/290-H | High density RG-59/U | 75 | .290 |
| GN-59-AHS/312-L | Low density RG-59/U | 75 | .312 |
| GN-59-AHS/312-H | High density RG-59/U | 75 | .312 |
| GN-59-AHP/284-L | Plenum RG-59/U | 75 | .284 |
| GN-6-AHS/312-L | Low density RG-6/U | 75 | .312 |
| GN-6-AHS/312-H | High density RG-6/U | 75 | .312 |
| GN-6-AHS/342-L | Low density RG-6/U | 75 | .342 |
| GN-6-AHS/342-H | High density RG-6/U | 75 | .342 |
| GN-6-AHS/357-L | Low density RG-6/U | 75 | .357 |
| GN-6-AHS/357-H | High density RG-6/U | 75 | .357 |
| GN-6-AHP/312-L | Plenum RG-6/U | 75 | .312 |