## **Panasonic**

# Lithium Ion NCA463436A

#### Features & Benefits

- High energy density
- Long stable power and long run time
- Ideal for portable communications, portable computing, DSC and Camcorder.

Rated capacity <sup>(1)</sup>	Min. 680mAh	
Capacity <sup>(2)</sup>	Min. 695mAh Typ. 720mAh	
Nominal voltage	3.6V	
Charging	CC-CV, Std. 487mA, 4.20V, 4.0 hrs	
Weight (max.)	12.4 g	
Temperature	Charge*: Discharge: -: Storage: -:	0 to +45°C 20 to +60°C 20 to +50°C
Energy density	Volumetric: Gravimetric:	437 Wh/l 197 Wh/kg
<sup>(1)</sup> At 20°C <sup>(2)</sup> At 25°C	*	

**Specifications** 



#### **Charge Characteristics**

\* At temperatures below 10°C,

charge at a 0.40C rate.



#### **Discharge Characteristics (by temperature)**

### **Cycle Life Characteristics**



#### Discharge Characteristics (by rate of discharge)



The data in this document is for descriptive purposes only and is not intended to make or imply any guarantee or warranty.

Apr. 2018 | Copyright© 2018 All Rights Reserved.

Please contact us for more details of the specification.