

Raychem

TE Internal #: 650076-000

Splices, Splice, Splice, 16 – 12AWG Wire Size, 1.21 – 2.94mm² Wire Size, Sealable, Splice Kit, Barrel Inside Diameter .1 in [2.54 mm]

View on TE.com >



Terminals & Splices > Splices



Splice Product Type: Splice

Terminal & Splice Type: Splice

Wire Size: 1.21 – 2.94 mm²

Sealable: Yes

Features

Product Type Features

Splice Product Type	Splice
Sealable	Yes
Splice Type	In-Line Splice
Serrated	No
Splice Accessory Type	Splice
Splice Barrel Type	Closed Barrel
Splice Wire/Cable Type	Insulated Wire
Insulated	Yes
Support Style	Non-Insulation Support
Configuration Features	
Number of Serrations	0
Body Features	
Insulation Material	Modified Polyvinylidene
Splice Features	Splice Kit
Splice Material	Tin-Plated Copper
Contact Features	
Terminal & Splice Type	Splice
Dimensions	

2426 – 5874 CMA

Wire Size



Barrel Inside Diameter	2.54 mm[.1 in]
Splice Overall Length	29.21 mm[1.15 in]
Usage Conditions	
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
Operation/Application	
Heavy Duty	No
Industry Standards	
Government Qualified Splice	Yes
Packaging Features	
Splice Packaging Method	Bag/Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Customers Also Bought










DR-25-1/2-0-SP











Documents

Product Drawings

D-436-38

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_650076-000_R.2d_dxf.zip

English

Customer View Model

ENG_CVM_650076-000_R.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_650076-000_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

1654025_Sec8_D-436

English

Harness Repair Products Quick Reference Guide

English