


## 2-221128-9 Product Details



**2-221128-9**

### BNC RF Connectors

[Not EU RoHS or ELV Compliant](#)

#### Product Highlights:

- Connector
- Connector Type = BNC
- Plug
- Terminate To Coaxial Cable
- Coaxial Cable Termination Type = Crimp

[View all Features](#)

### Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

TE Internal Number: 2-221128-9



**Obsolete**

[Search for Replacement Parts](#)

- [Add to My Part List](#)
[Request Sample](#)
[Find Similar Products](#)
[Buy Product](#)

### Documentation & Additional Information

<p><b>Product Drawings:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">PLUG, COMMERCIAL BNC</a> (PDF, English)</li> </ul> <p><b>Catalog Pages/Data Sheets:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Product Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Application Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Instruction Sheets:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">COAXICON 50-Ohm BNC RF Series Commercial Plug (Hex C...</a> (PDF, English)</li> </ul> <p><b>CAD Files:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul>	<p><b>Additional Information:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Product Line Information</a></li> </ul> <p><b>Related Products:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Tooling</a></li> </ul>
--	--

[List all Documents](#)

### Product Features (Please use the Product Drawing for all design activity)

<p><b>Product Type Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Product Type</a> = Connector</li> <li>• <a href="#">Connector Type</a> = BNC</li> <li>• <a href="#">Gender</a> = Plug</li> <li>• <a href="#">Crimp Type</a> = Hex</li> <li>• <a href="#">Body Style</a> = Straight</li> <li>• <a href="#">Grade</a> = Commercial</li> <li>• <a href="#">Body Insulation</a> = Without</li> <li>• <a href="#">Sealed</a> = No</li> <li>• <a href="#">Isolated</a> = No</li> <li>• <a href="#">Dielectric Material</a> = Polyethylene</li> <li>• <a href="#">Coupling Nut Material</a> = Brass</li> <li>• Number of Ports = 1</li> <li>• Solder Terminal = Without</li> </ul> <p><b>Mechanical Attachment:</b></p> <ul style="list-style-type: none"> <li>• Surface Mountable = No</li> <li>• Panel Attachment = Without</li> </ul> <p><b>Electrical Characteristics:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Connector Impedance (?)</a> = 50</li> </ul> <p><b>Termination Related Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Coaxial Cable Termination Type</a> = Crimp</li> </ul>	<p><b>Body Related Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Hardware Included</a> = No</li> <li>• <a href="#">Body Plating</a> = Nickel</li> <li>• <a href="#">Polarized</a> = No</li> </ul> <p><b>Contact Related Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Center Contact Material</a> = Brass</li> <li>• <a href="#">Center Contact Plating</a> = Gold</li> </ul> <p><b>Configuration Related Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Coaxial Cable Type (RG/U or Mfg.)</a> = 188, 316, JIS 1.5D-2V, JIS 1.5D-XV, JIS 1.5D-XVS</li> </ul> <p><b>Industry Standards:</b></p> <ul style="list-style-type: none"> <li>• Government/Industry Qualification = No</li> <li>• <a href="#">RoHS/ELV Compliance</a> = Not ELV/RoHS compliant</li> <li>• <a href="#">Lead Free Solder Processes</a> = Not relevant for lead free process</li> </ul> <p><b>Conditions for Usage:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Terminate To</a> = Coaxial Cable</li> </ul> <p><b>Packaging Related Features:</b></p> <ul style="list-style-type: none"> <li>• Contact Packaging Method = Single</li> </ul> <p><b>Other:</b></p> <ul style="list-style-type: none"> <li>• Brand = AMP</li> </ul>
---	--