

PRODUCT-DETAILS

E202/63R

E202/63R Switch Disconnector



General Information	
Extended Product Type	E202/63R
Product ID	2CDE282001R0063
EAN	4016779645904
Catalog Description	E202/63R Switch Disconnector
Long Description	These devices are suitable for commanding loads and they are realized according EN 60947-3 and EN 60669-1 respectively. Fast removal without dismantling of the busbar. Captive screws with recessed/slotted head. Pozidrive size 2. Add-on of up to 3 auxiliary contact S2C-H6R possible Integrated lay-on edge for labeling system ILS. Locking device as accessories for unauthorized ON/OFF. Approval: VDE, CCC, KEMA

Technical	
Standards	IEC/EN 60947-3
Rated Voltage (U _r)	400 V 12 V Minimum
Rated Operational Voltage	230 / 400 V AC
Input Voltage Type	AC
Rated Current (I _n)	63 A
Rated Conditional Short- Circuit Current (I _{nc})	25 kA
Rated Service Short- Circuit Breaking Capacity (I _{cs})	25 kA
Power Loss	3.3 W
	at Rated Operating Conditions per Pole 1.65 W

EN IEC

Number of Poles	
Number of Contacts CO	(
Number of Contacts NC	(
Number of Contacts NO	
Product Range	Switch-disconnector E20
Switch Type	Of
Recommended Screw Driver	Pozidriv
Accessories Available	Ye
Cover Color	Grey
Degree of Protection	IP10
RoHS Status	Following EU Directive 2011/65/EU
Dimensions	
Width in Number of	
Modular Spacings	
Product Net Width	35 mm
Product Net Height	85 mm
Product Net Depth / Length	69 mm
Product Net Weight	0.19 kg
Built-In Depth (t ₂)	70 mm
Built-In Depth (t ₂)	-
Built-In Depth (t ₂) Container Information	-
Container Information	
Container Information Package Level 1 Units	70 mm
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height	70 mm 5 piece 92 mm
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth /	70 mm 5 piece 92 mm 80 mm
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross	70 mm 5 piece 92 mm 80 mm 183 mm
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight	5 piece 92 mm 80 mm 183 mm
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN	70 mm 5 piece 92 mm 80 mm 183 mm 0.995 kg
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units	70 mm 5 piece 92 mm 80 mm 183 mm 0.995 kg
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units Package Level 2 Width	70 mm 5 piece 92 mm 80 mm 183 mm 0.995 kg 4016779668828 60 piece 275 mm
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 2 Units Package Level 2 Width Package Level 2 Height Package Level 2 Height Package Level 2 Depth /	5 piece 92 mm 80 mm 183 mm 0.995 kg 4016779668828 60 piece 275 mm
	70 mm
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 2 Units Package Level 2 Width Package Level 2 Height Package Level 2 Depth / Length Package Level 2 Depth / Length	5 piece 92 mm 80 mm 183 mm 0.995 kg 4016779668828 60 piece 275 mm 210 mm
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units Package Level 2 Width Package Level 2 Height Package Level 2 Height Package Level 2 Topsth / Length Package Level 2 Gross Weight Package Level 2 Gross Weight Package Level 2 EAN	5 piece 92 mm 80 mm 183 mm 0.995 kg 4016779668828 60 piece 275 mm 210 mm 395 mm
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units Package Level 2 Width Package Level 2 Height Package Level 2 Depth / Length Package Level 2 Gross Weight Package Level 2 Gross Weight Package Level 2 EAN	5 piece 92 mm 80 mm 183 mm 0.995 kg 4016779668828 60 piece 275 mm 210 mm 395 mm 12.34 kg
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units Package Level 2 Width Package Level 2 Height Package Level 2 Depth / Length Package Level 2 Depth / Length Package Level 2 Gross Weight	5 piece 92 mm 80 mm 183 mm 0.995 kg 4016779668828 60 piece 275 mm 210 mm 395 mm

Certificates and Declarations (Document Number)

Certification Agency

E202/63R

Declaration of	2CDK441011D0403
Conformity - CE	
Instructions and	2CSC400002D0208
Manuals	
RoHS Information	2CDK440002K0201

Popular Downloads		
Data Sheet, Technical Information	2CSC400002D0209	
Instructions and Manuals	2CSC400002D0208	

Classifications	
ETIM 7	EC001545 - Main switch for distribution board
ETIM 8	EC001545 - Main switch for distribution board
EPLAN Catalog Tree	Electrical engineering / Sensor, switch, and pushbutton / Switch , pushbutton
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27142301
Object Classification Code	Q

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Command\ and\ Signalling\ Devices \rightarrow Switch\ Disconnectors$





