


DASH NO. M CODE MADE FROM



GSD

86-99-98

REVISIONS	
ISSUE	CHANGES
2.	CN 26213 C AJ 27 JUN 84
3.	CN 38247 GDH 12 MAR 01

GSD

SCALE	4:1
APPROX. SURFACE AREA	
USED ON	
REF	
TNL TEE ADAPTER M-F-F	
DRAWN	CT DATE 13 NOV 85
APPR	VLS DATE 11/19/85
APPR	DATE

NOTES:

- MATERIALS:
 - GASKET — SILICONE RUBBER, ZZ-R-705.
 - C-RING — PHOSPHOR BRONZE, QQ-B-750.
 - INSULATORS — TEFLON, L-P-403.
 - CENTER CONTACTS — BER. COPPER, QQ-C-530.
 - OUTER CONTACT —
 - ALL OTHER METAL PARTS — BRASS, QQ-B-426.

- FINISHES:
 - ALL METAL PARTS — SILVER PLT. PER, QQ-S-305.
- ELECTRICAL CHARACTERISTICS:
 - NOMINAL IMPEDANCE — 50 Ω.
 - FREQUENCY RANGE — DC TO 118 MHz.
 - WORKING VOLTAGE — 500 VOLTS RMS.

UNLESS OTHERWISE SPECIFIED:	
1. TOLERANCES: FRACTIONS & 2 PLACE DECIMALS ± .010	2. REMOVE ALL BURRS, BREAK SHARP EDGES .005 MAX.
3 PLACE DECIMALS ± .004	3. NO FILLETS PERMITTED.
ANGLES ± 0°30'	4. SURFACE ROUGHNESS 63 MICROINCHES RMS MAX.
T I R CONCENTRICITY OF ANY 2 DIAMETERS MAY NOT EXCEED HALF THE SUM OF THEIR TOLERANCES	5. ALL DIMENSIONS PRIOR TO PLATING.
	6. ALL PLATING IN ACCORDANCE WITH KER 10004.

GSD

KINGS
ELECTRONICS CO., INC.
124 MADISON BLVD. NEW YORK, N.Y. 10017

KA-99-98